

COMPOSITE SHIP

No. 2471/70

No. 144 Survey held at Glasgow Date, first Survey 1869 Last Survey 7th January 1870in the Ship City of GlasgowMaster W. H. H. H.Tonnage under Tonnage Deck 892 Built at Glasgow When built 1869 Launched 1st Feb 1869Tonnage of Ship as Registered 53. 0/1 By whom built Scott & Linton Owners J. MillerGross Tonnage 962. 9/7 Port belonging to London Destined Voyage By Sea to ChinaNet Tonnage 41. 3/4 If Surveyed while Building, Afloat, or in Dry Dock While Building & AfloatNet Tonnage as per Rule 41. 3/4Length aloft 211 Extreme Breadth 36 Depth from top of Upper Deck Beam to top of Floor 20 N. of Decks 2Dimensions of Ship per Register, length 212. 5 breadth 36 depth 21. 05

Keel, siding and moulding 15 1/2 x 1 1/4 15 1/2 x 1 1/4 15 1/2 x 1 1/4 15 1/2 x 1 1/4

Plate, breadth and thickness 31 31 31 31

in siding and moulding 15 1/2 x 20 15 1/2 x 20 15 1/2 x 20 15 1/2 x 20

Deadwood plate, breadth and thickness 19 1/2 x 1 1/4 19 1/2 x 1 1/4 19 1/2 x 1 1/4 19 1/2 x 1 1/4

in post, siding and moulding 15 1/2 x 1 1/4 15 1/2 x 1 1/4 15 1/2 x 1 1/4 15 1/2 x 1 1/4

Deadwood plate, breadth and thickness 20 1/2 x 1 1/4 20 1/2 x 1 1/4 20 1/2 x 1 1/4 20 1/2 x 1 1/4

Distance of Frames from moulding edge to moulding edge, all fore and aft 18 18 18 18

Size of Angle Iron, single 4 1/2 x 3/4 4 1/2 x 3/4 4 1/2 x 3/4 4 1/2 x 3/4

Reversed Iron, if to every frame 1 1/2 x 3/4 1 1/2 x 3/4 1 1/2 x 3/4 1 1/2 x 3/4

or every alternate frame 1 1/2 x 3/4 1 1/2 x 3/4 1 1/2 x 3/4 1 1/2 x 3/4

Depth and thickness of Floor Plate at 24 9 1/2 24 9 1/2

Mid line 24 9 1/2 24 9 1/2

Distance ditto at Bilge Keelson 9 1/2 9 1/2 9 1/2 9 1/2

Size of Reversed Angle Iron, and 3 3 3 3

N. of plates at top of Floor Plate 3 3 3 3

Double 9 9 1/2 9 9 1/2

Double 9 9 1/2 9 9 1/2

Double 3 1/2 3 1/2 3 1/2 3 1/2

on Upper edge 3 1/2 3 1/2 3 1/2 3 1/2

average space between 4 1/2 4 1/2 4 1/2 4 1/2

Lower Deck (N. of) 4 1/2 4 1/2 4 1/2 4 1/2

Double 4 4 1/2 4 4 1/2

on Upper edge 4 4 1/2 4 4 1/2

average space between 4 1/2 4 1/2 4 1/2 4 1/2

Lower Deck (N. of) 4 1/2 4 1/2 4 1/2 4 1/2

Size of Plates 10 1/2 10 1/2 10 1/2 10 1/2

Size of Angle Iron 4 1/2 4 1/2 4 1/2 4 1/2

Side, intercostal 4 1/2 4 1/2 4 1/2 4 1/2

Bilge (N. of) at each Bilge 4 1/2 4 1/2 4 1/2 4 1/2

Double 4 1/2 4 1/2 4 1/2 4 1/2

on Upper edge 4 1/2 4 1/2 4 1/2 4 1/2

Size of Plates 10 1/2 10 1/2 10 1/2 10 1/2

Size of Angle Iron 4 1/2 4 1/2 4 1/2 4 1/2

Side, intercostal 4 1/2 4 1/2 4 1/2 4 1/2

Bilge (N. of) at each Bilge 4 1/2 4 1/2 4 1/2 4 1/2

Double 4 1/2 4 1/2 4 1/2 4 1/2

on Upper edge 4 1/2 4 1/2 4 1/2 4 1/2

Size of Plates 10 1/2 10 1/2 10 1/2 10 1/2

Size of Angle Iron 4 1/2 4 1/2 4 1/2 4 1/2

Side, intercostal 4 1/2 4 1/2 4 1/2 4 1/2

Bilge (N. of) at each Bilge 4 1/2 4 1/2 4 1/2 4 1/2

Double 4 1/2 4 1/2 4 1/2 4 1/2

on Upper edge 4 1/2 4 1/2 4 1/2 4 1/2

Size of Plates 10 1/2 10 1/2 10 1/2 10 1/2

Size of Angle Iron 4 1/2 4 1/2 4 1/2 4 1/2

Side, intercostal 4 1/2 4 1/2 4 1/2 4 1/2

Bilge (N. of) at each Bilge 4 1/2 4 1/2 4 1/2 4 1/2

Double 4 1/2 4 1/2 4 1/2 4 1/2

on Upper edge 4 1/2 4 1/2 4 1/2 4 1/2

Size of Plates 10 1/2 10 1/2 10 1/2 10 1/2

Size of Angle Iron 4 1/2 4 1/2 4 1/2 4 1/2

Side, intercostal 4 1/2 4 1/2 4 1/2 4 1/2

Bilge (N. of) at each Bilge 4 1/2 4 1/2 4 1/2 4 1/2

Double 4 1/2 4 1/2 4 1/2 4 1/2

on Upper edge 4 1/2 4 1/2 4 1/2 4 1/2

Size of Plates 10 1/2 10 1/2 10 1/2 10 1/2

Size of Angle Iron 4 1/2 4 1/2 4 1/2 4 1/2

Side, intercostal 4 1/2 4 1/2 4 1/2 4 1/2

Bilge (N. of) at each Bilge 4 1/2 4 1/2 4 1/2 4 1/2

Double 4 1/2 4 1/2 4 1/2 4 1/2

on Upper edge 4 1/2 4 1/2 4 1/2 4 1/2

Size of Plates 10 1/2 10 1/2 10 1/2 10 1/2

Size of Angle Iron 4 1/2 4 1/2 4 1/2 4 1/2

Side, intercostal 4 1/2 4 1/2 4 1/2 4 1/2

Bilge (N. of) at each Bilge 4 1/2 4 1/2 4 1/2 4 1/2

Double 4 1/2 4 1/2 4 1/2 4 1/2

on Upper edge 4 1/2 4 1/2 4 1/2 4 1/2

Size of Plates 10 1/2 10 1/2 10 1/2 10 1/2

Size of Angle Iron 4 1/2 4 1/2 4 1/2 4 1/2

Side, intercostal 4 1/2 4 1/2 4 1/2 4 1/2

Bilge (N. of) at each Bilge 4 1/2 4 1/2 4 1/2 4 1/2

Double 4 1/2 4 1/2 4 1/2 4 1/2

on Upper edge 4 1/2 4 1/2 4 1/2 4 1/2

Size of Plates 10 1/2 10 1/2 10 1/2 10 1/2

Size of Angle Iron 4 1/2 4 1/2 4 1/2 4 1/2

~~copy~~ Given by L. Tucker of the Draught Room, June 1965.
Original supposed to be with the CUTTY SARK.



© 2018

Lloyd's Register
Foundation

LR-FAR-SAG-2 J12

~~original~~ Given by L. Tucker of the Draught Room, June 1965.
Original supposed to be with the CUTTY SARK.



© 2018

Lloyd's Register
Foundation

LR 100 516 8 000