

TONNAGE under
Tonnage Deck...
Do. between Tonnage Dk.
and 3rd and 4th Dk.)
Total under Upper Dk.
Do. of Poop

320.95

CLASS 4 100A.1.

FEET.

Master

Breadth (greatest moulded).....

25.00

Year of appointment

Depth, at middle of length from top of keel to top of

12.00

P. 11-1.

For the information of Surveyors and the Committee only.

Received at

Office

19

Lloyd's Register of Shipping.

(Report on Vessel No. 32429 Port Hull)

Edern

SHIP FORGINGS OR CASTINGS.

I have to report that the undermentioned Iron ~~or~~ Steel Forgings or Castings, manufactured by Messrs J. S. Forster & Sons Ltd of Sunderland for the Vessel No. 448, being built by Cochrane & Sons Ltd of Selby have been inspected by me as set forth below and found to be, so far as can be seen, Sound

n Forgings or Castings.


Lloyd's
No. 1340

D. D. Williamson

Sunderland 6.7.20

	STERN FRAME.	RUDDER FRAME.	STEM.
Material*	Scrap Iron	Scrap Iron	
Made	Forged	Forged	
Dimensions	6 x 3 1/2 x 5 1/2 x 3 1/2	5' dia to 4 1/4' dia	
Process on Inspection	Finished	Finished	
When Inspected	31-1-20	6.7.20	
CASTINGS.			
Tests on Standard Test Pieces.			
Single Test—			
Tons per square inch			
Extension per cent.			
Bending Test—			
Angle before fracture			
Impact Test—			
Height from ground			
Immersion Test—			
If made according to Rules and found satisfactory			

SKETCHES OF FRAMES SHOWING POSITION AND DESCRIPTION OF WELDS OF FORGINGS.



Fee (if any chargeable) £

To be paid at

* If of Iron, state whether scrap or puddled Iron. If of Steel, state whether made on the Open Hearth process.

3m.12.19 T.

002138-002150-0135

BEAMS, Poop Deck, Angle, Bulb Angle, Plate, Tee Bulb, or Channel
Angles on upper edge
Spacing

Bridge Deck Stringer Plate, breadth & thickness

Angle on ditto

Tie Plates

Deck, Material and thickness

27

3 x 3 x

42

5 x 3