






Do all the Frames extend to the top height in the Poop? *Yes* Raised Quarter Deck? *Yes* Bridge House? *Yes* Forecastle? *Yes*  
 To what height do the Reverse Frames extend? *Bulk angle frames except in way of aft peak where reverse frames to rule being*  
 Has the ~~Poop~~ Raised Quarter Deck an efficient Iron Bulkhead at the fore end? *Yes; the break bulkhead.*  
 Give particulars of the means for closing the openings in Bulkhead *No doors in bulkhead or other openings.*  
 Is the ~~Poop~~ Raised Quarter Deck connected with the Bridge House? *Yes* Has the Bridge House an efficient Bulkhead at the fore end? *Yes*  
 Give particulars of the means for closing the openings in Bulkhead *No openings*  
 What is the thickness of the Bridge Front plating? *Top Strake 30"* and Coaming plate? *Bottom Strake forming deep Coaming 34"*  
 Give scantlings and spacing of the Stiffeners *2/3 the number 4"x3 1/2"x3"x7/16" Teeds; Remainder 4"x3 1/2"x3"x3/8" Teeds Spaced 2'*  
 Are bracket plates fitted at each end of the Stiffeners? *Yes* Are hor'l. brackets fitted connecting Bridge Bulk'd. with Bulwarks? *Yes*  
 Has the Bridge House an efficient Iron Bulkhead at the after end? *Yes, the break bulkhead.*  
 How are the openings closed? *No opening in this bulkhead.*  
 Is the Forecastle at least as high as the main or top-gallant rail? *Yes* Has the Forecastle an efficient Iron or Wood Bulk'd. at after end? *Yes, on companion form partial steel bulkhead.*  
 Are the Engine and Boiler openings covered by a Bridge, Poop, Raised Quarter Deck, or enclosed by a Strong Iron or Steel Deckhouse? *Steel casing on quarter deck. See sketch.*  
 If the openings are not so protected are the exposed parts of the Casings efficiently constructed? *Yes*  
 Give thickness of plating; scantlings and spacing of Stiffeners *28" plating. 3" flange stiffeners about 36" apart.*  
 What is the height of the exposed Casings? *7'-0"* Are suitable means provided for closing all openings in them in bad weather? *Yes.*  
 Are the Weather Deck Hatchways efficiently constructed and at least equal to the requirements of Section 28 of the Rules for 1904-5? Give particulars below:—

Position and Size.		Forward Hatch		Aft Hatch 41'-3" x 17'-6"					
Item.		Ship.	Rule.	Ship.	Rule.	Ship.	Rule.	Ship.	Rule.
COAMING.	Height above top of DECK	3'-3"		3'-3"					
	Sides.....	.50"		.50"					
	Ends.....	.40"		.40"					
SHIFTING BEAMS OR WEB PLATES.	Number .....	<i>Six</i>		<i>Seven</i>					
	Section and Scantlings.....	<i>36" plates &amp; 4 angles 4 1/2" x 3" x 40"</i>		<i>34" plates with 4 angles 4" x 3" x 40" (STEEL)</i>					
	Material.....	<i>Steel</i>							
FORE AND AFTERS.	Number.....	<i>None</i>		<i>None</i>					
	Section and Scantlings.....								
	Material.....								
HATCHES Thickness .....		<i>3 1/2" PINE.</i>		<i>3" PINE</i>					
Remarks.....		<i>Hatches were specially considered; see app<sup>d</sup> plan &amp; Correspondence.</i>							

\* When the Fore and Afters are of wood the depth should be stated from the underside of the hatches.  
 (If the sill of the lowest side scuttle will be less than 6 inches above the Indian Summer Load Line if assigned under the tables, state vertical distance from top of deck at side amidships to lower edge of lowest side scuttle.)

The following information is to be given in all Cases of vessels dealt with under Paras. 11, 12 (under 15 feet Moulded depth) and under Shelter Deck Rules.

What is the thickness of the Bridge Sheerstrake? *Strake between Main and Bridge Sheerstakes?*  
 Delete the words { The Crew ~~are not~~ are not, berthed in the bridge house.  
 that do not apply { The arrangements to enable them to get backwards and forwards from their quarters are, ~~are not~~ satisfactory.  
 Length of Bulwarks in well *42'-0"*  
 Area of Freeing Ports required by Para. 11 (e) each side of vessel = *10.7* Sq. ft.  
 Ft. Tenth. Ft. Tenth. No. } Freeing Ports = *14.75* Sq. ft.  
*3 - 5' x 1.75' x 2 pairs* (each side of vessel)  
*also 2 pairs Scuppers in well.*  
 Total deficiency or excess = *1.55* Sq. ft.



Show hereon line of Floors or Tank Top with position of any Breaks in same; also height of Peak Tank tops, &c., &c.

State any special features in the construction of the Vessel *None*

Owners

Address

Fee £

Received by me



© 2021  
 Lloyd's Register  
 Foundation