

Rpt. C.11 (Comp.).  
British Harmony 36325

NEWCASTLE-on-TYNE No. 99991

36706

Index. No. 1  
(For London Office only).

# Lloyd's Register of Shipping.

## SURVEYS FOR FREEBOARD.

(COMPUTATION FOR STEAMER, SAILING SHIP, TANKER.)

9 DEC 1941

B.T. COPY

Ship's Name <b>"BRITISH CHARACTER"</b>	Official Number <b>168246</b>	Nationality and Port of Registry <b>British London</b>	Gross Tonnage <b>8453</b>	Date of Build <b>1941</b>	Port of Survey <b>Walker-on-Tyne</b>
Moulded Dimensions: Length <b>463'-7 3/4"</b> Breadth <b>61'-9"</b> Depth <b>34'-0 1/2"</b> <b>463.65</b>					Date of Survey <b>During Construction</b>
Moulded displacement at moulded draught = 85 per cent. of moulded depth <b>18198</b> tons					Surveyor's Signature <b>E.H. Dean</b>
Coefficient of fineness for use with Tables <b>.769</b>					Particulars of Classification <b>+100 A.1. Carrying Petroleum in bulk (Contemplated).</b>

<b>Depth for Freeboard (D).</b>	<b>Depth correction.</b>	<b>Round of Beam correction.</b>
Moulded depth ... <b>34.04'</b>	(a) Where D is greater than Table depth (D - Table depth) R = <b>(34.10 - 30.91) x 3 = +9.57"</b>	Moulded Breadth (B) <b>61'-9"</b>
Stringer plate ... <b>72"</b> ... <b>.06</b>	(b) Where D is less than Table depth (if allowed) (Table depth - D) R = <b>3.19</b>	Standard Round of Beam = $\frac{B \times 12}{50} =$ <b>14.81"</b>
Sheathing on exposed deck $T \left( \frac{L-S}{L} \right) =$	If restricted by superstructures <b>✓</b>	Ship's Round of Beam = <b>1'-3"</b>
Depth for Freeboard (D) = <b>34.10'</b>		Difference <b>Excess</b> <b>.18"</b>
		Restricted to
		Correction = $\frac{\text{Diff}^{\circ}}{4} \times \left( 1 - \frac{S_1}{L} \right) = \frac{.18}{4} \times .5659 = -.03"$

### DEDUCTION FOR SUPERSTRUCTURES.

	Mean Covered Length (S)	Equivalent Enclosed Length (S <sub>1</sub> )	Height	Height Correction	Effective Length (E)	
Poop enclosed <b>Equip</b> ...	<b>104.12'</b>	<b>104.12</b>	<b>8'-0"</b>	<b>✓</b>	<b>104.12</b>	Standard Height of Superstructure <b>7.5'</b>
.. overhang <b>Sketch</b> ...	<b>161.9 1/2"</b>					.. .. R.Q.D. <b>✓</b>
R.Q.D. enclosed ...						Deduction for complete superstructure <b>42.00"</b>
.. overhang ...						Percentage covered $\frac{S}{L} =$ <b>43.52</b>
Bridge enclosed <b>Equip</b> ...	<b>46.67'</b>	<b>46.67</b>	<b>8'-0"</b>	<b>✓</b>	<b>46.67</b>	.. .. $\frac{S_1}{L} =$ <b>43.41</b>
.. overhang aft ...	<b>1.50</b>	<b>1.50</b>			<b>1.50</b>	.. .. $\frac{E}{L} =$ <b>43.41</b>
.. overhang forward						Percentage from Table, Line <b>A Tanker</b> <b>34.41</b>
Fore enclosed ...	<b>49.00"</b>	<b>49.00</b>	<b>8'-0"</b>	<b>✓</b>	<b>49.00</b>	(corrected for absence of forecastle (if required)) <b>✓</b>
.. overhang ...						Percentage from Table, Line B.
Trunk aft ...						(corrected for absence of forecastle (if required)) <b>✓</b>
.. forward ...						Interpolation for bridge less than 2L (if required) <b>✓</b>
Tonnage opening aft ...						Deduction = <b>42.00 x .3441 = -14.45"</b>
.. forward						
Total ...	<b>201.79</b>	<b>201.29</b>			<b>201.29</b>	

### SHEER CORRECTION.

Station	Standard Ordinate	S	M	Product	Actual Ordinate	Effective Ordinate	S	M	Product	
A.P. ...	<b>56.37</b>	<b>1</b>		<b>56.37</b>	<b>38"</b>	<b>43.50</b>	<b>1</b>		<b>43.50</b>	Mean actual sheer aft = <b>Deficient</b>
1/2 L from A.P. ...	<b>15.08</b>	<b>4</b>		<b>100.32</b>	<b>22"</b>	<b>12.00</b>	<b>4</b>		<b>88.00</b>	Mean actual sheer forward = <b>Deficient</b>
3/4 L ..	<b>6.20</b>	<b>2</b>		<b>12.40</b>	<b>6"</b>	<b>6.00</b>	<b>2</b>		<b>12.00</b>	Mean standard sheer forward
Amidships ...	<b>-</b>	<b>4</b>		<b>-</b>	<b>-</b>	<b>-</b>	<b>4</b>		<b>-</b>	Length of enclosed superstructure forward of amidships =
3/4 L from F.P. ...	<b>12.40</b>	<b>2</b>		<b>24.80</b>	<b>12.25"</b>	<b>12.25</b>	<b>2</b>		<b>24.50</b>	.. .. aft of .. = <b>Tanker</b>
1/2 L ..	<b>50.165</b>	<b>4</b>		<b>200.66</b>	<b>50"</b>	<b>50.00</b>	<b>4</b>		<b>200.00</b>	
F.P. ...	<b>112.73</b>	<b>1</b>		<b>112.73</b>	<b>113"</b>	<b>113.00</b>	<b>1</b>		<b>113.00</b>	
Total ...				<b>507.28</b>					<b>481.00</b>	

Correction =  $\frac{\text{Difference between sums of products}}{18} \left( .75 - \frac{S}{2L} \right) = \frac{26.28}{18} (.75 - .2176) = +.78"$   
If limited on account of midship superstructure.

If limited to maximum allowance of 1 1/2 ins. per 100 ft.

<b>Deduction for Tropical Freeboard.</b> <b>Addition for Winter and Winter North Atlantic Freeboard.</b>	<b>Deduction for Fresh Water.</b> Displacement in salt water at summer load water line <b>Δ = 17265</b> Tons per inch immersion at summer load water line <b>T = 58.13</b> Deduction = $\frac{\Delta}{40 T}$ inches <b>= 7.43</b> <b>= 7 1/2"</b>	<b>TABULAR FREEBOARD</b> corrected for Flush Deck (if required) Correction for coefficient <b>.769</b> <b>1.36</b> <b>78.61 (Tanker)</b> <b>83.75</b>
Depth to Freeboard Deck = <b>34.10</b> Summer freeboard = <b>6.62</b> Moulded draught (d) = <b>27.48</b>		
Deduction for Tropical freeboard and addition for Winter freeboard = $\frac{d}{4}$ inches = <b>6.87 = 6 3/4"</b> Addition for Winter North Atlantic Freeboard (if required) = <b>6.87 + 4.64 = 11.51 = 11 1/2"</b>		
		Depth Correction ... <b>9.57</b> Deduction for superstructures ... <b>14.45</b> Sheer correction ... <b>.78</b> Round of Beam correction ... <b>.03</b> Correction for Thickness of Deck amidships ... Other corrections, scantlings, etc. ... <b>10.35</b> <b>14.48</b> <b>- 4.13</b> Summer Freeboard = <b>79.62</b>

### SUMMER FREEBOARD amidships from Centre of Disc to top of Deck Line, Wood, Steel, Deck:-

Tropical Fresh Water Line above Centre of Disc ... <b>14 1/4"</b>	Tropical Fresh Water Freeboard ... <b>5'-5 1/4"</b>
Fresh Water Line " " ... <b>7 1/2"</b>	Fresh Water " " ... <b>6'-0"</b>
Tropical Line " " ... <b>6 3/4"</b>	Tropical " " ... <b>6'-0 3/4"</b>
Winter Line below " " ... <b>6 3/4"</b>	Winter " " ... <b>7'-2 1/4"</b>
Winter North Atlantic Line " " ... <b>11 1/2"</b>	Winter North Atlantic " " ... <b>7'-7"</b>

12 DEC 1941

002559-05670156

26/12/41



A new form should be prepared if any alterations that affect the freeboard have been made. If no such alterations have been made, the Surveyor should endorse the form on this side with his signature and the date.

Pooh equi bhd

Side 101'-9 $\frac{1}{2}$ "

+ 2'-4" +  $\frac{1}{3} \times 3'-6"$

104'-1 $\frac{1}{2}$ "

Bridge

44'-0"

2'-8" +  $\frac{1}{3} \times 4'$

46'-8"

Surveyor

Trade of ship

Carrying Petroleum in bulk.

Names of sister ships

"BRITISH HARMONY" Newcastle report No. 99701. ✓

Builder's name and yard number

Swan Hunter & Wigham Richardson Ltd., Walker-on-Tyne. 1698

Owners

British Tanker Co. Ltd.

£

Fee £ 19-0-0.



© 2020

Lloyd's Register  
Foundation