

REGISTERED DIMENSIONS 160.0' x 26.45' x 9.85'
UNDER DECK TONNAGE 340
SHEER AT STEM 5'-6" AT 1/2 LENGTH FROM STEM 3'-1"
" " STERN 3'-3" " " " " STERN 1'-10"
BRIDGE FRONT CLOSED
" AFT END "
FORECASTLE CLOSED. DOORS TO CREW'S ACCOMMODATION

PROFILE & DECK PLAN

SCALE $\frac{1}{8}" = \text{ONE FOOT.}$

DIMENSIONS.

LENGTH B.P.	160'-0"
BREADTH MLD	26'-4½"
DEPTH MLD TO UPPER DECK.	12'-0"

BULKHEAD SCANTLING							
NO OF BHS	BOUNDARY ANGLE	LOWER PLATE	UPPER PLATE	STIFFENERS	SPACING	BRAKETS	RINGING OF BOUNDARY ANGLE
FR 4	3" x 3" x 40	150" IN LIEV OF DOWNERS	30"	28" x 3" x 34 BA	24"	11 1/2" x 3/4" RING	SINGLE
" 28	3" x 3" x 40	40"	40" x 0.25	0" x 3" x 40 BA	30"	15" x 3/4" RING	"
" 74	3" x 3" x 40	40"	26" to 30"	0" x 3" x 34 BA	24"	15" x 3/4" RING	"
3" x 3" x 34" APPROX. FIT							

S.S. No 106
DRAWING No 3
22ND JAN. 1924

JAN. 1924
59-002567-0165

S.S. No. 108.

J. Lewis & Sons Ltd.

Profile & Decks.

S.S. "FIRECREST"

abu. Report. 15788.

n.n. "Briardene"

14 10.6.29

107. June 20
June 4th

RECORDS DEPT.
LONDON.



© 2020

Lloyd's Register
Foundation

602559-002567-0165

869

STRANGER ANGLE $3^{\circ} + 3^{\circ} + 24^{\circ}$
WATERWAY " $2^{\circ} + 2^{\circ} + 26^{\circ}$

346



ALTERNATE FRAMES.

ALTERNATE FRAMES.

$$\begin{array}{r} 6 \overline{) 160} \\ \underline{2 \cdot 8 = 32} \end{array}$$