

Form No. 1A.

The Surgeons are requested not to submit an A.T.O. or C.A.T. to the

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. 102.66 ft., Bridge 9.16 ft., Forecastle 33 (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book). 1st Deck pl steel
Official No. 132047; Signal Letters
How are the surfaces preserved from oxidation? Inside Cement & Paint Outside Paint
State if Machinery is fitted aft Yes

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors Cell. & B.

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,			Fore peak tank,		
Double bottom, under Engines and Boilers,			After peak tank,	26	48
Double bottom, if under Engines only,			Deep tank aft,	5.5	6
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,	102.66	162	Other tanks, fitted,		
	Total capacity of double bottom		(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. Yes

Order for Special Survey No. 4752

Date 25-2-13

No. 249 in builder's yard.

DATES of Surveys held while building

1913. July 4. 9. 14. 16. 31. Aug 6. 8. 13. 15. 20. 27. Sept 1. 5. 8. 10. 12. 15. 17. 22. 26. Oct 1. 3. 10. 13. 15. 17. 20. 22. 27. 31. Nov. 5. 7. 12. 14. 17. 21. 26. 28. Dec. 1. 4. 5. 10. 12. 17. 19. 26. 29. 31. 1914. Jan 9. 14. 19. 21. 23. 26. 29. Feb 5. 10. 13.

Surveyor's Signature W. Watt

© 2020 of Visits 60.

Lloyd's Register Foundation