

Lloyd's Register of Shipping.

Surveyors' Office, DÜSSELDORF.

lev. 3304.

is to certify, that Walle Berg the undersigned surveyor to this Society tested in
 works of Hessan Güterhoffnungsstelle A.G. of Obelheimen
Siemens-Martin Boiler steel Round bars specified hereunder, ordered
Hessan Blohm & Voß of Hamburg
 the ship No. 488/489 Boiler No. _____ and that the results of tests were as are set forth below.

| Dimensions. <i>in mm</i> | | | Intended for | Sample number | Charge number | Tensile tenacity <i>kg. pr. sq. mm</i> | | | Elongation in 200 mm. <i>in %</i> | Bending tests | | Remarks. |
|-----------------------------|----------|-------------|--------------|---------------|---------------|---|-----------|----------|---|---------------|------------|----------|
| Length. | Breadth. | Thick-ness. | | | | As per rules. | Ord-ered. | By test. | | Cold. | Tem-pered. | |
| 3560 | ∅ | 64 | Long stays | 12 | 125 | 44/55 | 44/50 | 47.9 | 25 | good | good | |
| 3590 | ∅ | " | | 10 | " | " | " | 49.9 | 22 | " | " | |

Düsseldorf 11th February 1930.

[Signature]

Surveyor to Lloyd's Register

This Certificate is issued upon the terms of the Rules and Regulations of the Society, which provide that:—
 "While the Committee use their best endeavours to ensure that the functions of the Society are properly executed, it is to be understood
 at neither the Committee nor the Society are under any circumstances whatever to be held responsible for any inaccuracy in any report
 certificate issued by the Society or its Surveyors, or in any entry in the Register Book or other publication of the Society, or for any error
 judgment, default, or negligence of the Surveyors, or other Officers or Agents of the Society."
 B.—Material with less than 26 Tons tensile strength may not be used in the construction of boilers for classed vessels, unless specially
 sanctioned by the Committee.

1 Ton per square inch = 1,574 Kilo per square millimeter. 1 Kilo per square millimeter = 0,635 Tons per square inch.