

# REPORT ON ELECTRICAL EQUIPMENT.

(OTHER THAN FOR THE PROPULSION OF THE VESSEL)

Received at London Office.....

Date of writing Report 9<sup>th</sup> Aug. 1948 When handed in at Local Office 10<sup>th</sup> Aug. 1948 Port of CARDIFF

No. in Survey held at CARDIFF Date, First Survey 12-7-48 Last Survey 20<sup>th</sup> July 1948  
Reg. Book. (Number of Visits.....)

30807 on the S.S. "PAN" Tons {Gross 5595  
Net 3510

Built at SAN PEDRO CAL. By whom built S. WESTERN S.B. Co. Yard No. \_\_\_\_\_ When built 1920

Owners AMARYLIS S.S. Co. Port belonging to PANAMA

Electrical Installation fitted by \_\_\_\_\_ Contract No. \_\_\_\_\_ When fitted \_\_\_\_\_

Is vessel fitted for carrying Petroleum in bulk No Is vessel equipped with D.F. No E.S.D. No Gy.C. No Sub.Sig. No

Have plans been submitted and approved PLANS HEREWITH System of Distribution TWO-WIRE SYSTEM Voltage of supply for Lighting 110

Heating \_\_\_\_\_ Power \_\_\_\_\_ Direct or Alternating Current, Lighting DIRECT Power \_\_\_\_\_ If Alternating Current state periodicity \_\_\_\_\_ Prime Movers,

has the governing been tested and found as per Rule when full load is suddenly thrown on and off YES Are turbine emergency governors fitted with a

trip switch as per Rule \_\_\_\_\_ Generators, are they compound wound YES, are they level compounded under working conditions YES,

if not compound wound state distance between generators \_\_\_\_\_ and from switchboard \_\_\_\_\_ Where more than one generator is fitted are they

arranged to run in parallel No, are shunt field regulators provided YES Is the compound winding connected to the negative or positive pole

NEGATIVE Have machines over 100 kw. been inspected by the Surveyors during manufacture and testing \_\_\_\_\_ Have certificates of

test for machines under 100 kw. been supplied \_\_\_\_\_ and the results found as per rule \_\_\_\_\_ Are the lubricating arrangements and the construction

of the generators as per rule YES Position of Generators MIDDLE PLATFORM STARBOARD SIDE OF ENGINE

ROOM is the ventilation in way of generators satisfactory YES are they clear of inflammable material YES, if situated

near unprotected combustible material state distance from same horizontally \_\_\_\_\_ and vertically \_\_\_\_\_, are the generators protected from mechanical

injury and damage from water, steam and oil YES, are the bedplates and frames earthed YES and the prime movers and generators in metallic

contact YES Switchboards, where are main switchboards placed MIDDLE PLATFORM STARBOARD SIDE OF

ENGINE ROOM

are they in accessible positions, free from inflammable gases and acid fumes YES, are they protected from mechanical injury and damage from water, steam

and oil YES, if situated near unprotected combustible material state distance from same horizontally \_\_\_\_\_ and vertically \_\_\_\_\_, what insulation

material is used for the panels SLATE, if of synthetic insulating material is it an Approved Type \_\_\_\_\_, if of

semi-insulating material (slate or marble) are all conducting parts insulated therefrom as per Rule YES Is the frame effectually earthed YES

Is the construction as per Rule YES, including accessibility of parts YES, absence of fuses on the back of the board YES, individual fuses

to pilot and earth lamps, voltmeters, etc. YES locking of screws and nuts YES, labelling of apparatus and fuses YES, fuses on the "dead"

side of switches YES Description of Main Switchgear for each generator and arrangement of equaliser switches DOUBLE POLE

CHANGE OVER SWITCH FOR NO 1 AND NO 2 GENERATORS AND DOUBLE POLE

FUSES FOR EACH.

and for each outgoing circuit DOUBLE POLE SWITCHES AND DOUBLE POLE FUSES FOR LIGHTING

DOUBLE POLE CHANGE-OVER SWITCH AND FUSES FOR THE WORKSHOP MOTOR

Are compartments containing switchboards composed of fire-resisting material or lined as per Rule YES Instruments on main switchboard 2

ammeters 1 voltmeters \_\_\_\_\_ synchronising devices. For compound machines in parallel is the ammeter connected on the pole opposite to the

equaliser connection \_\_\_\_\_ Earth Testing, state means provided EARTH LAMPS

Switches, Circuit Breakers and Fuses, are they as per Rule YES, are the fuses an approved type YES, are all fuses labelled as

per Rule YES If circuit breakers are provided for the generators, at what overload current did they open when tested \_\_\_\_\_, are the reversed current

protection devices connected on the pole opposite to the equaliser connection \_\_\_\_\_, have they been tested under working conditions, and at what current

did they operate \_\_\_\_\_ Joint Boxes, Section Boards and Distribution Boards, is the construction and position as per Rule YES

Cables, are they insulated and protected as per the appropriate Tables of the Rules YES, if otherwise than as per Rule are they of an approved type \_\_\_\_\_,

state maximum fall of pressure between bus bars and any point under maximum load \_\_\_\_\_, are the ends of all cables having a sectional area of 0.04

square inch and above provided with soldering sockets YES Are paper insulated and varnished cambric insulated cables sealed at the ends \_\_\_\_\_

with insulating compound  or waterproof insulating tape . Are all the cable runs in accessible positions, not exposed to drip or accumulation of water or oil, high temperatures or risk of mechanical damage. **YES**, are cables laid under machines or floorplates. **NO**, if so, are they adequately protected . Are cables in machinery spaces, galleys, laundries, etc., lead covered  or run in conduit. **YES**. State how the cables are supported and protected. **CLIPPED TO BULKHEADS IN CONDUIT.**

Are all lead sheaths, armouring and conduits effectually bonded and earthed. **YES**. Refrigerated chambers, are the cables and fittings as per Rule.  Are all cables passing through decks and watertight bulkheads provided with deck tubes or watertight glands. **YES**, where unarmoured cables pass through beams, etc., are the holes effectually bushed. **YES** and with what material. **SHEET LEAD**. Alternative Lighting, are the groups of lights in the engine and boiler rooms arranged as per Rule. **YES**. Emergency Supply, state position.  and method of control.

Navigation Lamps, are they separately wired. **YES** controlled by separate double pole switches. **YES** and fuses. **YES**. Are the switches and fuses in a position accessible only to the officers on watch. **YES**, is an automatic indicator fitted. **INDICATING LAMP**. Secondary Batteries, are they constructed and fitted as per Rule.  are they adequately ventilated.  what is the battery capacity in ampere hours.

Fittings, are all fittings on weather decks, in stokeholds and engine rooms and wherever exposed to drip or condensed moisture, weatherproof. **YES**. Are fittings installed where readily combustible materials or inflammable or explosive dust or gases are likely to be present. **NO**, if so, how are they protected.  and where are the controlling switches fitted.  are all fittings suitably ventilated.

are all fittings and accessories constructed and installed as per Rule.  Searchlight Lamps, No. of , whether fixed or portable.  are their fittings as per Rule.  Heating and Cooking, is the general construction as per Rule.  are the frames effectually earthed.  are heaters in the accommodation of the convection type.  Motors, are all motors constructed and installed as per Rule. **YES** and placed in well-ventilated compartments in which inflammable gases cannot accumulate and free from damage from water, steam and oil. **YES**, if situated near unprotected combustible material state minimum distance from same horizontally.  and vertically.  Are motors coupled to oil fuel transfer and unit pressure pumps capable of being stopped from a position accessible in the event of fire in the pump compartment.

Have motors of 100 BHP and over been inspected by the Surveyors during manufacture and testing.  Have certificates of test for motors under 100 BHP intended for essential services been supplied and the results found as per Rule.  Control Gear and Resistances, are they constructed and fitted as per Rule. **YES**. Lightning Conductors, where required are they fitted as per Rule.  Ships carrying Oil having a Flash Point less than 150° F. Have all the special requirements of the Rules for such ships been complied with.  are all fuses of the cartridge type.  are they of an approved type.  Are the fittings for pump rooms, 'tween deck spaces, etc., in accordance with the special requirements for such ships.  Are the cables lead covered as per Rule.  Spare Gear, if the vessel is for open sea service have spares been provided as per Rule. **YES**, are they suitably stored in dry situations. **YES**. Insulation Tests, has the insulation resistance of all circuits and apparatus been tested and found satisfactory. **YES**.

PARTICULARS OF GENERATING PLANT.

DESCRIPTION OF GENERATOR.	No. of	RATED AT				DRIVEN BY	WHERE DRIVEN BY AN INTERNAL COMBUSTION ENGINE.	
		Kilowatts.	Volts.	Ampères.	Revs. per Min.		Fuel Used.	Flash Point of Fuel.
MAIN	1	15	110	136	425	STEAM		
	1	15	110	136	425	STEAM		
EMERGENCY								
ROTARY TRANSFORMER								

GENERATOR CABLES.

DESCRIPTION.	KILOWATTS.	CONDUCTORS.		MAXIMUM CURRENT IN AMPERES.		APPROX. LENGTH (lead plus return feet).	INSULATED WITH.	HOW PROTECTED.
		No. in Parallel Per Pole.	Sectional Area or No. and Dia. of Strands. Sq. ins. or sq. mm.	In the Circuit.	Rule.			
MAIN GENERATOR S	15	1	19/083	135	118	30	V.I.R.	CONDUIT
" " EQUALISER								
EMERGENCY GENERATOR								
ROTARY TRANSFORMER MOTOR								
" " GENERATOR								

Refer to Mr. Tuckwell who stated the loading is excessive for V.I.R. & should be dealt with as reqd. **Ex 19/48**

MAIN DISTRIBUTION CABLES.

DESCRIPTION.	CONDUCTORS.		MAXIMUM CURRENT IN AMPERES.		APPROX. LENGTH (lead plus return feet).	INSULATED WITH.	HOW PROTECTED.
	No. in Parallel Per Pole.	Sectional Area or No. and Dia. of Strands. Sq. ins. or sq. mm.	In the Circuit.	Rule.			
AUX. SWITCHBOARDS AND SECTION BOARDS							
ENGINE ROOM	1	7/044	20	31	40	V.I.R.	CONDUIT
BOILER ROOM	1	3/036	5	10	120	V.I.R.	CONDUIT
ACCOMMODATION	1	7/044	20	31	300	V.I.R.	CONDUIT
			45	72			
			56				
			98				
			201				
			57				
			164				

LIGHTING AND HEATING, ETC., CABLES.

WIRELESS	1	7/044	20	31	150	V.I.R.	CONDUIT
NAVIGATION LIGHTS							
LIGHTING AND HEATING							
MASTHEAD LIGHT	1	3/029	1	5	500	V.I.R.	CONDUIT
SIDE LIGHTS	1	3/029	1	5	500	V.I.R.	CONDUIT
COMPASS LIGHTS	1	3/029	1	5	500	V.I.R.	ARMOURED
POOP LIGHTS	1	7/044	15	31	400	V.I.R.	CONDUIT
CARGO LIGHTS	1	7/044	20	31	400	V.I.R.	CONDUIT

MOTOR CABLES.

ALL IMPORTANT MOTORS TO BE ENUMERATED.	No.	B.H.P.	MAXIMUM CURRENT IN AMPERES.		APPROX. LENGTH (lead plus return feet).	INSULATED WITH.	HOW PROTECTED.
			In the Circuit.	Rule.			
WORKSHOP MOTOR	1	14/052	57	64	80	V.I.R.	CONDUIT
VENTILATING FAN	1	7/044	15	31	90	V.I.R.	CONDUIT
REFRIG. MOTOR	1	7/044	24	31	80	V.I.R.	CONDUIT
DOMESTIC REFRIG MOTOR	1	3/036	2	10	48	V.I.R.	ARMOURED
			45	72			
			83				
			15				

The Electrical Equipment is installed in accordance with the approved plans and the requirements of the Rules.  
 All Insulated Conductors are guaranteed to have been tested at the maker's works as specified in the Rules.  
 The foregoing is a correct description.

Electrical Engineers. Date

COMPASSES.

Minimum distance between electric generators or motors and standard compass 180 FEET

Minimum distance between electric generators or motors and steering compass 175 FEET

The nearest cables to the compasses are as follows:—

A cable carrying 0.5 Ampères 1 feet from standard compass 1 feet from steering compass.

A cable carrying 3 Ampères 10 feet from standard compass 7 feet from steering compass.

A cable carrying — Ampères — feet from standard compass — feet from steering compass.

Have the compasses been adjusted with and without the electric installation at work at full power —

Has the effect of switching on and off circuits, motors and other electro-magnetic apparatus within the vicinity of the compasses been noted —

The maximum deviation due to electric currents was found to be — degrees on — course in the case of the standard compass, and — degrees on — course in the case of the steering compass.

Builder's Signature. Date

Is this installation a duplicate of a previous case YES If so, state name of vessel S.S. "THEODORE"

Plans. Are approved plans forwarded herewith YES If not, state date of approval —

Certificates. Are certificates of test for motors engaged on essential services and generators forwarded herewith —

General Remarks (State quality of workmanship, whether insulation tests, etc., have been made, opinions as to class, etc.)

THE ELECTRICAL EQUIPMENT OF THIS VESSEL HAS BEEN SPECIALLY EXAMINED AND FOUND, OR PLACED, IN GOOD CONDITION THE INSULATION HAS BEEN MEGGER-TESTED THROUGHOUT, DYNAMO'S TRIED UNDER WORKING CONDITIONS ON FULL LOAD AND FOUND SATISFACTORY.

IN MY OPINION THIS EQUIPMENT IS ELIGIBLE TO BE CLASSED

See note on page 2

Total Capacity of Generators 30 Kilowatts.

The amount of Fee (See Rm 9) £ : When applied for, 10  
 Travelling Expenses (if any) £ : When received, 10

W. E. Davies  
 Surveyor to Lloyd's Register of Shipping.

Committee's Minute

Assigned See minute on file

24 SEP 1948

501.430—Transfer. (MADE AND PRINTED IN ENGLAND.) (The Surveyors are requested not to write on or below the space for Committee's Minute.)



© 2020

Lloyd's Register Foundation