

on the Twin Screw vessel

TANKER M.V. BRITISH RANGER

5c.11.46.

1 E

Received by Chief Engineer Surveyor

Received from Chief Engineer Surveyor

VESSLS NAME "BRITISH RANGER"

REPORT

Gls. 72844

Bel. No. 14543

Lon. 116577

The remarks of the Chief Engineer Surveyor are desired on this case for the consideration of the Classing Committee.

("The endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement." - Extract from Sub-Committee's Report, 24/5/92.)

Type of Engine Oil Engines 4 S.C.S.A.

6 Cyl. 29 1/8" - 59 1/16"

MN 697

~~If Boilers fitted with forced draught~~

Tail Shaft. If fitted with a continuous liner Yes

If fitted with an outside gland of approved type No

The torsional vibration characteristics of the main machinery have been examined in conjunction with the Firm's calculations and approved in the Secretary's letter dated 14. 5. 47.

This vessel's machinery appears to have been built in accordance with the Rules and the approved plans, and it is submitted she is eligible to be classed * LMC 6.48.
2 DB 150 lb.



© 2020

Lloyd's Register Foundation

12. 7. 48.

003116 -003123-0151

Are they each fitted with a Discharge Valve always accessible on the plating of the vessel

Are the Blow Off Cocks fitted with a spigot and brass cover