


EE.

Diesel

23 AUG 1934

STANDARD SPARE PARTS FOR MARINE POLAR DIESEL ENGINE M36M - 85270.

- 3 Fuel needles
- 3 Atomizers
- 3 Sprayers
- 3 Fuel nuts
- 2 Seats for delivery valve
- 2 Fuel plungers
- 2 Suction valves for fuel pump
- 2 Suction valve seats
- 2 Regulating needles
- 2 Regulating yokes
- 1 Coupling tooth
- 4 Valves for L.P.
- 16 Suction- and delivery valves for water pump
- 4 Washers for do.
- 2 Piston rings for water pump
- 2 Leather packings for bilge pump
- 12 Scavenging pump valves
- 1 Scavenging pipe valve
- 45 Plate valves
- 4 Suction- and delivery valves for bilge pump
- 2 Washers for do.
- 3 Ebonite cones
- 1 Metal cone
- 5 Piston rings for working cylinder piston
- 1 Piston ring for scavenging pump
- 8 Piston rings for air pump
- 3 Valve washers for working cylinder connecting rod
- 1 Working piston top end bearing brass
- 14 Glass pipes for lubricating oil apparatus
- 4 Springs for starting valve
- 6 " " fuel plunger
- 6 " " needles
- 6 " " suction valve
- 6 " " delivery valve
- 6 " " lifting valve
- 9 " " regulating valve
- 1 " " air admittance valve
- 2 " " pump suction valve
- 3 " " delivery valve
- 4 " " water pump suction valve
- 4 " " delivery valve
- 1 " " safety valve
- 1 " " governor
- 2 " " fuel pump coupling
- 1 " " no load valves
- 1 " " " " for H.P.
- 2 " " air pump H.P. suction valve
- 3 " " " " delivery valve
- 1 " " speed regulating lever
- 1 " " stuffing box for scavenging pump piston rod
- 1 " " waste oil pump
- 1 " " scavenging pipe
- 1 " " safety valve for air receiver
- 2 " " " " pump
- 1 " " waste oil pump
- 2 " " snifting valve



© 2020

Lloyd's Register  
Foundation

003391-003400-0254 1/3

Aa 173



23 AUG 1974

**Atlas Diesel**

- 3 Springs for return valve for working cylinder connecting rod
- 35 " " scavenging pump valve
- 2 " " bilge pump suction valve
- 2 " " " " delivery valve
- 4 Packings for working cover
- 28 " " fuel valve insert
- 8 " " air pump valve
- 2 " " pressure pipe
- 26 " " working cover
- 4 " " starting valve
- 12 " " fuel plunger liner
- 14 " " " " needle liner
- 12 " " " " seat
- 12 " " regulating needle seat
- 30 " " " " liner
- 18 " " fuel pump suction valve seat
- 18 " " " " delivery " "
- 14 " " tightening plug
- 12 " " fuel delivery pipe
- 3 " " " " suction pipe
- 40 " " cooling water inlet for working cover
- 2 " " no load valve
- 8 " " H.P. suction- and delivery valve
- 2 " " water pump suction seat
- 2 " " " " delivery seat
- 2 " " bilge " " "
- 2 " " " " suction "
- 4 " " safety valve
- 2 " " bilge pump pressure bulb
- 144 Fibre packings (various dimensions)
- 23 Set screws
- 1 Valve ball for waste oil pump
- 2 Bolts of bottom end bearing for scavenging pump
- 2 " " top end bearing for scavenging pump
- 3 Packings for piston cooling pipe
- 2 Pipes for piston cooling
- 3 Rollers for fuel valve
- 3 " " " " lever
- 3 Pins
- 3 Pinching screws
- 74 Rollers
- 3 Lubricating oil nipples
- 1 Pump for lubricating oil apparatus
- 2 Sleeves for glass pipe
- 2 Suction pipes for do.
- 3 Screws for suction pipe

EXTRA SPARE PARTS.

- 1 Working cylinder cover
- 1 Insert for fuel valve
- 3 Copper packings
- 2 Fuel valves
- 1 Atomizer
- 1 Sprayer
- 1 Packing
- 1 Fuel nut
- 1 Packing for do.
- 1 Starting valve
- 1 Packing for do.
- 2 Delivery valves for fuel pump



© 2020

Lloyd's Register  
Foundation

0254 2/3



Mas Diesel

23 AUG 1934

- 6 Scavenging pump valves
  - 1 Starting valve
  - 3 Safety valves
  - 1 Working cylinder piston
  - 5 Piston rings
  - 10 Bolts for cover
  - 10 Nuts for do.
  - 1 Cover for main bearing brass
  - 2 Top end bearing bolts
  - 2 Nuts for do.
  - 2 Bottom end bearing bolts
  - 2 Nuts for do.
  - 2 Main bearing bolts
  - 2 Nuts for do.
  - 6 Coupling bolts
  - 6 Nuts for do.
  - 6 Coupling bolts
  - 6 Nuts for do.
  - 1 Fuel oil pump
  - 1 Length fuel pressure pipe
  - 2 Soldering rings
  - 2 Covering nuts
  - 2 Packings
  - 4 Rubber packings
  - 79 Pin screws (various dimensions)
  - 57 6-edged screws ( " " )
  - 6 Screws, round heads ( " " )
  - 75 Nuts ( " " )
- 



© 2020

Lloyd's Register  
Foundation

0254 3/3

AA 173