

When received in London Office

No. in Reg. Book

State whether Classed by Lloyd's Register

Date of Verification

From centre of disc to top of statutory deck line — ft. 9 1/2 ins.

From centre of disc to top of statutory deck line }  
at awning or part-awning deck . . . . } \_\_\_\_\_ ft. \_\_\_\_\_ ins.

Fresh Water line above centre of disc . . .  $2\frac{1}{2}$  ins.

Indian Summer line above centre of disc . . . . . ins

Winter line below centre of disc . . . . .  $\frac{1}{2}$  ins.

Winter North Atlantic line below centre of disc ✓ ins.

Distance between the top of statutory deck line on vessel's side and the intersection of the continuation of upper side of <del>wood or</del> steel deck with the vessel's side	} at main, spar or upper dk.	ins.
		at awning or pt. awning dk.

NOTE.—It should be clearly shown whether the statutory deck line is set off from a wood or steel deck.

Maximum Summer Draught corresponding to the freeboard assigned as shown on the Builders' Displacement Scales:—

the Builders' Displacement Scales:—

*Chas. H. R. H. J. 10.2* Surveyor.

(To be filled up in London Office.)

Statement No. \_\_\_\_\_ Date of Committee's Minute \_\_\_\_\_

Particulars for Record in Register Book.	{	Moulded Depth . . .	ft.	ins.
		Freeboard . . . . .	ft.	ins.
		Corresponding Draught	ft.	ins.

Freeboards compared and found correct by

Date \_\_\_\_\_

Is fee paid?

## Form for Certificate

## Instructions

Date \_\_\_\_\_

Certificate written

Noted for posting

003605-003610-0050