

FS with 94% correction

Lloyd's Register of Shipping.

SURVEYS FOR FREEBOARD.

(COMPUTATION FOR STEAMER, SAILING SHIP, TANKER.)

Index. No. _____
(For London Office only).

Ship's Name <i>Monowai</i>	Official Number	Nationality and Port of Registry	Gross Tonnage	Date of Build	Port of Survey
Moulded Dimensions: Length <i>499.2</i> Breadth _____ Depth <i>37.5</i>					Date of Survey <i>25.8.43</i>
Moulded displacement at moulded draught = 85 per cent. of moulded depth _____ tons					Surveyor's Signature _____
Coefficient of fineness for use with Tables <i>70 assumed</i>					Particulars of Classification <i>+ 100H with bottom</i>

Depth for Freeboard (D). Moulded depth <i>37.50</i> Ringer plate <i>0.04</i> Leathering on exposed deck $T \left(\frac{L-S}{L} \right) =$ Depth for Freeboard (D) = <i>37.54</i>	Depth correction. (a) Where D is greater than Table depth (D - Table depth) R = <i>(37.54 - 33.28) 3 = +12.78</i> <i>4.26</i> (b) Where D is less than Table depth (if allowed) (Table depth - D) R = If restricted by superstructures	Round of Beam correction. Moulded Breadth (B) Standard Round of Beam = $\frac{B \times 12}{50} =$ Ship's Round of Beam = Difference Restricted to Correction = $\frac{\text{Diff}^*}{4} \times \left(1 - \frac{S_1}{L} \right) =$ <i>N/A</i>
---	--	--

DEDUCTION FOR SUPERSTRUCTURES.

	Mean Covered Length (S)	Equivalent Enclosed Length (S ₁)	Height	Height Correction	Effective Length (E)
Poop enclosed					
„ overhang					
R.Q.D. enclosed					
„ overhang					
Bridge enclosed					
„ overhang aft					
„ overhang forward					
W'cle enclosed					
„ overhang					
Trunk aft					
„ forward					
Tonnage opening aft					
„ „ forward					
Total					

Standard Height of Superstructure _____
„ „ R.Q.D. _____
Deduction for complete superstructure *42* ✓
Percentage covered $\frac{S}{L} =$
„ „ $\frac{S_1}{L} =$ } *93.8* ✓
„ „ $\frac{E}{L} =$
Percentage from Table, Line A. *92.37* ✓
(corrected for absence of forecastle (if required))
Percentage from Table, Line B.
(corrected for absence of forecastle (if required))
Interpolation for bridge less than 2L (if required) *38.79* ✓
Deduction = *42 × 92.37 = -38.92*

SHEER CORRECTION.

Station	Standard Ordinate	S M	Product	Actual Ordinate	Effective Ordinate	S M	Product
P.		1				1	
„ from A.P.		4				4	
„ „		2				2	
Midships		4				4	
„ from F.P.		2				2	
„ „		4				4	
P.		1				1	
Total							

Mean actual sheer aft =
Mean standard sheer aft =
Mean actual sheer forward =
Mean standard sheer forward =
Length of enclosed superstructure forward of amidships =
„ „ aft of „ =
N/A

Correction = $\frac{\text{Difference between sums of products}}{18} \left(75 - \frac{S}{2L} \right) =$
If limited on account of midship superstructure.

If limited to maximum allowance of 1½ ins. per 100 ft.

Deduction for Tropical Freeboard. Addition for Winter and Winter North Atlantic Freeboard. Depth to Freeboard Deck = <i>37.54</i> Ft. Summer freeboard = <i>6.46</i> Moulded draught (d) = <i>31.08</i> Deduction for Tropical freeboard and addition for Winter freeboard = $\frac{d}{4}$ inches = Addition for Winter North Atlantic Freeboard (if required) =	Deduction for Fresh Water. Displacement in salt water at summer load water line $\Delta =$ Tons per inch immersion at summer load water line T = Deduction = $\frac{\Delta}{40T}$ inches =	TABULAR FREEBOARD corrected for Flush Deck (if required) Correction for coefficient <i>1.38</i> <i>136</i> Depth Correction <i>12.78</i> Deduction for superstructures <i>-38.92</i> Sheer correction Round of Beam correction Correction for Thickness of Deck amidships Other corrections, scantlings, etc. Summer Freeboard = <i>26.92</i> ✓ <i>77.55</i>	<i>102.06</i> ✓ <i>103.56</i> ✓ <i>87.8</i> <i>-26.01</i> <i>-26.64</i> <i>77.55</i>
--	--	---	---

SUMMER FREEBOARD amidships from Centre of Disc to top of Deck Line, Wood, Steel, Deck:—

Tropical Fresh Water Line above Centre of Disc	Tropical Fresh Water Freeboard
Fresh Water Line „ „	Fresh Water „ „
Tropical Line „ „	Tropical „ „
Winter Line below „ „	Winter „ „
Winter North Atlantic Line „ „	Winter North Atlantic „ „