

Form No. 1A. WEB FRAMES. FORGINGS or CASTINGS. BULKHEADS. PLATING. RIVETING. FRAMES. MASTS, SPARS, &c.

EQUIPMENT No. 53061. LETTER ft. ANCHORS. TONNAGE U.D.K. OR PLATING No. FOR TRAWLERS. CHAIN CABLES. HAWSERS AND WARPS. Correspondence. Workmanship. General Remarks. Sister Vessel :- "HAKONE MARU" Report No. 1341, Nagasaki.

GENERAL REMARKS—(continued).

WEB-FRAMES
No. of
WEB-FRAMES
No. of
Size of
BRACKET P
Web Frame
BULKHEAD
W.T.BULKHEAD
COLLISION
PARTITION
LONGITUDINAL
Are the out
Are the Slu
ST
FLAT PLATE
(If Bar K
GARBOARD
State as
thickness
was of 1
Bottom

Write "Bridge Sheer Strake" and "Upper Deck Sheer Strake" opposite the corresponding letter.

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 93.8 ft., R.Q.D. / ft., Bridge 186.0 ft., Forecastle 55.5 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 2 dks (Stl-Uws) & 3rd dk (Stl) in Nos. 1, 3 & 4 holds—Electric Light and
Official No. ; Signal Letters State if Machinery is fitted aft No. Wireless.
How are the surfaces preserved from oxidation? Inside Paint and Cement. Outside Paint.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors Cellular.

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	147.0	545.2	Fore peak tank,	33.5	168.4
Double bottom, under Engines and Boilers,	90.0	543.6	After peak tank,	18.0	110.4
Double bottom, if under Engines only,	/	/	Deep tank, aft,	/	/
Double bottom, if under Boilers only,	178.5	788.0	Deep tank, forward,	/	/
Double bottom, forward,	Total capacity of double bottom 4155	1876.0	Other tanks, if fitted, Two F.W. Tanks in E.R.	6.0	90.16
* The wells are not to be included in the lengths of the tanks.			(If necessary, furnish further information by sketch.)		

Order for Special Survey No. 69.
Date 30th July 1920
No. 3 4 7, in builder's yard.
DATES OF SURVEYS held while building
1920. Sept. 3, 1921. Jany. 11, 28, Mar. 11, 21, 30. Apr. 11, 14, 27. May. 3, 11, 17.
June. 3, 10, 23. July. 1, 6, 11, 19, 23, 27, 28. Aug. 1, 5, 9, 12, 16, 24, 25. Sept.
13, 19, 29. Oct. 14, 17, 24, 26, 27, 28, 29. Nov. 5, 17, 18, 19, 30. Dec. 3, 7, 14, 20, 26.
1922. Jany. 5, 13, 14, 18, 21, 23, 28. Feb. 2, 7.
State whether the above have been tested as required by the Rules. Yes.

Surveyor's Signature

B. Crawford