

GENERAL REMARKS—(continued).

FLAT
(If Bar
GARDO

State a
thickness
wa. of 1
Bottom

Shee
Culwa

THICKNESS OF
CLEAR OF LOW
DO. OF STR.
DBLG. of Flat
" Shee
Length and th
POOP SIDES ...
SHORT BRIDGE
FORECASTLE SI

Upper Deck
Stringer Pla
Second Deck
Stringer Pla

FRAMES exten
REVERSED FI

LOWER MASTS...
Bowsprit Der
Topmasts, Yards a
Rigging, Material
Sails. Fore

PARTICULARS FOR RECORD in the REGISTER BOOK. Length of Poop (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given should appear in the Register Book) *Part steel deck wholly covered with wood (one tier of beams)*
State if Machinery is fitted aft *amidships*
Official No. ; Signal Letters
How are the surfaces preserved from oxidation? Inside *Cement* Outside *Paint*

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Ca
Double bottom, aft,			Fore peak tank,	6-0	3.
Double bottom, under Engines and Boilers,			After peak tank,	6-9	2.
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,	6-8	7.
Double bottom, forward,			Other tanks, if fitted, <i>2 fwd water tanks</i>		8.
			(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules *Yes*

Order for Special Survey No. *25*
Date *MAY 25 1918*
No. *10* in builder's yard.

DATES of Surveys held while building

SEPT. 2. 4. 6. 9. 12. 15. 16. 17. 19. 21. 23. 25. 28. 29. 30
OCT. 1. 2. 3. 5. 9. 11. 13. 18. 19. 20. 23. 26. 27. 28. 31.
NOV. 1. 3. 4. 6. 8. 11. 12. 13. 14. 15. 17. 19. 21.

Surveyor's Signature

Thos Colquhoun

© 2021

Lloyd's Register Foundation

Rpt. 4.

Date of writing
No. in S
Reg. Book.

Master

Engines ma

Boilers ma

Registered

Nom. Horse

ENGINE

Dia. of Cyl

Is the screw

in the prop

between the

liners are

Dia. of Tun

collars

No. of Fee

No. of Bilg

No. of Don

In Engine

No. of Bilge

Are all the b

Are all conn

Are they fix

Are they eac

What pipes

Are all Pip

Are the Bilg

the Sze

DILER

otal Heat

orking 1

in each bo

ch boiler

allest dist

ickness

g. seams

centages

of comp

gth of pl

orking pre

h of stay

trial of

trial

at sn

ness

ter of

acros

ess of

ing pr

ter

of rive

RH

Test

of Bal