

Form No. 1B.

WEB FRAMES.

WEB FRAMES, in Fore Body, No. and spacing

WEB FRAMES, in E. & B. Space, No. and spacing

WEB FRAMES, in After Body, No. and spacing

BRACKET PLATES to Stringers between Web Frames, depth and thickness

BULKHEADS.

STIFFENERS.

COLLISION PLATE

Are the outside Plates doubled two spaces of Frames in length?

Are the Slain Valves and Watertight Doors in efficient working order?

PLATING.

STRAKES.

AS IN SHIP.

PER RULE OR AS APPROVED.

EDGES.

RIVETING.

Butts.

IF LAPPED.

THICKNESS OF SHEET PILING

THICKNESS OF LONG BRIDGE

Do. of STRAKES BELOW

Do. of Flat Plate Keel

Sheerstrakes

POOP SIDES

SHORT BRIDGE SIDES

FORECASTLE SIDES

FRAMES extend in one length from

REVERSED FRAMES on floors and frames extend from

MASTS, SPARS, &c.

LOWER MASTS

Topmasts, Xmas and Remainder of Spars

Rigging, Material and Size, Shrouds

Sails.

MASTS, SPARS, &c.

FORGINGS or CASTINGS.

STEM, moulding and thickness

STERN-POST for Rudder do. do.

for Propeller

RUDDER—A x D Table 22. Speed

Main-Piece, diameter at head

at heel

RUDDER, how constructed

Thickness of Plates—Single Plate

Can the Rudder be unshipped afloat?

Manufacturer's name or trade mark of the Iron or Steel (state process of manufacture of Steel) used for Frames, Floors, Beams, Keelsons, Tie and Stringer Plates, Plating, &c.

Has the Steel been tested as required by the Rules?

EQUIPMENT No. 34645 LETTER 4

ANCHORS.

Number of Certificate.

Anchor.

WEIGHT, EX. STOCK

WEIGHT OF STOCK

TEST, PER CERTIFICATE

WEIGHT REQ. BY TABLE 31.

Description of Anchor.

Makers.

Where and when tested and Superintendent.

Particulars of Drop Test of Cast Steel Anchors, viz.:

Weight, Surveyor's Initials, Number of Certificate, Date of Test.

CHAIN CABLES.

Number of Certificate.

Length and Size supplied.

Test per Certificate.

WEIGHT OF CHAIN CABLE.

FATHOMS AND SIZE PER TABLE 31.

Description.

Makers of Cables.

Where and when tested, and Superintendent.

Material.

Length and Size supplied.

TEST OF STEEL WIRE TOWLINE.

Length.

Size.

Breaking Test.

FATHOMS AND SIZE PER TABLE 31.

Length.

Size.

Breaking Test.

Boats

Pumps, Number

Windlass is by

Engine Room Skylights—How constructed?

Coal Bunker Openings—How constructed?

Number of Scuppers, and numbers and dimensions of Freeing Ports, &c.

Ceiling in Holds, thickness and material

Cargo Hatchways—How formed?

State size No. 1 Hatch (Forward)

No. 2 Hatch

No. 3 Hatch

No. 4 Hatch

Number of Web Plates, Shifting Beams and Fore and Afters to each Hatch

Bulwarks, height above deck and description

The foregoing is a correct description.

Builder's Signature (here only)

Surveyor's Signature

Correspondence—State dates and initials of letters respecting this case

Workmanship. Are the butts of plating planed or otherwise fitted?

Is the riveted work properly closed?

Are the liners between the frames and plates solid single pieces?

to plate, &c., conform well to each other?

Are the butts of plating, Stringers, &c., properly shifted and strapped?

Have all the upper and weather decks been tested as required by the Rules (Sec. 26, par. 20)?

Have all the gutterways been tested as required by the Rules (Sec. 26, par. 20)?

General Remarks (State quality of workmanship, &c.)

The Surveyor should state the Number of Report and Name of any Sister Vessel.

Plans to be forwarded with F.E. Report showing vessel as built.

The amount of Entry Fee

Special Survey Fee

Travelling Expenses, if any

State whether the Vessel has been built under Special Survey

I am of opinion this Vessel should be Classed

With, Freeboard, as condition of Class.

Committee's Minute

Character assigned

GLASGOW

13 NOV. 1917

Shelter Deck with fbs.

1117

+ LMC 11.17

3A

© 2021 Lloyd's Register Foundation

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. ☒ ft., Bridge ☒ ft., Forecastle 50 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ☒

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 2 Hks (st) & Shelter dk (st ft ws)

Official No. 140302; Signal Letters ☒ State if Machinery is fitted amidships

How are the surfaces preserved from oxidation? Inside by gutland cement and paint Outside by paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors cellular

| Where Fitted. | *Length. Feet. | Water Capacity. Tons. | Where Fitted. | *Length. Feet. | Water Capacity. Tons. |
|--|---------------------------------|--------------------------|--|-------------------|--------------------------|
| Double bottom, aft, | <u>125.37</u> | <u>325</u> | Fore peak tank, | | <u>48</u> |
| Double bottom, under Engines and Boilers, | <u>44.59</u> | | After peak tank, | | <u>24</u> |
| Double bottom, <u>tank</u> under Engines only, | | <u>89</u> | Deep tank, aft, | | |
| Double bottom, if under Boilers only, | | | Deep tank, forward, | | |
| Double bottom, forward, | <u>172.12</u> | <u>498</u> | Other tanks, if fitted, | | |
| | Total capacity of double bottom | <u>912</u> | (If necessary, furnish further information by sketch.) | | |

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules yes

Order for Special Survey No. 2838

Date 29.8.15.

No. 693 in builder's yard.

DATES of Surveys held while building

(1915) July: 15. 19. 22. 23. 26. 27. 30. Aug: 3. 31. Sept: 9. 15. 20. 21. 27. 30. Oct: 5. 13. 14. 19. 21. 27. 29. Nov: 1. 2. 5. 10. 11. 12. 17. 18. Dec: 2. 3. 6. 16. 21. 24.
28 (1916) Jan: 10. 11. 14. 18. 20. 21. 28. Feb: 2. 4. 7. 9. 10. 16. 17. 21. 25. 28. Mar: 6. 10. 15. 16. 27. 30. Apr: 4. 5. 12. 17. 18. 19. 21. 24. 25. 28.
May: 2. 5. 8. 9. 12. 19. 29. 30. 31. June: 1. 2. 14. 15. 20. 23. 28. 29. July: 4. 7. 12. 17. Aug: 9. 11. 22. 25. 30. Sept: 1. 4. 8. 11. 12. 19. 21.
25. Oct: 10. 13. 16. 20. 26. Nov: 1. 8. 13. 15. 21. 23. 29. 30. Dec: 1. 4. 11. 14. 18. 20 (1917) Jan: 9. 10. 15. 16. 17. 22. 25. 29. Feb:
2. 5. 8. 9. 12. 15. 19. 22. Mar: 7. 24. May: 3. 19. 25. June: 18. July: 19. Aug: 25. Sep: 14. Oct: 1. 3. Nov: 6. Total No. of Visits 151.

Surveyor's Signature

Bennett

Lloyd's Register Foundation