

Steering Gear, Type (Power or hand)

POWER STEAM TELEMTOR CONTROL.
(J. HASTIE & CO. LD. GREENOCK) ✓

Alternative Means of Steering

STEAM ✓

LEA

AND CO. LD.

Req. 1.

(Received at London Office 23 JAN 1948)

No. 6952 Port

Glasgow

Date 21st Jan. 1948

We request that the Single Screw Steamer Building

for The British India S. N. Co. Ltd. by William Denny & Brothers, Ltd.,

5420 Gross Tons. Length, 420'0" breadth, 57'3" depth, 38'0" to U.D.

may be Specially Surveyed while building (Class 100 A.1. with fuelboards) If for a particular term or class, state the same

We hereby engage to pay the established Special Survey Fees or any variation therefrom which has been duly notified and, in addition, any travelling and other expenses which may be incurred by the Surveyors in connection with the survey.

STRAPPED OR LAPPED.

This request is made upon the terms of the Rules and Regulations of Lloyd's Register of Shipping, which provide that:—

"While the Committees of the Society use their best endeavours to ensure that the functions of the Society are properly executed, it is to be understood that neither the Society nor any Member of any of its Committees is under any circumstances whatever to be held responsible for any inaccuracy in any report or certificate issued by the Society or its Surveyors, or in any entry in the Register book or other publication of the Society, or for any error of judgment, default or negligence of any of its Committees or any Member hereof, or the Surveyors, or other Officers or Agents of the Society."

1432 in Builder's Yard. Manufacturers of Engines John G. Kinsaid & Co. Ltd.,

Ditto of Boilers Do

Signature

the Secretary,

Lloyd's Register of Shipping,

71, Fenchurch Street, London, E.C.3.

NOTE.—To avoid misunderstanding, orders for materials requiring to be tested should be marked as follows:—

"Inspection and Testing by Lloyd's Register Surveyors to the Society's requirements."

11th Feb

space. Flash point of oil fuel above 150 F. Section 20 of rules has been complied with where applicable. The steering gear and windlass under working conditions and found satisfactory.

Lloyd's Register Foundation