



La correspondencia  
debe dirigirse a los  
Inspectores

# LLOYD'S REGISTER OF SHIPPING

OFICINA PRINCIPAL: FENCHURCH STREET, 71. LONDRES, E. C. 3.

Avenida del Generalísimo Franco, 2, 1.º Cádiz

Telegramas: Register

Teléfono 14555

RECEIVED

- 5 APR 1962

April 2nd 1962

Ans'd.....

m.v. "CAMPERO" Cadiz Report No 3241

Dear Sir, In reply to your classing letter of 27th March 1962 we have to state that the independent pump referred to in our report is the independent salt water circulating pump, and regret that this was not made clear in our report.

yours faithfully

*John Douglas*

John Douglas  
for the Surveyors

The Secretary  
London



© 2021

Lloyd's Register  
Foundation

013671-013677-0047

ER.

REPORTS

*ML*

*Q 6/4/62*

London  
The Secretary

101, The Philadelphians  
London N.W.1

Yours faithfully

My letter of 21st June has not been closed in our records.  
Our records of the independent work are being calculated.  
We have to state that the independent work referred to in  
your letter of 10th June is being investigated by staff below 1000  
level etc.

W.A. "LLOYD'S REGISTER" LTD., LONDON, W.1

101, The Philadelphians



© 2021

Lloyd's Register  
Foundation