

2299

Messung der Epaisseur

de 4 reservoirs de 400 litres


400 ml ist die

M. 2025 du 23-5-32

à M. Braun Vallet et C^e


1

14.5	13.0	12.5	12.5	13.0	13.0	13.2
13.7	12.5	12.4	12.4	12.2	12.1	13.8
12.6	12.1	11.6	11.5	11.5	11.5	11.9
12.4	11.5	12.1	12.0	11.6	11.6	12.7
100 x	370 x	500 x	600 x	700 x	600 x	440




2

13.7	11.6	11.4	12.0	12.5	12.5	12.3
12.4	12.0	12.5	12.2	12.4	12.5	12.9
14.1	12.1	12.5	12.6	12.6	12.6	12.4
14.6	12.5	12.6	12.6	12.3	13.0	12.4




3

13.4	12.6	13.0	12.9	12.6	12.9	11.9
14.7	13.0	12.9	13.8	13.9	13.8	13.1
14.6	13.2	13.0	13.2	13.9	13.6	14.8
13.7	12.8	13.0	13.0	12.7	12.6	13.5



4

14.1	12.2	11.5	12.6	12.4	12.5	13.4
13.0	12.5	12.6	12.5	12.5	12.1	13.3
14.3	11.5	11.5	12.0	11.8	11.6	13.1
14.6	11.6	11.6	12.4	12.5	12.5	12.7



013671-013677-0084

© 2021

Lloyd's Register Foundation