

With or Without Disconnected Erections.

REC'D NEW YORK

STEEL STEAMER.

WED AUG. 4 1920
Received at London Office.

State if Report is also sent on the Machinery of the Vessel *yes.*

Date of completion of report *July 2nd 1920*
 Survey held at *Quebec, P.Q.*
 On the *Single screw steamer CANADIAN TRAPPER*
 Tonnage under Deck *2914.40*
 Do. between Tonnage Dk. and 3rd and 4th Dk. *2914.40*
 Total under Upper Dk. *2914.40*
 Do. of Poop
 Do. of R.Q.Dk.
 Do. of Bridge House
 Do. of Forecastle
 Do. of Houses on Dk.
 Do. of excess of Hatchways
 Do. above Crown of Engine Room
 Gross Tonnage *3599.94*
 Less Crew Space
 Less above Crown of Engine Room
 Tonnage for Fees *3599.94*
 Less Engine Room
 Less Navigation Spaces
 Register Tonnage *2183.45*
 as cut on Beam

Port of *Quebec - Montreal*
 Date, First Survey *Nov. 11, 1918*
 Last Survey *June 21st 1920*
 Rig *2 masts, no sails*
 Master *J. E. Faulkner*
 Year of appointment *(1) As Master in service of owner of present vessel: 1918 (2) As Master of this vessel: 1918*
 Built at *Laurier, Lewis P.Q.*
 When built *Launched 9th Oct 1919*
 By whom built *Davis S.B. & Repairing Co. Ltd.*
 Owners *Canadian Govt. Merchant Marine Ltd.*
 Managers *(Where necessary to be entered in Reg. Book.)*
 Residence *Montreal*
 Port belonging to *Montreal*

CLASS *100 A.1*
 Breadth (greatest moulded) *46.5*
 Depth, at middle of length from top of keel to top of upper deck beams at side *25.5*
 Transverse Number *72*
 Length on deck from fore part of stem to after part of stern post *331*
 Longitudinal Number *23832*
 Depth "d," at middle of length (See Secs. 2 & 13) *22.25*
 Proportions—Depths to Length—Upper Deck Beam at side to top of keel *12.98*
 " " Long Bridge Deck Beam at side to top of keel *10.03*
 Destined Voyage *Liverpool.*
 If Surveyed while Building, Afloat, or in Dry Dock *Both*

LENGTH on Deck as per Rule	Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid	No. of Tiers of Beams
331	0		46	6		22	3		two	two
Moulded depth, ft. 33 ins. 0 To Bridge Dk. Round of Upper Dk. Beam, Actual 11 5/8 ins.										
Moulded depth, ft. 25 ins. 6 To Upper Dk. Dk. Beam, Actual										

FRAMING.						PILLARS.					
Inches in Ship	Inches in Ship	Inches in Ship	Inches in Ship	Inches in Ship	Inches in Ship	Inches in Ship	Inches in Ship	Inches in Ship	Inches in Ship	Inches in Ship	Inches in Ship
FRAME, Angles or L Bars amidships						PILLARS, In 'tween Deck, size and spacing					
Do. in peaks	5	3 1/2	6 1/2	5	3 1/2	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
Do. in way of Double Bottoms at Solid Floors	3 1/2	3 1/2	6 1/2	3 1/2	3 1/2	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" " at intermdt. Bkts.						Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
Spacing of Frames from centre to centre amidships	24 1/2				24 1/2	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" " from #	24 1/2				24 1/2	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" " length to Collision bulkhead	24				24	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" " in peaks	3 1/2	3	6 1/2	3 1/2	3	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
REVERSED FRAME, Angles	3 1/2	3 1/2	6 1/2	3 1/2	3	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
Do. in way of Double Bottoms at Solid Floors	3 1/2	3 1/2	6 1/2	3 1/2	3	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" " at intermdt. Bkts.						Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
FRAMING, depth of girder	10				10	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
FLOORS, depth and thickness of Floor Plate at mid-line for # length amidships						Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" in way of Engine and Boiler Spaces						Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" thickness at the ends of vessel						Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" depth at # the half breadth, as per Rule						Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" height extended at the Bilges						Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
FLOORS & BRACKETS in Cell Dble Bottoms	3 1/2	3 1/2	6 1/2	3 1/2	3	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" " state if flanged (top & bottom)	no				no	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" " Spacing	every frame				every frame	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
CENTRE GIRDER, in Dbl. bottom, dpth. & thickness	39 x 48	15.58	29 x 48	15.58	39	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" Angles, Top	6	6	60	6	6	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" " Bottom	3 1/2	3 1/2	46	3 1/2	3 1/2	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" " to Floors	5	5	50	5	5	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
SIDE GIRDERS, number on each side & thickness	one	34	15.46	one	34	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" " state if flanged (top and bottom)	no				no	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" " Angles (top and bottom)	3 1/2	3 1/2	36	3 1/2	3 1/2	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" " to Floors	3	3	46	3	3	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
MARGIN PLATE, depth (exclusive of flange) and thickness	39 x 48	15.58	29 x 48	15.58	39	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" Angles to Outside Plating	3 1/2	3 1/2	42	3 1/2	3 1/2	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" " Floors	5	5	46	5	5	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" " Height of Brackets above at bilge	33				33	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
INNER BOTTOM PLATING, breadth and thickness of Middle Line Strake	39	44	39	44	39	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" " in Engine and Boiler space	44	2	53	44	2	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" " Remainder in Holds	36				36	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
BEAMS, Upper Deck, Single Angle, Bulb Angle, Plate, Tee Bulb, or Channel	9	3 1/2	50	9	3 1/2	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" Angles on upper edge						Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" In way of Long Bridge	9	3 1/2	438	9	3 1/2	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" Spacing	every frame				every frame	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
BEAMS, Second Deck, Single Angle, Bulb Angle, Plate, Tee Bulb, or Channel	8	3 1/2	33.8	8	3 1/2	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" Angles on upper edge						Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
HOLDS, ONLY Spacing	every frame				every frame	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
BEAMS, Third and Fourth Deck, Single Angle, Bulb Angle, Plate, Tee Bulb, or Channel						Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" Angles on upper edge						Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" Spacing	every frame				every frame	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
BEAMS, Poop Deck, Angle, Bulb Angle, Plate, Tee Bulb, or Channel	6	3	375	6	3	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" Angles on upper edge						Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" Spacing	every frame				every frame	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
BEAMS, Bridge Deck, Angle, Bulb Angle, Plate, Tee Bulb, or Channel	9	3 1/2	438	9	3 1/2	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" Angles on upper edge						Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" Spacing	every frame				every frame	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
BEAMS, Forecastle Deck, Angle, Bulb Angle, Plate, Tee Bulb, or Channel	9	3 1/2	438	9	3 1/2	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" Angles on upper edge						Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2
" Spacing	every frame				every frame	Do. in 'tween Deck, size and spacing	10	3 1/2	3 1/2	3 1/2	3 1/2

014935-014945-0169 112

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 32.93 ft., R.Q.D. ☒ ft., Bridge 98 ft., Forecastle 33 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ☒

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) 1 dk (stl) & old main dk in 441.3.3 or Ldls.
 Official No. 141585; Signal Letters T.P.N.W. State if Machinery is fitted aft No.
 How are the surfaces preserved from oxidation? Inside paint & cement Outside paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors yes. Cell. S.

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<u>85.9</u>	<u>178</u>	Fore peak tank,	<u>19.0</u>	<u>95</u>
Double bottom, under Engines and Boilers,	<u>36.9</u>	<u>131</u>	After peak tank,	<u>24.0</u>	<u>73</u>
Double bottom, if under Engines only,	<u>-</u>	<u>-</u>	Deep tank, aft,		
Double bottom, if under Boilers only,	<u>143</u>	<u>365</u>	Deep tank, forward,		
Double bottom, forward,			Other tanks, if fitted,		
Total capacity of double bottom		<u>674</u>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks. 25.8 State whether the above have been tested as required by the Rules. yes. ☒

Order for Special Survey No. 42
 Date Sept. 13. 1918
 No. 459 in builder's yard.
 DATES of Surveys held while building
1918. Nov. 11. 1919. Jan. 14. 16. 22. 29. Feb. 4. 8. 15. 17. 20. 25. 27. Mar. 5. 6. April 1. 15. 22.
1919. Apr. 29. May 6. 12. 26. June 2. 9. 11. 12. 17. 25. 28. July 2. 4. 10. 18. 21. 28. 30 Aug 6. 7.
13. 18. 23. 29. Sept. 2. 6. 12. 15. 19. 22. 23. 24. 25. 27. Oct. 1. 4. 7. 8. 15. 22. 27. 28. 29. 31 Nov. 7.
12. 18. 20. 25. 26. Dec. 10. 12. 17. 18 1920 Jan. 9. 15. Feb. 4. 12. Mar. 11. 26. Apr. 28. May 6.
 Total No. of Visits 92

Surveyor's Signature



© 2021

Lloyd's Register Foundation