

Spar, or Awning Dk.

IRON OR STEEL STEAMER.

No. 1780

State of Report is also sent on the Machinery of the Vessel Yes

Port of Genoa

Date of completion of Report 15. 4. 99

Received at London Office

MUN 17 APR 1899

Survey held at Sestri Ponente

Date, First Survey 26. 4. 98

Last Survey 15. 4. 1899

1899

On the Steel Spar Deck Screw Steamer "Venus" 36

Rig Fore and aft Schooner

TONNAGE under Tonnage Deck... 3646-17

SPAR, AWNING OR PART AWNING-DECKED VESSEL,

Master S. Cremonini

Do. between Tonnage Dk. and 3rd, 4th, 5th or 6th Dk.

or a Vessel having a continuous Shade Deck.

Year of Appointment (1) As Master in service of owner of present vessel: 1899 (2) As Master of this vessel: 1899

Total under Upper Dk. 3646-17

CLASS 100 A1 Spar Dk

FEET.

Do. of Poop 78-56

Half Breadth (moulded) 22-40

Do. of Bridge House 184-16

Depth from upper part of keel to top of Main Deck Beams 23-18

Do. of Forecastle 83-62

Girth of Half Midship Frame (as per Rule) 42-24

Do. of Houses on Deck 58-88

1st Number 87-82

Do. of excess of Hatchways

Length 238-17

Do. of Crown of the Room

2nd Number 29698

Tonnage 4051-08

Proportions—Breadths to Length 7-55

Do. of Space

Depths to Length—Main Deck to top of Keel 12-59

Do. of Crown of the Room

Destined Voyage Cardiff

Port belonging to Genoa

If Surveyed while Building, Afloat, or in Dry Dock

TH on Deck	Feet.	Inches.	BREADTH—	Feet.	Inches.	DEPTH, top of Floors to Spar or Awn. Dk. Beams	Feet.	Inches.	Power of Engines	Horse.	No. of Decks with flat laid
er Rule	340	0	Moulded	45	0	Do.	27	2	280	280	2
						Main Deck Beams	19	8			No. of Tiers of Beams Three

Dimensions of Ship per Register, Length	340.4	breadth	45	depth	27.1	Spar or Awn. Dk.	Moulded depth, ft.	22	ins.	2	To Main Dk.	Round up of Beam, Main Dk.	11 1/2 ins.
					19.7	Main Deck.							

FRAMING.				FORGINGS AND CASTINGS.			
Inches in Ship.	Inches in Ship.	20ths in Ship.	Inches per Rule Or as Approved.	Inches in Ship.	Inches in Ship.	20ths in Ship.	Inches per Rule Or as Approved.
E, Angles, or L or E Bars, for 1/2 length amidships				KEEL, Bar or Side Plates, depth and thickness			
5 1/2	3 1/2	8	5 1/2	2 1/2	8	11	2 3/4
for 1/2 at each end				STEM, moulding and thickness			
7			7	11	6 1/2	11	6 1/2
in way of Double Bottoms at Solid Floors				STERN-POST for Rudder do. do.			
3 1/2	3 1/2	8	3 1/2	11	6 1/2	11	6 1/2
at intermdt. Blks.				" " for Propeller			
24		24		11	6 1/2	11	6 1/2
" of Frames from moulding edge to moulding edge, all fore and aft				MAIN PIECE of Rudder, diameter at head			
4	3 1/2	8	4	9	10 1/2	7	9 1/2
" of Frames from moulding edge to moulding edge, all fore and aft				do. at heel			
4	3 1/2	8	4	3 1/2	8		
FRAMING, depth of girder				RUDDER, how constructed			
9		9		Can the Rudder be unshipped afloat?			
" of depth and thickness of Floor Plate at mid-line for 1/2 length amidships				KEELSONS AND STRINGERS.			
42	9-8	42	9-8	CENTRE LINE KEELSON, Vertical Plates above floors, through Plate, or Intercoastal Plate			
in way of Engines and Boilers				" Bulb Plate to Intercoastal Keelson			
9		9		Horizontal Plates on Floors			
thickness at the ends of vessel				" Angles			
9		9		SIDE KEELSON, Angles			
depth at 1/2 the half b'dth as per Rule				" Bulb or Plate above floors, for length			
9		9		Intercoastal Plate, for length			
height extended at the Bilges				Attached to outside plating with Angle			
42	9-8	42	9-8	BILGE KEELSON, Angles			
" Distance apart				" Bulb or Plate above floors, for length			
24		24		Intercoastal Plate, for length			
E GIRDER, in Double bottom, depth and thickness				Attached to outside plating with Angle			
42	10-8	42	10-8	BILGE STRINGER Angles			
" Angles, Top				" Bulb Plate, for length			
4	4	9	4	Intercoastal Plate, for length			
" Bottom				Attached to outside plating with Angle			
6 1/2	4	9	6 1/2	" Bulb or Plate above floors, for length			
ORDERS, number and thickness				Intercoastal Plate, for length			
2 1/2	2 1/2	8	2 1/2	Attached to outside plating with Angle			
Angles				" Bulb or Plate above floors, for length			
2 1/2	2 1/2	8	2 1/2	Intercoastal Plate, for length			
N PLATE, depth (exclusive of flange) and thickness				Attached to outside plating with Angle			
28	8	28	8	" Bulb or Plate above floors, for length			
Angles				Intercoastal Plate, for length			
2 1/2	2 1/2	8	2 1/2	Attached to outside plating with Angle			
BOTTOM PLATING, breadth and thickness of Middle Line Strake				" Bulb or Plate above floors, for length			
10		10		Intercoastal Plate, for length			
" thickness in Engine and Boiler space				Attached to outside plating with Angle			
10		10		" Bulb or Plate above floors, for length			
Remainder in Holds				Intercoastal Plate, for length			
8-7		8-7		Attached to outside plating with Angle			
Spar or Awning Deck, Single Angle, Bulb Angle, Plate or Tee Bulb				" Bulb or Plate above floors, for length			
7	3	9	7	Intercoastal Plate, for length			
Angles on upper edge				Attached to outside plating with Angle			
24		24		" Bulb or Plate above floors, for length			
Main Deck, Single Angle, Bulb Angle, Plate or Tee Bulb				Intercoastal Plate, for length			
8	3	11	8	Attached to outside plating with Angle			
Angles on upper edge				" Bulb or Plate above floors, for length			
24		24		Intercoastal Plate, for length			
Lower Deck, Single Angle, Bulb Angle, Plate or Tee Bulb				Attached to outside plating with Angle			
12	12	12	12	" Bulb or Plate above floors, for length			
Angles on upper edge				Intercoastal Plate, for length			
5 1/2	4	9	5 1/2	Attached to outside plating with Angle			
Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb				" Bulb or Plate above floors, for length			
8	3 1/2	10	8	Intercoastal Plate, for length			
Angles on upper edge				Attached to outside plating with Angle			
48		48		" Bulb or Plate above floors, for length			
Average space				Intercoastal Plate, for length			
8	3 1/2	10	8	Attached to outside plating with Angle			
Bridge Deck, Angle, Bulb Angle, Plate or Tee Bulb				" Bulb or Plate above floors, for length			
8	3 1/2	10	8	Intercoastal Plate, for length			
Angles on upper edge				Attached to outside plating with Angle			
48		48		" Bulb or Plate above floors, for length			
Average space				Intercoastal Plate, for length			
8	3 1/2	10	8	Attached to outside plating with Angle			
Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb				" Bulb or Plate above floors, for length			
8	3 1/2	10	8	Intercoastal Plate, for length			
Angles on upper edge				Attached to outside plating with Angle			
48		48		" Bulb or Plate above floors, for length			
Average space				Intercoastal Plate, for length			
8	3 1/2	10	8	Attached to outside plating with Angle			
PILLARS, In tween Deck, size and spacing				" Bulb or Plate above floors, for length			
278	278	278	278	Intercoastal Plate, for length			
" Hold				Attached to outside plating with Angle			
48		48		" Bulb or Plate above floors, for length			
" Quarter, tween Dks., " "				Intercoastal Plate, for length			
23	23	23	23	Attached to outside plating with Angle			
" in Hold				" Bulb or Plate above floors, for length			
23	23	23	23	Intercoastal Plate, for length			
WEB FRAMES, In Fore Body, No. and spacing				Attached to outside plating with Angle			
2	2	2	2	" Bulb or Plate above floors, for length			
" breadth & thickness				Intercoastal Plate, for length			
2	2	2	2	Attached to outside plating with Angle			
" No. of Side Stringers				" Bulb or Plate above floors, for length			
2	2	2	2	Intercoastal Plate, for length			
" breadth & thickness				Attached to outside plating with Angle			
2	2	2	2	" Bulb or Plate above floors, for length			
" Size of Angles or Bars to Web Frames				Intercoastal Plate, for length			
2	2	2	2	Attached to outside plating with Angle			
BRACKET PLATES to Stringers between Web Frames, depth and thickness				" Bulb or Plate above floors, for length			
20	20	20	20	Intercoastal Plate, for length			

