

Depth, at middle of length from top of keel to top of beams at side of uppermost Continuous Deck ... } 35.00
 Deduct height of timber deck when this does not exceed 8ft. } 20
 Year of Appointment
 Built at Hellum-on-Tyne

Rpt. 12.

Copy.

FREEBOARD VERIFICATION FORM FOR STEAMERS.

Port Newcastle-on-Tyne (When received in London Office)

Vessel's Name "San Gennaro"

Official No. / No. in Reg. Book 367

Port of Registry (For Foreign Vessels) Naples

Iron or Steel State whether Classed by Lloyd's Register 100% Shelter Dk. with freeboard.

Name of Owners Date of Verification 27 Sept. 1914

I have to report that the Freeboard from the centre of disc to the top of the statutory deck line, and the lines in connection therewith, as given below, assigned by the Committee to this vessel, have been correctly marked on the vessel's sides, in accordance with the printed instructions:—

From centre of disc to top of statutory deck line	14	ft.	4 1/2	ins.	4381
From centre of disc to top of statutory deck line at <u>Shelter Deck</u>		ft.		ins.	
at awning or part awning deck		ft.		ins.	
Fresh water line above centre of disc			7	ins.	178
Indian Summer line above centre of disc			6 1/2	ins.	165
Winter line below centre of disc			6 1/2	ins.	165
Winter North Atlantic line below centre of disc				ins.	
Distance between the top of statutory deck line on vessel's side and the intersection of the continuation of upper side of wood or iron deck with the vessel's side		at <u>Shelter</u> main, spar or upper dk.	1 3/4	ins.	44
		at awning or pt.-awning dk.		ins.	

NOTE.—It should be clearly shown whether the statutory deck line is set off from a wood or iron deck.

(Signed) Alex. Munro Surveyor.

(To be filled up in London Office.)

Statement No. Date of Committee's Minute 19.9.14

Particulars for Record in Register Book	Moulded Depth	43	ft.	3	ins.
	Freeboard	14	ft.	4 1/2	ins.
	Corresponding Draught	29	ft.	3	ins.

Freeboards compared and found correct by date

Is fee paid? Form for Certificate

Instructions date

Certificate written Noted for posting



2m, 11, 16-T.

Bulb Angle, Plate, Tee Bulb or Channel } 9 32.48 9 32.48
 Spacing
 Deck.* Material and thickness Steel
 Third, Fourth & Fifth Deck Stringer Plate.