

GENERAL REMARKS—(continued).

WEB-FRAME
" " No.
WEB-FRAME
" " No.
" " Size of
BRACKET I
Web Frame

BULKHEAD

Off-peak
W.T.BULKHEAD
37, 584
91+96-77-8

" COLLISION
PARTITION
LONGITUDE

Are the outside
Are the inside

STRAP

FLAT PLATE
(If Bar Keel, at
GARBOARD O
State actual
thickness in
way of Double
Bottom.

Upper B. Pl.
Shelter B. Pl.
Shelter B. Pl.
Caulk B. Pl.

THICKNESS
CLEAR O
DO. O
DBLG. O
" Length
POOP S
SHORT
FORECASTLE

Aviation
Shelter
Strap

Upper
Strap

FRA
REV

Lo
Bo
To
R
Sa

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. ☒ ft., Bridge 218.6 ft., Forecastle 44.33 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 4 No. St. Shelter Deck part sheathed

Official No. ☒ ; Signal Letters ☒ State if Machinery is fitted aft amidships
How are the surfaces preserved from oxidation? Inside Paint + Cement Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. Cellular System

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<u>87-1/2</u>	<u>158</u>	Fore peak tank,	<u>22-0</u>	<u>98</u>
Double bottom, under Engines and Boilers,	<u>173-4 1/2</u>	<u>728</u>	After peak tank,	<u>12-0</u>	<u>62</u>
Double bottom, if under Engines only,	—	—	Deep tank, aft,	—	—
Double bottom, if under Boilers only,	—	—	Deep tank, forward,	—	—
Double bottom, forward,	<u>190-3</u>	<u>495</u>	Other tanks, if fitted,	—	—
Total capacity of double bottom	<u>350 9</u>	<u>1381</u>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. Yes

Order for Special Survey No. 4508

Date 15.5.1914

No. 843 in builder's yard.

Dates of Surveys held while building

1914
Apr. 30. May 5. 27. Jun 8. 15. 19. Jul 2. 6. 8. 15. 17. 27. Aug 5. 6. 10. 11. 12. 25. Sep 7. 9. 10.
11. 14. 17. 21. 22. 24. 29. Oct 9. 12. 13. 19. 22. 23. 26. 27. 28. 29. Nov 2. 3. 5. 6. 9. 10. 12. 13. 16. 18. 19.
1915
23. 24. 25. 26. 27. 30. Dec 1. 2. 3. 7. 8. 9. 15. 16. 17. 18. 22. 29. Jan 6. 8. 11. 13. 14. 19. 20. 25. 27. Feb 1. 5. 9.
18. 22. 23. 26. Mar 2. 3. 8. 12. 15. 23. 25. 30. Apr 12. 16. May 7. Jun 29. Aug 26. Sep 16. 23. 30. Oct 5. 7. 11. 19.
20. 29. Dec 6. 9. 1914 Jan 7. 26. 28. 1915 Jan 17. Feb 14. Mar 1. 2. 7. 14. 21. 27. 28. Apr 5. 5. 24. 27. May 10.
14. 25. 28. 30. Jun 4. 8. 11. 18. 19. Jul 5. 31. Aug 1. 1. 15. 27. Sep 19. 21. 24. 26. 27. 28. Total No. of Visits 159

Surveyor's Signature

Alfred Munro

Lloyd's Register
Foundation

Rpt. 4
Date of
No. in
Reg. Bo
367
Master

REGISTE
SPER

YOS
LO
E02
NS2

8.

notes
If stiff
Workin