

3m, 8, 21.

W1232-085

Sent to Chief Surveyors

Received from Chief Surveyors

VESSEL'S NAME *Steel S.S. "Atlantic"* Report *N. Yk.* No. *23340*

For the CHIEF SHIP SURVEYOR and CHIEF ENGINEER SURVEYOR.

(In cases which have to be submitted to the Classing Committee "the endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/5/92.)

Nature of Survey

When due

Anchors and 210 fms. of 2 7/8" stud chain cable tested by American Bureau Surveyors.

100 A. 1. (Steel)

2 Dks (Stl)

Cell DB 353' 1262 t, MT 20' 664 t, FPT 135 t, APT 226 t, FK, 7BH, pt. Cem, PA 3', B 115', F 47'.

Date of Build 1919

10. 23. N. Yk.

S.S. N. Yk. No. 1-23.

10/17/23
see letter dated 26/12/23
W.S.J. 3/12/23

It is concluded the height of the tank side brackets above the base line, and the riveting of the lplts of the sheerstrake in way of bridge are as required, but the Surveyors should be requested to state if this is so. They should also be requested to state whether the steel has been tested as required.

23
4
23
3 1/2
62
5 x 5
Steel
47
1/2 x 3 1/2
Steel
38
1/2 x 3 1/2
Steel 38
Steel

