

Spare Gear for the machinery of  
Steel Twin Sc. 4 Mast Sr. "Chille" of Copenhagen  
Burmeister & Wain's Yard No. 303.

Main Diesel Engines:-

- 3 crank pin top brasses with bolts and nuts.
- 4 crosshead bottom brasses with bolts and nuts.
- 1 pair of main bearing brasses of each size with bolts and nuts.
- 1 piston complete with rod and nut.
- 3 complete set of piston packing rings.

12 exhaust valves with chests, seats, spindles, springs  
One complete etc. ready for insertion.

3 exhaust valves with spindles.

2 starting valves with chests, seats, spindles, springs etc.

One set of complete.

1 guide pulley of each size with bolt complete.

1 set of studs and nuts for one cylinder cover.

A complete set of all the working parts of the fuel pumps  
with valves etc. for the one main engine.

One complete set of springs, of all sizes used, for one main  
engine.

A quantity of assorted leather collars and packings.

3 cast iron mouth pieces for the cooling water discharge

from exhaust valves.

1 pair of crosshead brasses for the one main engine.

2 keys to the rotation valves.

1 set of valves with seats for one main engine.

One complete set of valves with seats and springs for one  
main air compressor.

1 set of wings for two force main air compressor.

One set of piston rings for each piston of the one main air  
compressor.

1 set of piston packing rings for the one main air compressor.

One cooling coil for main air compressor.

One complete set of springs for one main air compressor.

1 ignition bulb for do. do.

1 set of special spacers for do. do.

One spring for each size of do. do.



© 2020

Lloyd's Register

W55-00130130  
W55-00130130



2.


Auxiliary Diesel Engines:-

- 1 pair of crank pin brasses with bolts and nuts.
- 1 pair of crosshead brasses with bolts and nuts.
- 1 pair of main bearing brasses with bolts and nuts.
- 2 complete set of piston packing rings.
- 4 exhaust valves with seats complete.
- 2 exhaust valves.
- 2 fuel valves with seats complete.
- 2 fuel valve spindles.
- 1 key to the rotation valves.
- One complete set of springs for one auxiliary Diesel engine.
- One complete set of valves etc. for the fuel pumps for one do. do.
- One set of studs and nuts for one cylinder cover.
- One set of valves for one of the auxiliary Diesel engine air compressors.

- One set of piston rings of each size for the do. do.
- One cooling coil for the do. do.

Auxiliary Machinery:-

- One complete set of valves for each cylinder of the auxiliary air compressor.
- One complete set of piston rings for each piston of the auxiliary do. do.
- 1 pair of crosshead brasses for the auxiliary air compressor.
- $\frac{1}{2}$  set of valves with seats for one bilge pump.
- $\frac{1}{2}$  set of valves with seats for one sanitary pump.
- 1 set of wings for two force lubricating oil pumps.
- $\frac{1}{2}$  set of valves with seats for the daily fuel supply pump.
- 1 set of piston packing rings for the ordinary internal combustion oil engine.
- 1 ignition bulb for do. do.
- 1 set of special spanners for do. do.
- One spring for each size of safety valves.



© 2020

Lloyd's Register

W155-0873(2/13)



