









GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 49 ft., R.Q.D. ☒ ft., Bridge 113 ft., Forecastle 40 ft.  
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ☒

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 2 Str. (Oak)

Official No. 142609 ; Signal Letters

State if Machinery is fitted aft

No

How are the surfaces preserved from oxidation? Inside

Paint + part cement

Outside

Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors.

Cellular

Where Fitted.	Length. Feet.	Water Capacity. Tons.	Where Fitted.	Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	117	342	Fore peak tank,		132
Double bottom, under Engines and Boilers,	39	159	After peak tank,		213
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,	179.1	537	Other tanks, if fitted,		
Total capacity of double bottom		1058	(If necessary, furnish further information by sketch.)		

\* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules

Yto

Order for Special Survey No. 1248

Date

30<sup>th</sup> Oct. 1917

No.

672

in builder's yard.

Dates of Surveys held while building

1917 Oct 25. Nov 2. 7. 12. 14. 16. 20. 22. 27. 30 Dec 5. 6. 11. 13. 18. 21. 24. 1918 Jan 7. 9. 15. 18. 22. 27  
28. 30. 31. Feb 1. 4. 6. 8. 11. 13. 15. 22. 27. Mar 4. 6. 7. 8. 12. 14. 19. 21. 25. 26. 27 Apr 3. 5. 9. 11. 16. 19. 23.  
25. 29. 30. May 1. 3. 7. 9. 13. 14. 16. 22. 23. 27. 29. 31. June 1. 4. 5. 6. 13. 17. 18. 19. 21. 25. 27 July 1. 4  
9. 11. 16. 18. 22. 23. 24. 25. 26. 29. 31. Aug 1. 6. 8. 9. 12. 13.

Total No. of Visits

98

Surveyor's Signature

D. H. Z. N. H. R.

Lloyd's Register Foundation