

	W
FRAME	
"	
No.	
FRAME	
"	
FRAME	
"	
No.	
Size of	
KET P	
Frame	
KHEAD	
AFT PE	
LKHEA	
AFT W	
E	
FORE	
LISION	
TION	
TUDINA	
outside I	
Slaice V	
STRAKI	
PLATE KE	
Feel, state K	
RED OR A	B
Actual	C
ess in	D
Double	E
m.	F
	G
	H
	J
	K
TRAKE L	M
	N
SHEER	O
	R
	Q
	R
	S
	T
	V
	V
	W

Official No. 140284 ; Signal Letters _____ State if Machinery is fitted aft NO

How are the surfaces preserved from oxidation? Inside CEMENT AND PAINT Outside PAINT

Where Fitted.	*Length.	Water Capacity.	Where Fitted.	*Length.	Water Capacity.
	Feet.	Tons.		Feet.	Tons.
Double bottom, aft,	125.375	365	Fore peak tank,		109
Double bottom, under Engines and Boilers,	42.5	187 1/2	After peak tank,		77
Double bottom, if under Engines only,	✓	✓	Deep tank, aft,		✓
Double bottom, if under Boilers only,	✓	✓	Deep tank, forward,		✓
Double bottom, forward,	170.0	640	Other tanks, if fitted,		✓
	Total capacity of double bottom.	1192 1/2	(If necessary, furnish further information by sketch.)		✓

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. **YES**

No. 191 in builder's yard.

DATES of Surveys held while building

1915. Apr. 23 27 30 May 6 11 14 19 Jun 1 4 8 14 17 23 Jul 1 2 12 15 21 30 Aug 6 12 19 23 27 Sep 2 8 15 20
Oct 1 5 13 15 20 26 Nov 3 10 15 19 26 Dec 2 7 14 21 31 1916. Jan 6 11 20 27 31 Feb 3 7 11 16 25 Mar 2 10 22 27
Apr 4 13 18 28 May 4 10 16 25 29 Jun 6 12 16 19 22 27 Jul 3 10 16 24 Aug 22 30 Sep 6 14 15 19 28
Oct 4 9 19 Nov 8 13 23 30 Dec 7 12 22 28 1917 Jan 4 15 22 26 Feb 2 8 15 Mar 8 13 14 30 Apr

Total No. of Visits 1

Total No. of Visits

Surveyor's Signature

© 2021

Lloyd's Register
Foundation