

TELEPHONE No. 610.



Lloyd's Register of Shipping.

Ocean Chambers, Lowgate,

Hull, 24th September. 1921.

LLOYD'S REGISTER.
LONDON.

REC'D SEP 26 1921

ANSD


Dear Sir,

With reference to your letter dated the 22nd instant regarding the First Entry Report No.32903 on the S.S. "FARFIELD". I give below particulars supplied as follows:-

Date of 1st Survey. = April 28th 1920.

" " last " = September.12th.1921.

Raised Quarter Deck Stringer Plate	58 $\frac{1}{8}$ " wide, .37"thick. ✓
" " " " Angle.	3" x 3" x .40" to .30" ✓
" " " plating	.35" ✓ ✓
" " " Stringer Butt Riveting.	Double 5" lap, $\frac{3}{4}$ " rivets spaced 2 $\frac{3}{8}$ " apart. ✓
" " " sheerstrake.	44 $\frac{1}{2}$ " wide. .38" to .32" ✓
" " " Seam Riveting.	Single 2 $\frac{1}{2}$ " lap, $\frac{3}{4}$ " rivets spaced 3" apart. ✓
" " " Butt "	9 $\frac{3}{4}$ " strap, double, $\frac{3}{4}$ " rivets spaced 2 $\frac{3}{8}$ " apart. ✓
R. Q. Dk. Strake below sheerstrake seam Riv:	Double 4 $\frac{1}{2}$ " lap, $\frac{3}{4}$ " rivets Spaced 3" apart. ✓
" " " " Butt "	Double 5" lap, $\frac{3}{4}$ " rivets spaced 2 $\frac{3}{8}$ " apart. ✓
Bridge Side Plating.	41" wide, .25" thick. ✓



Lloyd's Register
Foundation

W35-0189

Spacing
EAMS, Poop Deck, Angle, Bulb Angle, Plate,
Tee Bulb, or Channel
Angles on upper deck

5	3	30	5	3	30
4	25	20	4	25	20

Deck. Material and thickness
Bridge Deck Stringer Plate, br'dth & thickness
Angle on ditto

- 2 -

ridge Side Plating. Seam Riveting.

Single $2\frac{1}{2}$ " lap, $\frac{3}{4}$ " rivets
spaced 3" apart.

" " " Butt "

(none) ✓

Forecastle Side Plating.

55" wide. .25" thick. ✓

" " " Seam Riveting.

Single $2\frac{1}{2}$ " lap, $\frac{3}{4}$ " rivets
spaced 3" apart.

" " " Butt "

Single $5\frac{1}{4}$ " strap, $\frac{3}{4}$ " rivets
spaced $2\frac{5}{8}$ " apart.

I am also informed by the Builders (Messrs. Cook, Welton & Gemmell), that the Bower anchors were manufactured by Messrs. Woodhouse Bros, Cradley Heath, and that they are writing to them as to type of anchor, immediately I hear from them I shall communicate with you. Apologizing for the omissions,

I am, Dear Sir,.

Yours faithfully, .

Mr. Blackmore

Eschall

The Secretary,.

LONDON E.C. 3.

© 2020

Lloyd's Register
Foundation

"	Angles on upper edge									"	The Plates
"	Spacing									"	Deck. Material and thickness
BEAMS, Floor Deck, Angle, Bulb Angle, Plate,		5°	3	30	✓	5°	3	30		Bridge Deck Stringer Plate, br'dth & thick	
Toe Bulb, or Channel		4	2½	30	✓	4	2½	30		Angle on ditto	

Referred to the Chief Ship Surveyor.

ram.

26 SEP 1951

82



© 2020
Lloyd's Register
Foundation

Register Tonnage

Less Navigation Spaces

Less Engine Room

BEAMS, FROM DECK

Angles on