



E.192-3.Spares (Standard)

		<u>No. off</u>
Rubber Ring for Cyl. Liner	385 x 5	6
" " " " "	210 x 5	3
" " " " "	390 x 7	2
Set of Piston Rings & Scraper Ring†		1 set
Top End Bearing Brass		1
Non Return Valve Disc & Spring for Conn. Rod		3
Locking Pins for top & bott. end Bearings		3 each
Piston Cooling Pipes (inner & outer)		1
Nest of Scavenge Pipe Valves		1 nest
Scav. Valve Plates		40
F.V. Needle Seat & Liner		3
Atomizers, Sprayers & Nuts		3
Relief Valve Complete (Cyl. Cover)		1
Blow off Valve (" ")		1
Spring for F.V. Needle		5
" " S.A. Valve		2 each
Copper Joint for Cyl. Cover 401/429 x 1		4
" " " Fuel Valve 34/44 x 1		12
Rubber Joint for Fuel Valve 50/5		12
" " " " " 75/5		12
" " " Cyl. Cover 370/5		6
" " " " " 320/5		5
Copper Joint for Scavenge Valve 55.5/67 x 1		3
" " " Fuel Needle Seat 23.5/31 x 0.5		10
Rubber Joint for C.W. Conn. 38/7 x 7		36
Copper Joints for Safety Valve 18/23.5 x 1		4
Spring for Governor		1
Fuel Pump Complete		1
Coupling Tooth		
Pin for Fuel Lever		3
Spring for Speed Reg. Lever		1
" " Coupling		2



© 2020

Lloyd's Register
Foundation

	<u>No.off</u>
Joint for Suction Pipe 28/3 x 2	3
" " Delivery " 4/10 x 1	16
Element for T. & K. Lubricator	1
Glass Tubes for T. & K. Lubricator	12
Valves for Air Receiver Valves	4
Spring for Air Admittance Valves	1
Spring for Air Admittance Lever	1
Spring for Safety Valve	1
Bolts & Nuts for Scav. Pump Bottom End Bearing	2
" " " " " " Top " "	2
Securing Pins for Scav. Pump (top and bottom)	2 each
Scav. Pump Valves	26
Spring for Scav. Pump Gland	1
Spring for Scav. Pipe	1
Assortment of Fibre Joints	
Assortment of Set Screws	
Scav. Pump Piston Ring	1



© 2020

Lloyd's Register
Foundation

W350-0049 2/3

To Lloyds' Requirements

	<u>No.off</u>
Cylinder Cover complete with valves	1
Starting Air Valve	1
Fuel Valve Complete	2
Sprayers	2
Fuel Valve Needle & Liner	2
Fuel Valve Piping (1 long, 1 short)	1 each
1 Piston (complete)	1
Bolts & Nuts for Bottom End Bearing	2
" " " " Top " "	2
Studs & Nuts for Main Bearing	4
Coupling Bolts & Nuts between Crankshaft & Thrust Shaft.	6
Assortment of Nuts & Bolts.	

Extra Spares.

Fuel Pump Complete	1
1 Piston Complete with Conn. Rod	1
1 long and 1 short length of Fuel Pump Delivery Pipe	1 each



© 2020

Lloyd's Register
Foundation

W350-0049 3/3