

No. 884.

State if Report is also sent on the Machinery of the Vessel

Yes.




PLATING. AS IN SHIP. PER RULE OR AS APPROVED. RIVETING. EDGES. BUTTS. STRAKES. AMIDSHIP. FORWARD. AFT. AMIDSHIP. Single or Double. Rivets. Double or Treble. Rivets. Straps. If Lapped. ...

Correspondence. State dates and initials of letters respecting this case. Workmanship. Are the butts of plating planed or otherwise fitted? Is the riveted work properly closed? Are the liners between the frames and plates solid single pieces? ...



## PARTICULARS OF LONGITUDINAL FRAMING.

FRAMING.		AMIDSHIPS.			ENDS.			AMIDSHIPS.			ENDS.			RIVETING.		Rivets in Longitudinal Frames. Diam. Speng.	Spacing of Rivets on each side of Transverses and Bulkheads. Inches.	Rivets in Longitudinal Frames. Diam. Speng.	
		In Ship.			In Ship.			Per Rule or as approved.			Per Rule or as approved.			Inches.					
Framing of  Shelter Deck.	Frames in 'tween Decks ...	10	3-375	375	10	3-375	375	10	3-375	375	10	3-375	375	1	6	1	6	8	
	Frames from Uppermost Continuous Deck	10	3-79	447	10	3-79	447	10	3-79	447	10	3-79	447	1	6	1	6	8	
	" 2	"	"	"	"	"	"	"	"	"	"	"	"	1	6	1	6	9	
	" 3	"	"	"	"	"	"	"	"	"	"	"	"	1	6	1	6	9	
	" 4	12	3-77	473	12	3-77	473	12	3-77	473	12	3-77	473	1	6	1	6	10	
	" 5	Plate 40 x 44	6 x 3 1/2 x 62	face	Plate 40 x 44	6 x 3 1/2 x 62	face	Plate 40 x 44	6 x 3 1/2 x 62	face	Plate 40 x 44	6 x 3 1/2 x 62	face	1	6	1	6	16	
	" 6	12	3-77	473	12	3-77	473	12	3-77	473	12	3-77	473	1	6	1	6	10	
	" 7	"	"	"	"	"	"	"	"	"	"	"	"	1	6	1	6	10	
	" 8	"	"	"	"	"	"	"	"	"	"	"	"	1	6	1	6	10	
	" 9	Plate 19 x 44	4 x 4	43	Plate 19 x 44	4 x 4	43	Plate 19 x 44	4 x 4	43	Plate 19 x 44	4 x 4	43	1	6	1	6	10	
	" 10	"	121 x 44	"	"	"	21 x 44	"	"	"	"	"	"	1	6	1	6	11	
	" 11	Plate 17 1/2 x 44	6 x 3 1/2 x 35 1/2	face	"	17 1/2 x 44	6 x 3 1/2 x 35 1/2	face	"	17 1/2 x 44	6 x 3 1/2 x 35 1/2	face	"	1	6	1	6	47	
	" 12	"	121 x 44	4 x 4	43	"	21 x 44	4 x 4	43	"	21 x 44	4 x 4	43	1	6	1	6	11	
	" 13	"	17 1/2 x 44	6 x 3 1/2 x 35 1/2	face	"	17 1/2 x 44	6 x 3 1/2 x 35 1/2	face	"	17 1/2 x 44	6 x 3 1/2 x 35 1/2	face	1	6	1	6	47	
	" 14	"	21 x 44	4 x 4	43	"	21 x 44	4 x 4	43	"	21 x 44	4 x 4	43	1	6	1	6	11	
" 15	"	21 x 44	"	"	"	21 x 44	"	"	"	21 x 44	"	"	1	6	1	6	11		
" 16	"	21 x 44	"	"	"	21 x 44	"	"	"	21 x 44	"	"	1	6	1	6	11		
Spacing of Longitudinal Frames		Amidships			At Ends			Amidships			At Ends								
Double Bottoms L, L or C		Tank Top Longitudinals			Bottom														
Spacing of Longitudinals		Amidships			At Ends														
Transverses.		Depth and Thickness			Face Angles			Lugs to Shell			Depth and Thickness			Face Angles			Lugs to Shell		
In Bridge		Plate 18 x 42			5 3 1/2 .50			4 3 1/2 .43			Plate 18 x 42			5 3 1/2 .50			4 3 1/2 .43		
'tween Decks		24 x 42			6 3 1/2 .50			6 6 .43			24 x 42			6 3 1/2 .50			6 6 .43		
In Awning, Shelter or Upper 'tween Decks.		40 .50			40 .50			40 .50			40 .50			40 .50			40 .50		
In Hold.		6 3 1/2 .625			6 6 .50			6 6 .50			6 3 1/2 .625			6 6 .50			6 6 .50		
Spacing of Transverse Frames		14'-0"			14'-0"			14'-0"			14'-0"			14'-0"			14'-0"		
Longitudinal Beams of		Bridge Deck ...			Ang or Shltr. Dk.			Upper			Second			Third					
		8 3-41			415			8 3-41			415			8 3-41			415		
		10 3-375			375			10 3-375			375			10 3-375			375		
		10 3-375			375			10 3-375			375			10 3-375			375		
		10 3-375			375			10 3-375			375			10 3-375			375		
		10 3-375			375			10 3-375			375			10 3-375			375		

The particulars of framing in peaks (if ordinary), Floors, Centre Girder, Side Girders and Margin Plate and their angle attachments, etc., to be entered in the respective places provided for on the Report Forms.

NOTE:—This slip to be pasted on the fourth page of the Report, and reference to same to be made under framing, etc., on the first page.

5c, 8, 12.—T.

Old Form  
a Supply of last issue should be sent



© 2020

Lloyd's Register  
Foundation