

Lloyd's Register of Shipping.

SURVEYS FOR FREEBOARD.—STEAM SHIPS.

PARTICULARS RELATING TO ALL STEAM SHIPS EITHER FLUSH DECKED, OR WITH TOP GALLANT FORECASTLES, SHORT POOPS AND BRIDGE HOUSES DISCONNECTED, OR WITH TOP GALLANT FORECASTLES HAVING LONG POOPS, OR RAISED QUARTER DECKS CONNECTED WITH BRIDGE HOUSES, OR OTHERWISE.

Port of Survey

Date of Survey

Name of Surveyor

yth May 1923.NEW RULES

Particulars of Classification.

+ 100 A. I. Contemplated

Ship's Name. Messer Northern Blanks S. S. No. 469.	Port of Registry and Nationality.	Official Number.	Gross Tonnage.	Date of Build.	
--	-----------------------------------	------------------	----------------	----------------	--

Number in Register Book

Registered dimensions from Ship's Register.	LENGTH.	BREADTH.	DEPTH.	UNDER DECK TONNAGE.
	396.5	53.29	26.58	4650
Length on LOADLINE.	395.5	Frame Depth 12 Rule " 6 x 2 - 1.0 No Sparring + 1.33	Ceiling 4.20 Sheer 4.04 Tank Top Level	Peak } incl'd Tanks
CORRECTED DIMENSIONS.	395.5	52.62	27.82	4650

Co-efficient of fineness.....

.803

Any modification necessary
[Para. 4 (a) to (e)]*

C.O.B.

Co-efficient as corrected

.48 provisionally

Sheer { Stem..... 114 at Sternpost ... 60	174 ÷ 2 = 87	Mean 1.04
Sheer at $\frac{1}{3}$ of the length from Stem 63 Sternpost 33	96 ÷ 2 = 48	Mean
Gradual mean Sheer	allowed 87.13	÷ 1.56 = 84.27
Standard mean Sheer [Table, Para. 18]	49.55	Correction
Difference.....	37.68 ÷ 4 = 9.39	
§ If limited as Para. 18 (f)	- 9½"	

Rise in Sheer { At front of bridge house.....	
[Para. 18 (e)] At after end of forecastle	

Fall in Sheer { Para. 18 (d)	÷ 2 =
------------------------------	-------

Length uncovered Correction

ALLOWANCE FOR DECK ERECTIONS :—

Freeboard, Table C.....

Correction for Length, if required (Para. 12, 13, and 14)

Freeboard by Table A. corrected for sheer, and for length, if required (Para. 12, 13, and 14)

Difference

Percentage as below.....

14" 0	
+ 3½	
14. 3½	
4" 0	
2" 8¾	
33. 44	To
10. 95	

Correction for R. Q. Dk. if engine and boiler openings not covered by bridge house (Para. 11)

Allowance for Deck Erections

	Length.	Length allowed.	Height.
Forecastle.....	38.5	38.5	8.0
Bridge House	121.46	120.31	8.0
† Raised Q. Dk.....			
Poop.....	46.21	46.21	8.0
Total		205.02	.518
Length of Ship		395.5	
Corresponding percentage (Para. 12, 13, and 14)	33.44%		

FREEBOARD recommended amidships from centre of Disc to top of Statutory Deck Line, ~~Wood~~ (Steel) Deck :—

Fresh Water Line	above centre of Disc	...
Indian Summer Line	" "	...
Winter Line	below "	...
Winter North Atlantic Line	" "	...

If the frames, skin planking, or ceiling are of unusual thickness the breadth of vessel to inside of ceiling should be reported if possible.
In vessels obtaining an allowance for deck erections under Para. 11 where the sheer drops abaft amidships the height of the R.Q.D. is to be taken from the level of the top of the amidship beam.
In flush-decked vessels the standard mean sheer means the sheer measured at the stem and stern-post. In vessels having poops and forecastles, it means the sheer measured at points distant one-eighth of the vessel's length from stem and stern-post.

© 2021

Lloyd's Register Foundation

W422-00861