

MIDSHIP SECTION

S.S. NO 789

SCALE $\frac{1}{2}$ " = ONE FOOT

BUILDERS DIMENSIONS 423'-0" x 53'-0" x 32'-0"

LOYDS 423'-0" x 52'-7 1/2" x 33'-1"

CLASS 100 A1 LOYDS. THREE DECK

EQUIPMENT

2 BOWER ANCHORS STOCKLESS	68	CWTS
1 " "	58 1/2	"
1 STREAMER STOCK	19	"
1 KEDGE	8	"
270 FMS STUD CHAIN CABLE	2 1/2	"
90 " STREAM WIRE	5	"
120 " STEEL WIRE	5 1/2	"
2 or 90 HAWKERS	8	"
2 or 90 WARPS	7	"

31. 12. 06

7. 1. 07.

19. 2. 07.

5. 6. 07.

22. 9. 08.

115. 11

108. 11

423

45730

EQUIPMENT N°

115. 11

45691

52255 EQUIPMENT N°

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11

45691

115. 11


45691

115. 11


45691

115. 11


See later plan
to suit new rules



SECTIONS OF MAIN FRAMES





TANK TOP IN HOLD 1/2" PLATE & 8" TO 10" AT ENDS
ENGINE SPACE 1/2" PLATE 1/2" ENGINE 3/4" PLATE
BOILER 1/2" PLATE
CENTRE SPACE 4 1/2" x 1/2" IN BOILER SPACE
BUTTS DOUBLE RIV OVERLAP ALL FTA
CEILING 1/2" UNDER HATCHES AND OVER BILGES



NOTE
SCANTLING OF PILLARS AND GIRDERS
AS PER PROFILE

BUTTS OF SHELL PLATING OVERLAPPED AND DUAL RIV FOR 1/2"
TREBLE AT ENDS EXCEPT WHERE OTHERWISE MARKED, ON
ACCOUNT OF STRESS BEING OVER RULE BREADTHS
SEAMS DOUBLE RIV ALL FORE-AND-AFT



Middleup Section





789

Messrs. Swan Hunter & Wigham Richardson Ltd


original section
see later one

S.S. "BENGOELA"
NEWCASTLE-ON-TYNE.

REPORT No 60884




RETAIN



© 2020

Lloyd's Register

W580-0180 foundation



Lloyd's Register
Foundation