

W694 -0025 $\frac{1}{2}$

Form No. 1A.

020 W694 - 0025 $\frac{Z}{Z}$

WATERTIGHT BULKHEADS

Frame	Height up	Thickness	Vertical Stiffeners	Spacing	Single frame
18	below 5th deck	.46 - .36	5 1/2 x 3 1/2 x .56 & 5 8 x 3 1/2 x .42 at side	30"	5 1/2 x 5 1/2
22-23 1/2	5-4th "	.36	5 8 x 3 1/2 x .44 at girder & 5 6 x 3 x .38	28 3/8	" "
25	5-4th "	.36	5 8 x 3 1/2 x .44 " " 5 6 1/2 x 3 x .42	28 3/8	" "
9	4-3rd "	.28	5 5 1/2 x 2 1/2 x .40 and 5 5 1/2 x 2 1/2 x .30	29 1/2	" "
"	3-2nd "	.24	L 4 1/2 x 2 1/2 x .28	28 3/8	" "
36	below 5th "	.46 - .38	5 10 1/2 x 3 1/2 x .54 & 5 8 1/2 x 3 x .46	30	" "
"	5-4th "	.34	5 7 1/2 x 3 x .40	29 1/2	" "
"	4th-3rd "	.28	5 5 1/2 x 2 1/2 x .40	28 3/8	" "
"	3rd-2nd "	.24	L 4 1/2 x 2 1/2 x .28	28 3/8	" "
53/54	below 5th "	.42 - .38	5 9 1/2 x 3 1/2 x .54 & 5 9 x 3 1/2 x .44	28 3/8	" "
54	5-4th "	.32	5 8 x 3 1/2 x .44	28 3/8	" "
"	4th-3rd "	.28	5 5 1/2 x 2 1/2 x .30	28 3/8	" "
"	3rd-2nd "	.24	5 8 x 3 1/2 x .40	28 3/8	" "
68/77	below 5th "	.44 - .34	5 8 1/2 x 3 1/2 x .44 & 5 9 1/2 x 3 1/2 x .52	30	" "
77	5-4th "	.32	5 5 1/2 x 2 1/2 x .38	28 3/8	" "
77	4th-3rd "	.28	5 5 1/2 x 2 1/2 x .20	28 3/8	" "
76	3rd-2nd "	.24	L 4 1/2 x 2 1/2 x .28	28 3/8	" "
45	below 4th "	.48 - .34	5 11 x 3 1/2 x .56 & 5 11 1/2 x 4 x .56 x .68	28 3/8	" "
"	4th-3rd "	.32 - .28	5 5 1/2 x 2 1/2 x .30	28 3/8	" "
"	3rd-2nd "	.32 - .24	5 5 1/2 x 2 1/2 x .30	28 3/8	" "
117-121	below 4th "	.38	5 11 1/2 x 3 1/2 x .60 & 5 12 1/2 x 4 x .68 x .56	28 3/8	" "
121	4th-3rd "	.28	5 8 x 3 1/2 x .44 at girder & 5 5 1/2 x 2 1/2 x .32	28 3/8	" "
"	3rd-2nd "	.24	L 4 1/2 x 2 1/2 x .28	28 3/8	" "
149	below 5th "	.48 - .38	5 10 1/2 x 3 1/2 x .54 & 5 10 x 3 1/2 x .48	28 3/8	" "
"	5-4th "	.32	5 8 x 3 1/2 x .44 at girder & 5 5 1/2 x 2 1/2 x .38	30	" "
"	4th-3rd "	.28	5 5 1/2 x 2 1/2 x .30 & 5 8 x 3 1/2 x .44 at girder	29	" "
"	3rd-2nd "	.24	L 4 1/2 x 2 1/2 x .28 & 5 8 x 3 1/2 x .44 " "	28 3/8	" "
71/172	below 5th "	.44 - .40	5 11 1/2 x 3 1/2 x .56 & 5 8 x 3 x .44 at side	29	5 1/2 x 5 1/2 x .6
"	5-4th "	.32	5 5 1/2 x 2 1/2 x .38 & 5 8 x 3 1/2 x .44 at girder	29	" "
"	4th-3rd "	.28	5 5 1/2 x 2 1/2 x .30 & 5 8 x 3 1/2 x .44 " "	29	" "
"	3rd-2nd "	.24	L 4 1/2 x 2 1/2 x .28	29	" "
194	below 5th "	.46 - .40	5 12 1/2 x 4 x .56 & 5 13 1/2 x 4 1/2 x .80	29	" "
"	5-4th "	.32	5 5 1/2 x 2 1/2 x .38 & 5 8 x 3 1/2 x .44	29	" "
"	4th-3rd "	.28	5 5 1/2 x 2 1/2 x .30	29	" "
"	3rd-2nd "	.24	L 4 1/2 x 2 1/2 x .28	29	" "
223 (below chain locker)	below chain locker	.48 - .38	5 10 1/2 x 3 1/2 x .54 & 5 7 1/2 x 3 x .42	30	5 1/2 x 5 1/2 x .68
"	to 4th deck	.38 - .34	5 8 x 3 1/2 x .48	24 5/8	" "
"	4th-3rd "	.28	5 5 1/2 x 2 1/2 x .30 & 5 8 x 3 1/2 x .44	27 3/8	" "
"	3rd-2nd "	.24	5 4 x 2 1/2 x .30	28 3/8	" "

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 64.4 ft., R.Q.D. ft., Bridge 365.0 ft., Forecastle 118.1 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated not joined

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 4 deck steel - a pt. w. and Promenade deck full length steel of beams
Official No. _____; Signal Letters _____ State if Machinery is fitted aft no
How are the surfaces preserved from oxidation? Inside Cement and Asphalt Outside Patent oil paints

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors <u>cellular</u>					
Where Fitted.		Length.		Water Capacity.	
		Feet.	Tons.		
Double bottom, aft,		<u>93</u>	<u>248</u>	Fore peak tank,	<u>29</u> <u>126</u>
Double bottom, under Engines and Boilers,		<u>249</u>	<u>2123</u>	After peak tank,	<u>25</u> <u>118</u>
Double bottom, if under Engines only,				Deep tank, aft,	
Double bottom, if under Boilers only,				Deep tank, forward,	
Double bottom, forward,		<u>181</u>	<u>844</u>	Other tanks, if fitted,	
		Total capacity of double bottom		(If necessary, furnish further information by sketch.)	
		<u>3215</u>		State whether the above have been tested as required by the Rules. <u>yes</u>	

Order for Special Survey No. ✓Date ✓No. 209 in builder's yard.

Dates of Surveys held while building

1922:— 14/2, 25/2, 29/4, 2/6, 26/7, 3/8, 6/10, 26/10, 7/11, 13/11
15/11, 18/11, 21/11
1923:— 13/1, 26/1, 6/2, 24/2 2/3, 10/3, 15/3, 19/3, 21/3, 24/3, 27/3

Total No. of Visits 24

Surveyor's Signature

Ces. Dyke

Lloyd's Register
Foundation