

Register Tonnage
as cut on Beam

4435.96

Destined Voyage Beated Orders

If Surveyed while Building, Afloat, or in Dry Dock

Length

Feet

Inches

Breadth

Feet

Inches

1500.10.17

1

Drill 35 Bottom

Sent to Chief Surveyors 13.5.18

Received from Chief Surveyors

VESSEL'S NAME Shells West Arrow

Report Sea

No. 579

For the CHIEF SHIP SURVEYOR and CHIEF ENGINEER SURVEYOR.

(In cases which have to be submitted to the Classing Committee, the endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case so that the Classing Committee may have all the salient points presented in the endorsement. Extract from Sub-Committee's Report, 24/5/92.)

Nature of Survey

When due

All the watertight bulkheads in this case are extended to the upper deck.

100A (Steel)

2 Ds (Steel)

Cell DB 355 11986 F.P.T. 1206 A.P.T. 3406

FK ~ BH ~ Beam ~ A.P.P. ~ D 45 ~ B 115 ~ F 97



© 2020

Lloyd's Register

Sur-0212

"	"	"	to Floors.....	2	2	8.2	3	3	8.2	"	"	"	(in way of Bridge)
MARGIN PLATE,	depth (exclusive of flange)	}		38		48	38		48	"	Wind Deck Material & thickness		
"	and thickness.....			4	4	12.8	4	4	12.8	"	Second Deck Stringer Plate, br'dth & thickness		
"	Angle to Outside Plating.....		4	4	12.8	4	4	12.8					

Copy 1
19.6.18

Please
to

1/10/18



© 2020

Lloyd's Register
Foundation