



Form No. 1B. WEB FRAMES. FORGINGS or CASTINGS. BULKHEADS. COLLISION PARTITION LONGITUDINAL. PLATING. STRAKES. BUTTS. RIVETING. MASTS, SPARS, &c.

EQUIPMENT No. 32412 LETTER Y. ANCHORS. CHAIN CABLES. HAWSERS AND WARPS. Steering Gear, Steam ROGER & CO. Steering Gear, Hand CRAWFORD & SON. Bulwarks, height above deck and description OPEN RAILS. Correspondence. Workmanship. The amount of Entry Fee. Special Survey Fee. Travelling Expenses. State whether the Vessel has been built under Special Survey. I am of opinion this Vessel should be Classed. With, or without Freeboard, as condition of Class YES. Committee's Minute. Character assigned. 100A1. Sheer at deck with fld. Carrying petroleum in bulk. Lloyd's at 6.0. Listed for oil fuel 11.16. T.P. above 150°F. THE FEB. 13. 1917. Lloyd's Register Foundation

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 114.5 ft., R.O.D. ☒ ft., Bridge 32.5 ft., Forecastle 57 (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated. ☒

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given should appear in the Register Book) ONE DECK (PISTL.) + SHELTER DECK (STL.) + WEB FRAMES.

Official No. 139169 ; Signal Letters ✓ State if Machinery is fitted aft YES.

How are the surfaces preserved from oxidation? Inside PORTSMOUTH BLACK CEMENT + MINERAL OIL. Outside PAINT.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors: (TANK TOP OR PARTIALLY P.)

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Ca Tons
Double bottom, aft,			Fore peak tank,		10
Double bottom, under Engines and Boilers,			After peak tank,		7
Double bottom, if under Engines only,	25.0	29.	Deep tank, aft, FORWARD. N° 1.		15
Double bottom, if under Boilers only,	31.25	90.	Deep tank, forward, N° 2		19
Double bottom, forward,			Other tanks, if fitted,		
Total capacity of double bottom		119.0	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules YES.

Order for Special Survey No. 2196

Date 15th Decr/14

No. 557 in builder's yard.

DATES OF SURVEYS held while building

1915. Mar 9. 12. 16. 18. 23. 26. 30. Apr 1. 8. 13. 20. 23. 25. 30. May 4. 6. 13. 14. 18. 20. 27. June 1. 3. 5. 10. 14. 17. 22. 24. 29. July 1. 13. 15. 21. 27. 30. Aug 6. 9. 11. 13. 16. 19. 23. 25. 27. 30. Sep 2. 7. 9. 13. 15. 20. 22. 24. 28. 30. Oct 4. 6. 8. 11. 12. 13. Nov 15. 16. 22. 24. Dec 1. 6. 8. 10. 15. 17. 21. 23. 28. 31. 1916. Jan 5. 7. 11. 14. 17. 21. 25. 27. Feb 1. 3. 8. 10. 14. 18. 21. 23. 25. 28. Mar 1. 2. 6. 9. 12. 16. 21. 31. Apr 4. 6. 10. 12. 14. 17. 20. 25. 27. May 1. 3. 5. 8. 10. 12. 16. 19. 23. 25. 30. June 1. 5. 7. 9. 13. 14. 16. 19. 21. 22. 26. 28. 29. 30. July 3. 12. 13. 14. 15. 18. 19. 21. 22. 25. 27. 28. 31. Aug 1. 3. 4. 7. 9. 10. 11. 14. 15. 16. 18. 21. 23. 24. 25. 28. 30. Sep 1. 13. 19. 21. 24. 28. Oct Total No. of Visits 2
2. 5. 9. 11. 13. 17. 19. 20. 23. 25. 26. 30. 31. Nov 2. 6. 7. 8. 9. 10. 13. 14. 15. 16. 17. 18. 20. 21. 23. 25.

Surveyor's Signature

David W. Austen