

George Blake Ld Blue n<sup>o</sup> 1029-30

Rivets  $\frac{.99 \times 5 \times 55 \times 1175}{7.75 \times 1.1093} = 86$  | Plate  $\frac{6.625}{7.75} = 85.5$

Shell  $\frac{22 \times 15.75 \times 85.5 \times 29.5}{171.78 \times 28} = 182$

Turns  $\frac{50(300 \times .766 - 75.66)}{42} = \frac{50 \times 154.5}{42} = 184$

CCs Top 90.50" Sides 90.50" Barks  $\frac{1425 \times 132}{\frac{1}{2}(10^2 + 9^2) 99} = 188$  |  $\frac{135 \times 132}{\frac{1}{2}(10^2 + 9^2) 94} = 190$   
Sides  $\frac{135 \times 121}{\frac{1}{2}(10^2 + 9^2) 90} = 181$

Screw stay  $\frac{9000 \times 2.03}{98.4} = 185$

Wires  $\frac{3.59 \times 9000}{1442} = 182$

Top ends  $\frac{175 \times 484}{\frac{1}{2}(24.5^2 + 13.375^2)} = 180$   
 $469 = 180$

Main stay  $\frac{16400 \times 6.49}{869} = 183$

Back Bar  $\frac{135 \times 225}{\frac{1}{2}(15.5^2 + 9.375^2)} = 185$   
 $164 = 185$

WV spaces  $\frac{140 \times (13 + \frac{13}{2})^2}{225} = 236$

Eziders  $\frac{10665 \times 68 \times 1.5 \times 29.5}{21 \times 11 \times 28.78 \times 28} = 183$

© 2021

Lloyd's Register  
Foundation  
W842-0088