

Form No. 1B.Form No. 1B.

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ft., R.Q.D. 86.5 ft., Bridge 9.0 ft., Forecastle 16.6 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated
Raised quarter deck joined to bridge deck.

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book). One deck, etc.

Official No. _____; Signal Letters _____ State if Machinery is fitted aft Yes
How are the surfaces preserved from oxidation? Inside Portland cement & paint Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. Cell & girders

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	86.0	90	Fore peak tank,	16.1	22
Double bottom, under Engines and Boilers,			After peak tank,		
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,			Other tanks, if fitted,		
			(If necessary, furnish further information by sketch.)		
			State whether the above have been tested as required by the Rules		<u>Yes</u>

* The wells are not to be included in the lengths of the tanks.

Order for Special Survey No. 145
Date 23.9.1914
No. 226 in builder's yard.
DATES of Surveys held while building
1914 Sep. 15. 21. 26. Oct. 9. Nov. 4. 20. Dec. 3. 11. 22
1915 Jan. 4. 20. Feb. 4. 12
Mar. 1. 9. 23. Apr. 8. 27. May. 13. 18. 20 Jun. 1. 14. 21. Jul. 6. 20 Aug. 17. 20. 24
Sep. 8. 16. 17. Oct. 18. 25. 26 Nov. 25. 1915 Jan. 27. Feb. 21. Mar. 7. 31.

Surveyor's Signature



Lloyd's Register Foundation