

(LLOYDS REGISTER.)

G. R. 130
Lloyds.

VESSELS OF 100 TONS AND UPWARDS.

These particulars are supplied by the Registrar General of Shipping and Seamen for the sole use of Lloyds Register of British and Foreign Shipping.

Signal Letters (if any)

Official Number. 124053		Name of Ship. Constance		No., Date, and Port of Registry. 26/1907 Liverpool	
No., Date, and Port of Previous Registry (if any). New Vessel					
Whether British or Foreign Built. British	Whether a Sailing or Steam Ship; and if a Steam Ship how propelled. Steam Single Screw	Where Built. Northwich	When Built. 1906	Name and Address of Builders. W. J. Yarwood & Sons, Castle Dock, Northwich	
Number of Decks ...	One	Length from fore part of stem, under the bowsprit, to the aft side of the head of the stern post ...		Feet. 112	Tenths. 0
Number of Masts ...	Two	Length at quarter of depth from top of weather deck at side amidships to bottom of keel ...		22	09
Rigged ...	Ketch	Main breadth to outside of plank ...		8	9
Stern ...	Elliptical	Depth in hold from tonnage deck to ceiling at midships ...			
Build ...	Blmcher	Depth in hold from upper deck to ceiling at midships, in the case of three decks and upwards ...			
Galleries ...	None	Depth from top of beam amidships to top of keel ...			
Head ...	None	Depth from top of deck at side amidships to bottom of keel ...			
Framework and description of vessel ...	Steel Steam	Round of beam ...		25	58
Number of Bulkheads ...	Three	Length of engine room (if any) ...			
Number of water ballast tanks, and their capacity in tons ...	One 16				

PARTICULARS OF DISPLACEMENT.

Total to quarter the depth from weather deck } at side amidships to bottom of keel ... }	tons.	Ditto per inch immersion at same } depth ... }	tons.
---	-------	---	-------

PARTICULARS OF ENGINES (if any).

No. of Engines.	Description.	Whether British or Foreign made.	When made.	Name and Address of Makers.	No. of and Diameter of Cylinders.	Length of Stroke.	N. H. P. I. H. P. Speed of Ship.
Two	Compound surface condensing direct acting inverted Boilers.	British	1907	W. J. Yarwood & Sons	Two 13 1/2"		30
	Number ...		1907	Castle Dock Northwich	8	20"	28 1/2
	Iron or Steel				27"		9 miles
	Pressure when loaded 120 lbs						

PARTICULARS OF TONNAGE.

GROSS TONNAGE.		No. of Tons.	DEDUCTIONS ALLOWED.		No. of Tons.
Under Tonnage Deck ...		158.98	On account of space required for propelling power		111.30
Closed-in spaces above the Tonnage Deck, if any			On account of spaces occupied by Seamen or Apprentices, and appropriated to their use, and kept free from goods or stores of every kind, not being the personal property of the Crew		
Space or spaces between Decks ...		21.10	These spaces are the following, viz.:—		
Break ...			Lower Deck		
Forecastle ...		6.13	Round House		14.92
Round House ...			Deductions under Section 79 of the Merchant Shipping Act, 1894, as follows:—		
Other closed-in spaces, if any, as follows:—		9.33	Cubic Metres		
Excess H'way			Master's Berth 2.70		6.88
Spaces for machinery, and light, and air, under Section 78 (2) of the Merchant Shipping Act, 1894, if required.		13.95	B'wan's Store 4.18		
Gross Tonnage ...		209.49			
Deductions, as per Contra ...		133.10			
Registered Tonnage ...		76.39	Total Deductions ...		133.10

Name of Master		Certificate of { Service No. Competency No.	
No. of Owners			
Name, Residence, and Description of Managing Owner if there are more owners than one. Manchester Liverpool North Wales Steam Ship Co. Ltd. Head Office at 4 Albert Buildings, 19 Preson's Row, Liverpool.			
Richard Robert Clark of above address: Manager			
The only space above the upper { (Hole open) 20.5 x 13.3 x 5.3 less (3.5 x 3.0 x 5.3 companion) } upper Deck etc. as:— { (Galley 5.1 x 3.8 x 5.3) 4 (wc. 3.1 x 3.8 x 5.3) } = 10.56 tons			
Dated 26th March 1907			

W B & L (830)—16034—1000-12-6

W 433 - 0096

stiffened with rings Distance between rings Working pressure by rules End plates: thickness How stayed
Working pressure of end plates Area of safety valves to superheater Are they fitted with easing gear
W 433 - 0097

© 2020
Lloyd's Register
Foundation