

Awning or Shelter Deck, or Pt. Awning Deck.

STEEL STEAMER.

No. 69515

State if Report is also sent on the Machinery of the Vessel.

Received at London Office

TUE. 16 JAN. 1917

Port of

Date of completion of Report

Survey held at

NEWCASTLE-UPON-TYNE

Date, First Survey

27th January 1915

Last Survey

1st Jan 1917

On the (State if Single, Twin, or Triple Screw)

Steamer *Clan Mackay*

Rig

Schooner

TONNAGE under

CLASS

100 A 1

FEET.

Master

Do. between Tonnage Dk. and

1532.97

Breadth (greatest moulded)

53.16

Year of Appointment

(1) As Master in service of
owner of present vessel: -191
(2) As Master of this
vessel: -191

Total under Upper Dk.

6316.09

Depth, at middle of length from top of keel to top of

39.00

Built at Howdon Newcastle on Tyne

Do. of Poop

Sailor

beams at side of uppermost Continuous Deck

8.00

When built 1917 Launched 17 July 1916

Do. of R. Or. Dk.

3.72

Deduct height of tween deck when this does not exceed 8ft.

84.16

By whom built The Northumberland S. Co. Ld

Do. of Bridge House

52.52

Transverse Number

419.42

Owners The Clan Line Steamers Ld

Do. of Forecastle

169.69

Length on deck from fore part of stem to after part of

352.98

Managers Baynes Irvine & Co Ld

Do. of Houses on Deck

31.49

Longitudinal Number

18.0

(Where necessary to be entered in Reg. Book.)

of excess of Hatchways

6580.07

Depth "d" at middle of length. See Secs. 2 & 13.

10.76

Residence 109 Hope St. Glasgow

above Crown of

Engine Room

204.29

Proportions, Depths to Length, Uppermost Continuous

13.7

Port belonging to Glasgow

above Crown of

Engine Room

6375.72

Deck at side to top of keel

13.7

Navigation Spaces

2105.60

Upper Deck at side

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

13.7

Navigation Spaces

80.02

to top of keel

GENERAL REMARKS—(continued).

Blank area for general remarks.

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ft., R.Q.D. ft., Bridge ft., Forecastle 34 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated Complete Shelter Deck

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 2 Dk (Stl) & 1 Dk (Stl)
Official No. 134229; Signal Letters State if Machinery is fitted aft No
How are the surfaces preserved from oxidation? Inside Portland cement & paint Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. Cell Sts

Where Fitted.	Length. Feet.	Water Capacity. Tons.	Where Fitted.	Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<u>145.9</u>	<u>450</u>	Fore peak tank,	<u> </u>	<u> </u>
Double bottom, under Engines and Boilers,	<u> </u>	<u> </u>	After peak tank,	<u>22.0</u>	<u>124</u>
Double bottom, if under Engines only,	<u>33.1 1/2</u>	<u>157</u>	Deep tank, aft,	<u>25.4</u>	<u>95.5</u>
Double bottom, if under Boilers only,	<u>15.5 1/2</u>	<u> </u>	Deep tank, forward,	<u> </u>	<u> </u>
Double bottom, forward,	<u>172.2</u>	<u>623</u>	Other tanks, if fitted,	<u> </u>	<u> </u>
	Total capacity of double bottom	<u>1230</u>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks 366.6 State whether the above have been tested as required by the Rules Yes

Order for Special Survey No. 4578
Date 9.3.1915
No. 229 in builder's yard.
DATES OF SURVEYS held while building
Jan. 21.29. Feb. 18. Mar. 9.15.16.26.29. Apr. 1.7.12.13.15.19.22. May. 2.6.11.13.21.26.28.31. Jun. 1.3.4.7.2
Jul. 9.12.15.20.28. Aug. 3.5.11.17.20.24.25. Sep. 1.6.9.14.16.20.21.22.27.30. Oct. 1.6.22.29. Nov. 2.5.8.11.17.23
30. Dec. 2.7.9.15.20.22.28 Jan. 4.10.12.19.25.31. Feb. 4.9.25. Mar. 1.7.10.14.17.22.24.27.29. Apr. 5.10.11.14.17
20. May. 1.4.12.16.19.24.30.31. Jun. 2.5.6.8.12.13.14.16.20.26.28.29. Jul. 4.6.7.13.17.19.21.25.27. Aug. 1.2.4
11.14.21.24.25. Sep. 5.7.14.19.22.28. Oct. 4.6.23. Nov. 14.22. Dec. 5.14.19.20.21.28.29
Total No. of Visits 147

Surveyor's Signature

Lloyd's Register Foundation