R.M.S. "MAURETANIA."

MIDSHIP SECTION

SHEWING

THICKNESSES OF SHELL.

SCALE ½ = 1 FOOT.

BOAT DECK

PROMENADE DECK

SHELTER DECK — DECK BETWEEN OPENINGS 10-20 MILD STEEL

BUTTS OF PLATING CLEAR OF DOUBLINGS, OVERLAPPED OR SINGLE STRAPS QUADRUPLE RIVS FOR 400 FT ✠ TREBLE AT ENDS
EDGES DOUBLE RIVETED

14-20 H.T.S TO 8-20 MILD STEEL

DECK PLATING 13-20 H.T.S TO 8-20 MILD STEEL

INCREASED 3-20 IN WAY OF CASINGS

BUTTS OF STRINGER & PLATING IN WAY OF DOUBLINGS SINGLE STRAPS (UNDERNEATH) QUADRUPLE RIVS
BUTTS OF DOUBLING DOUBLE STRAPS T.R

DOUBLING 14-20 TO 8-20 H.T.S PLATING 13-20 H.T.S TO 8-20 MILD STEEL FOR 292 FT

DOUBLING 14-20 TO 8-20 H.T.S PLATING 13-20 H.T.S TO 8-20 MILD STEEL FOR 356 FT

DOUBLING 20-20 TO 14-20 H.T.S STRINGER 18-20 H.T.S TO 8-20 MILD STEEL FOR 355 FT

PLATING 22-20 H.T.S TO 12-20 MILD STEEL
DOUBLING 22-20 TO 20-20 H.T.S EXTENDING FROM 230 FT AFT TO 130 FT FORWARD OF ✠

PLATING 22-20 H.T.S TO 12-20 MILD STEEL
DOUBLING 22-20 TO 20-20 H.T.S EXTENDING FROM 114 FT AFT TO 108 FT FORWARD OF ✠

PLATING 22-20 H.T.S TO 12-20 MILD STEEL
DOUBLING 22-20 TO 20-20 H.T.S EXTENDING FROM 129 FT AFT TO 92 FT FORWARD OF ✠

22-20 H.T.S TO 12-20 MILD STEEL

BUTTS OF DOUBLINGS & PLATING IN WAY OF SAME SINGLE STRAPS TREBLE RIVETED (INSIDE & OUTSIDE)

UPPER DECK — DECK BETWEEN OPENINGS 10-20 MILD STEEL

BUTTS OF DECK PLATING
OUTSIDE STRAKES SINGLE STRAPS BELOW T.R
INSIDE — DOUBLE STRAPS DOUBLE R
TOP STRAP TREBLE RIV IN WAY OF OPENING

DECK PLATING 10-20 H.T.S TO 8-20 MILD STEEL

INCREASED 3-20 IN WAY OF CASINGS

14-20 H.T CARBON STEEL TO 8-20 MILD STEEL

STRAKE NEXT STRINGER 14-20 H.T.S TO 8-20 MILD STEEL

STRINGER 54 × 18-20 H.T.S TO 10-20 MILD STEEL

BUTTS OF STRINGER
DOUBLE STRAPS
T.R ON TOP D.R BELOW

20-20 H.T.S TO 12-20 MILD STEEL

BUTTS OF SIDE PLATING LAPPED & QUADRUPLE RIVETED FOR 400 FT ✠ TREBLE AT ENDS

MAIN DECK — DECK BETWEEN OPENINGS 8-20 MILD STEEL

INCREASED 3-20 IN WAY OF CASINGS. DECK PLATING 8-20 MILD STEEL

BUTTS OF PLATING SINGLE STRAPS DOUBLE RIVS
EDGES SINGLE STRAPS SINGLE RIVS
MILD STEEL

BUTTS OF STRINGER & STRAKE NEXT TO STRINGER SINGLE STRAPS, TREBLE RIVS

STRAKE NEXT STRINGER 10-20 STRINGER 12-20

20-12 20 MILD STEEL

LOWER 7-20 DECK

LOWER DECK PLATING (CAMBER ...) 8-20 MILD STEEL

BUTTS OF PLATING OVERLAPPED & DOUBLE RIVS
EDGES SINGLE RIVS
DECK FLUSH AT FORE END SAME AS MAIN DK

BUTTS OF STRINGER & STRAKE NEXT TO STRINGER OVERLAPPED & TREBLE RIVS AT FORE END FLUSH SAME AS MAIN DK

STRAKE NEXT STRINGER 10-20 STRINGER 12-10 20

20-12 20

20-12 20

20-12 20

20-12 20

21-12 20

4 × 4 × 9-16 10-20

BILGE KEEL 36 DEEP 226 FT LONG.

21-12 20

21-12 20

21-12 20

21-12 20

21-12 20

21-12 20

21-12 20

BOTTOM PLATING FROM KEEL TO ABOVE BILGE TO HAVE DOUBLE STRAPS AS PER SKETCH INSIDE STRAPS T.R OUTSIDE STRAPS D.R FOR 300 FT ✠ LAPPED BEFORE & ABAFT THIS QR & T.R

OUTER KEEL PLATE 50 × 21-20
MIDDLE " 36½ × 22-20
INNER " 58 × 21-20 FOR ⅔ L ✠

NO OUTSIDE STRAPS
BUTTS TO BE CARREFULLY SHIFTED

22-16 20

21-12 20

21-12 20

21-12 20

21-12 20

FRAME PITCH

INSIDE STRAP

FRAME PITCH

CLOSE PITCH OUTSIDE STRAP

HYDRAULIC SHELL RIVETING WITHIN THE RANGE OF THE DOUBLE BOTTOM WHEREVER PRACTICABLE

5/11/07
30-07

Lloyd's Register Foundation

S.S. "Mauretania"

Outline Section of Vessel as Built.

LLOYD'S REGISTER OF SHIPPING
RECEIVED
7 NOV 1907
LONDON



© 2018
Lloyd's Register Foundation

M Section

RETAIN

(37a)

LR-FAF-SA26-P-15

© 2018
Lloyd's Register
Foundation