

© 2018

Prom De

A - Long Dry Fete

B Uppermost

C

D

TELEGRAMS

No. _____
for _____
of _____
may be _____
We _____
follow _____
Rules _____
For sh _____

50 per cent
For engine

FORGINGS and CASTINGS.

which
underst
in any r
Society,
No. 7

Bro. auth.
p. 6
B/1

He

The Surveys are required and to write on or

EQUIPMENT No 65033										LETTER <i>jt</i>		ANCHORS.			
Number of Certificate.	Anchor.	WEIGHT, EX. STOCK			WEIGHT OF STOCK			TEST, PER CERTIFICATE			WRIGHT REQUIRED BY	Description of Anchor.	Makers.	Where and when tested and Superintendent.	
		CWTS.	qrs.	lbs.	CWTS.	qrs.	lbs.	Tons.	CWTS.	qrs.	lbs.	TABLE 52 as approved			
94940	1st Bower ...	104	2	7	Stackless			69	2	2	0	103-3-0	Byers Type (C.S. Head)	5 Taylors Sons (Buckley Hill) Ltd	Netherlon 14/2/36 H Green
94944	2nd „ ...	104	0	0	D°			68	15	0	0	103-3-0	D°	D°	D° 15/2/36 D°
94938	3rd „ ...	103	2	16	D°			68	15	0	0	103-2-0	D°	D°	D° 14/2/36 D°
	Collective weight.	312	0	23								311-0-0			
94946	Stream	33	1	0	9	1	24	31	1	1	0	32-2-0	Rodgers	D°	D° 18/2/36 D°

CHAIN CABLES.

HAWSERS AND WARPS.

Number of Certificate.	Length and size supplied.		Test per Certificate.		WEIGHT OF CHAIN CABLE.			Length and size per Table 53.		Description.	Makers of Cables.	Where and when tested, and Superintendent.	Material.	Length and size supplied.		Breaking Test of Steel Wire.	Length and size per Table 53.	
87860	330	2 1/2	157 1/2	220 1/2	1076-2-4		940	330	2 1/2	Tayco	5 Taylor & Sons Brierley Hill	Netherlon 18/2/36 H Green	TOWLINE	130	6 1/2	112 6/16	130	6 1/2
													HAWSERS & WARPS	2@120	4"	33 1/2	2@120	2 1/4
														2@120	3 1/2	25 1/2	2@120	2 3/4
Stream	120	5 1/2	84 1/2					120	5 1/2	Flex S.W.	British Rope, Ltd.	Makers Cert Dated 29/5/36.						

Steering Gear, Steam Brown Bros. Electric Hydraulic, 2 Motors 2 pumps. Steering Gear, Hand Telemotor from Bridge & Local Hand Control aft Boats 10@30'; 2@22' lifeboats Steering Chains, Size and Test ✓ Windlass Clark Chapman Electric Ceiling in Holds, thickness and material 2 1/2" W.P. Elm under hatchways Cargo Battens, thickness, material and spacing 6-2 W.P. 3" apart Vertical Cargo Hatchways. (Upper Deck) Steel Coamings as per Rule. Thickness of Hatches Stiffened Steel Covers. "Macanking" Patent as per approved plans. Size of No. 1 Hatchway (Forward) A'dk 13-6-12 No. 2 A'dk 20-7-16 No. 3 Prom dk 12-10-16-0 No. 4 Prom dk 12-10-18-0 No. 5 ✓ No. 6 ✓ Number of Shifting Beams and/or Fore and Afters None.

FOR VICKERS-ARMSTRONGS LIMITED.

Builder's Signature

COMMERCIAL MANAGER, BARROW WORKS.

GENERAL DECLARATION. It should be stated (a) whether the vessel is fitted for the carriage and burning of oil used as fuel Yes (b) whether the vessel, not being an oil tanker, is fitted for carrying oil as cargo No The positions in which oil is carried as fuel or cargo should be indicated, together with the flash point.

This vessel has been built under Special Survey in accordance with the approved plans, Secretary's letter and the Society's Rules; the materials and workmanship are good and to my satisfaction. The fore and after peak tanks, double bottom tanks, cofferdams, oil fuel bunkers, deep tanks, decks and waterways, watertight bulkheads, watertight doors, hand pumps, windlasses, and steering gear have been tested in accordance with Rule requirements and found satisfactory. The vessel is fitted for carrying and burning oil fuel. F.P. above 150°F, the following compartments being approved for oil fuel. Oil fuel bunkers at sides of engine and boiler room, thwartship bunkers at fore end of boiler room, and double bottom tanks under and abreast oil bunkers. No. 3 tween deck between D & C decks aft has been insulated for the carrying of refrigerated cargoes. The freeboards as assigned have been cut in on the vessel's sides and verified.

The amount of Entry Fee £ 12 : - : - Fees applied for, 19
Special Survey Fee.... £ 493 : 10 : 6 Received by me, 31-7-1936
Freeboard Fee 20
Travelling Expenses, if any £ : : 31-7-1936

I am of opinion the Vessel should be Classed 100A1 with freeboard

State whether the Vessel has been built under Special Survey Yes

Signature

Hodgson.

Surveyor to Lloyd's Register of Shipping.

Certificate sent to Barron.

Date of issue 31/7/36

Committee's Minutes

WED. 5 AUG 1936

Character assigned

+100A1 (on Buss. 2621) With freeboard

Topside's Special Quality Steel Lloyd's A & P

Write Bros & Co
Ld
Ld 31/7/36

GENERAL REMARKS—(The Surveyor should state the Number of Report and Name of any Sister Vessel. Plans showing Vessel as built should be forwarded and a List of the Plans should be embodied.)

See attached list.

Particulars of Drop Test of Cast Steel Anchors, viz.:— Weight, Surveyor's Initials, Number of Certificate, Date of Test.	1st Bower. 65-0-16 MB. 4361 22-1-34
	2nd „ 65-0-21 MB. 4362 22-1-34
	3rd „ 63-0-23 TRM. 4838 9-5-35

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. ☒ ft., Bridge and Forecastle 508.25 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated. Promenade Deck on Bridge 348.4'

No. and Material of Decks (this information is to be given as it should appear in the Register Book) 2 dks (Stl) Weather dk Teak S.
3rd dk (Stl) in Hold. forward (off)

Official No. : Signal Letters ZMBJ
Is bottom of Vessel coated with cement Yes. if not give particulars of composition

PARTICULARS OF WATER BALLAST.—

Where Fitted.	Length. S.	Water Capacity.	Where Fitted.	Length. S.	Water Capacity.
Double bottom, aft,	Feet.	Tons.	Fore peak tank,	Feet.	Tons.
Double bottom, under Engines and Boilers,	64.5	150	After peak tank,	62	
Double bottom, if under Engines only,	180.6	450	Deep tank, aft, abreast Tunnel. (a)	25.8	312
Double bottom, if under Boilers only,			Deep tank, forward, (b)	20.7	264
Double bottom, forward,	122.8	228	Other tanks, if fitted, fuel deep tanks at fore end & (c)	131.6	2189
Total capacity of double bottom		1128	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

Order for Special Survey No.

Date 13th Feb. 1935.

LR FAF-TBL4-239 212

Dates of Surveys held while building

1935- Feb. 6. 7. 11. 14. 15. 18. 19. 20. 22. 26., Mar. 4. 13. 18. 20. 25. 26. 27. 28. Apr. 2. 5. 9. 10. 12. 18. 24. 26. 30. May. 1. 7. 13. 15. 21. 23. 28. 31
June. 4. 25. 26. 27. 28. July. 1. 2. 3. 4. 5. 8. 10. 11. 12. 15. 16. 17. 22. 23. 24. 25. 26. Aug. 3. 6. 7. 9. 12. 13. 14. 16. 20. 21. 22. 23. 26. 27. 28. 29. 30. Sep. 2. 3.
6. 9. 10. 13. 14. 19. 20. 24. 27. 30. Oct. 2. 3. 4. 7. 8. 9. 10. 11. 14. 16. 17. 18. 21. 22. 24. 25. 29. 30. Nov. 1. 2. 4. 5. 6. 7. 8. 9. 11. 12. 14. 15. 18. 19. 21. 22. 25. 28.
Dec. 2. 3. 4. 5. 6. 9. 10. 11. 12. 16. 17. 18. 19. 20. 23. 31. Jan. 1936- 2. 3. 6. 7. 8. 9. 10. 13. 15. 16. 17. 20. 21. 22. 23. 24. 29. 30. Feb. 3. 16. 18. 19. 20.
28. Mar. 2. 6. 9. 11. 12. 13. 16. 18. 23. 26. 30. 31. Apr. 3. 6. 7. 9. 15. 17. 20. 21. 23. 28. 29. 30. May. 1. 4. 7. 14. 15. 18. 22. 25. 28. 29. June 3. 9. 12. 15. 17. 22. 23. 24. July 3. 6. 9. 10. 15. 20

pt. 8.

DEL

G.R. 130.

These

Signal Letters

Official

157,6

No., Date, a

Whether Bri
Foreign B

British

Number of L

Number of 1

Rigged

Stern

Build

Galleries

Head

Framework

vessel

Number of F

Number of

and their

Total to quarter
to bottom o

No. of
sets of
Engines.

Two

No. of
Shafts.

Two

Descr
Num
Iron
Load

Under Tonna

Space or spa

Turret or Tr

Forecastle

Bridge space

Poop or Bre

Side Houses

Deck Houses

Chart House

Spaces for m

Section 78

1894

Excess of Ha

Gro

Deductions, i

Reg

NOTE 1.—The

NOTE 2.—The

Open spa

Open spa

Open spa

Open spa

Name

No. of Owners

Name, Reside

Dated

*940. Wt. 17581/0

© 2018