

Special  
to 187.

F.E.  
(FBD.)

Received by Chief Ship Surveyor

Received from Chief Ship Surveyor

VESSEL'S NAME "THISTLEGORM".

Rpt. Sld. No. 32912.

The remarks of the Chief Ship Surveyor are desired on this case for the consideration of the Classing Committee.

("The endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/5/92.)

1st Long. No. 14511

Depth "d" -

2nd Long. No. 37985

Proportions =  $\frac{L}{D}$  11.15

Framing As approved.

Sheerstrake As approved.

D to Shelter dk 36.33', D to 2nd dk 27.83, D for scantlings 35.83' (i.e. to 8' above 2nd dk)

"This is a complete superstructure vessel with a tonnage opening and a sister vessel to the "ROYAL SCEPTRE", "ST. ELWYN", "BRETWALDA", "ARGYLL", "BEECHWOOD", "INVERNESS", "ROYAL EMBLEM", "GLENWOOD", "CONFIELD". Her scantlings are suitable for a draught not exceeding that of a C.S.S. vessel.

This vessel appears to have been built in accordance with the Rules and the approved plans, and it is submitted she is eligible to be classed ~~100A1~~ "With freeboard"

The Summer Freeboard as shown on the attached extract from the Freeboard Verification Form, now marked on the vessel's sides, to be inserted in the classification certificate and recorded in the Register Book, and further, the remaining freeboards, as shown on the accompanying extract, to be inserted in the certificate of classification.

1 Dk & Shelter dk

Cell DB 289' 975t, Tanks at sides of tunnel 390t, FPTs 324t, APT 145t

FK, 7BH (Coll to Shelter dk, 6 to 2nd dk) 4 divisional W.T.BHs in shelter 'tween decks, Cem., Lloyd's

F 36'

O.L. 431.8'

E.S.D.

a)

The class is assigned and maintained upon the understanding that the equipment will be made to accord with the requirements of the Rules when the present state of emergency has passed.

Insert in S.R.L:- (One bower anchor and 45 fathoms of chain cable to be supplied when the present state of emergency has passed).

It is concluded that, as in the sister vessels the bulkhead on frame 96 is not water tight and that there are 6 water tight bulkheads only and not 7 as reported, but the Surveyors should state if this is so.

Lloyd's Register  
Foundation