

With or Without  
Disconnected Erections.

STEEL STEAMER.

Received at London Office SAT. JUN. 8 - 1918

Date of completion of report  
Survey held at

Overley & Hall

State of Report is also sent on the Machinery of the Vessel  
7. 6 - 18 Port of Hull  
Date, First Survey 26. 7. 17 Last Survey 6 - 6 - 1918

No. 30558

On the (State of Single, Twin, or Triple Screw)

Steam Trawler

"Thomas Booth"

Rig Ketch

TONNAGE under 248.83  
Tonnage Deck...  
Do. between Tonnage Dk. and 3rd and 4th Dk.  
Total under Upper Dk.  
Do. of Poop 11.80  
Do. of R.Q.Dk. BREAK 5.88  
Do. of Bridge House CHART 5.88  
Do. of Forecastle 10.94  
Do. of Houses on Dk.  
Do. of excess of Hatchways 12.72  
Do. above Crown of Engine Room 290.17  
Gross Tonnage 277.45  
Less Crew Space 12.72  
Less above Crown of Engine Room 277.45  
Less Engine Room 154.71  
Less Navigation Spaces 8.88  
Register Tonnage 126.58  
as cut on Beam

CLASS +100 A1.

FEET.

Breadth (greatest moulded) 23.37  
Depth, at middle of length from top of keel to top of upper deck beams at side 13.50  
Transverse Number 36.87  
Length on deck from fore part of stem to after part of stern post 125.00  
Longitudinal Number 4608.75  
Depth "d," at middle of length (See Secs. 2 & 13) 12.16  
Proportions—Depths to Length—Upper Deck Beam at side to top of keel 9.26  
Long Bridge Deck Beam at side to top of keel

Master

Year of appointment

(1) As Master in service of owner of present vessel—191  
(2) As Master of this vessel—191

Built at

Reverley

When built

1918

Launched 14. 2. 18

By whom built

Cook, Weller & Funnell

Owners

British Admiralty

Managers

(Where necessary to be entered in Reg. Book.)

Residence

Port belonging to

Destined Voyage Admiralty Service If Surveyed while Building, Afloat, or in Dry Dock Yes

| LENGTH on Deck as per Rule | Feet. | Inches. | BREADTH—Moulded | Feet. | Inches. | DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams | Feet. | Inches. | No. of Decks with flat laid  |
|----------------------------|-------|---------|-----------------|-------|---------|---|-------|---------|--|
| 125                        | 0     |         | 23              | 4 1/2 |         | 12  | 9     |         | one  |
|                            |       |         |                 |       |         |   |       |         | No. of Tiers of Beams one  |
|                            |       |         |                 |       |         |   |       |         | Moulded depth, ft. ins. To Bridge Dk. Round of Upper Dk. Beam, Actual 7 ins. |

| FRAMING.   | Inches in Ship. | Inches in Ship. | Inches in Ship. | Inches per Rule or as Approved. | PILLARS. | Inches in Ship. | Inches in Ship. | Inches in Ship. | Inches per Rule or as Approved. | Inches per Rule or as Approved. | Inches per Rule or as Approved. |
|--|-----------------|-----------------|-----------------|---------------------------------|----------|-----------------|-----------------|-----------------|---------------------------------|---------------------------------|---------------------------------|
| FRAME, Angles, or Bars amidships   | 4 1/2           | 3               | 9/20            | 4 1/2                           | 3        | 9/20            |                 |                 |                                 |                                 |                                 |
| Do. in peaks   | 4 1/2           | 3               | 9/20            | 4 1/2                           | 3        | 9/20            |                 |                 |                                 |                                 |                                 |
| Do. in way of Double Bottoms at Solid Floors   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " " at intermdt. Bkts.   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| Spacing of Frames from centre to centre amidships                                      | 21              |                 |                 | 21                              |          |                 |                 |                 |                                 |                                 |                                 |
| " " length to Collision bulkhead   | 21              |                 |                 | 21                              |          |                 |                 |                 |                                 |                                 |                                 |
| " " in peaks   | 3               | 3               | 6/20            | 3                               | 3        | 6/20            |                 |                 |                                 |                                 |                                 |
| REVERSED FRAME, Angles   | 4 1/2           |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| Do. in way of Double Bottoms at Solid Floors   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " " at intermdt. Bkts.   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| FRAMING, depth of girder   | 16              | 8/20            | 16              | 8/20                            |          |                 |                 |                 |                                 |                                 |                                 |
| FLOORS, depth and thickness of Floor Plate at mid-line for 1/2 length amidships        | 16              | 8/20            | 16              | 8/20                            |          |                 |                 |                 |                                 |                                 |                                 |
| " in way of Engine and Boiler Spaces   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " thickness at the ends of vessel  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " depth at 1/4 the half breadth, as per Rule   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " height extended at the Bilges  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| FLOORS in Cell. Double Bottoms   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " state if flanged (top & bottom)  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Spacing of Solid floors  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| CENTRE GIRDER, in Dbl. bottom, dpth. & thcknss.  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Angles, Top  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Bottom   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " to Floors  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| Brackets at intermdt. frmg., wdth & thcknss  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| SIDE GIRDERS, number on each side & thickness  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " state if flanged (top and bottom)  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Angles (top and bottom)  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " to Floors  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| MARGIN PLATE, depth (exclusive of flange) and thickness                                |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Angle to Outside Plating   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Floors   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| Brackets at intermdt. frmg., wdth & thcknss  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| Height of Outside Brackets above at bilge  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| INNER BOTTOM PLATING, breadth and thickness of Middle Line Strake                      |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " in Engine and Boiler space   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Remainder in Holds   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| BEAMS, Upper Deck, Single Angle, Bulb, Angle, Plate, Tee Bulb, or Channel              | 5 1/2           | 3               | 9/20            | 5 1/2                           | 3        | 9/20            |                 |                 |                                 |                                 |                                 |
| " In way of Long Bridge  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Spacing  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| BEAMS, Second Deck, Single Angle, Bulb, Angle, Plate, Tee Bulb, or Channel             |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Spacing  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| BEAMS, Third and Fourth Deck, Single Angle, Bulb, Angle, Plate, Tee Bulb, or Channel   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Angles on upper edge   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Spacing  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| BEAMS, Poop Deck, Angle, Bulb, Angle, Plate, Tee Bulb, or Channel                      |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Angles on upper edge   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Spacing  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| BEAMS, Bridge Deck, Angle, Bulb, Angle, Plate, Tee Bulb, or Channel                    |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Angles on upper edge   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Spacing  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| BEAMS, Forecastle Deck, Angle, Bulb, Angle, Plate, Tee Bulb, or Channel                | 4 1/2           | 3               | 9/20            | 4 1/2                           | 3        | 9/20            |                 |                 |                                 |                                 |                                 |
| " Angles on upper edge   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Spacing  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| PILLARS, In 'tween Deck, size and spacing  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Hold   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Quarter 'tween Dks.,   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " in Hold  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| KEELSONS & STRINGERS.  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| CENTRE LINE KEELSON, Vertical Plate above floors, Through Plate, or Intercoastal Plate | 8 1/2           | 4               | 8/20            | 8 1/2                           | 4        | 8/20            |                 |                 |                                 |                                 |                                 |
| " Rider Plate  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Flat Plate Keel Angles   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Horizontal Plates on Floors  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Angles or Bulb Angles  | 5               | 3               | 8/20            | 5                               | 3        | 8/20            |                 |                 |                                 |                                 |                                 |
| SIDE KEELSONS, Number  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Angles or Bulb Angles  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Plate above floors, for length   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Intercoastal Plate, for length   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Attached to outside Plating with Angle   | 5               | 4               | 8/20            | 5                               | 4        | 8/20            |                 |                 |                                 |                                 |                                 |
| BILGE KEELSON, Angles  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Intercoastal Plate for length  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Attached to outside Plating with Angle   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| SIDE STRINGERS, Number   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Angle  | 5               | 4               | 8/20            | 5                               | 4        | 8/20            |                 |                 |                                 |                                 |                                 |
| " Intercoastal Plate, for length   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Attached to outside plating with Angle   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| Upper Deck Stringer Plate, br'dth & thickness (clear of Bridge)                        | 24              | 6/16            | 16              | 24                              | 6/16     | 16              |                 |                 |                                 |                                 |                                 |
| " br'dth & thickness (in way of Bridge)  | 17              | 1/2             | 28              | 17                              | 1/2      | 28              |                 |                 |                                 |                                 |                                 |
| " Angle (clear of Bridge)  | 3               | 3               | 3/8             | 3                               | 3        | 3/8             |                 |                 |                                 |                                 |                                 |
| " Tie Plate at sides of Hatchways  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| Deck * Iron or Steel, for lng.   | 6/16            | 16              | 32              | 6/16                            | 16       | 32              |                 |                 |                                 |                                 |                                 |
| EXCAPTIN FORECASTLE Thickness (clear of Bridge)  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " (in way of Bridge)   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| Wood Deck, Material & thickness  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| Second Deck Stringer Plate, br'dth & thickness   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Angles on ditto, No.   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Tie Plates outside Hatchways   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Deck * Iron or Steel, for lng.   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Wood Deck, Material & thickness  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| Third Deck Stringer Plate, br'dth & thickness  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Angles on ditto, No.   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Tie Plates, outside Hatchways  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Deck * Material and thickness  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| Fourth and Fifth Deck Stringer Plate, breadth & thickness                              |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Angles on ditto, No.   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Tie Plates outside Hatchways   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Deck, Material & thickness   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| Poop Deck Stringer Plate, breadth & thickness  |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Angle on ditto   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Tie Plates   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Deck, Material and thickness   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| Bridge Deck Stringer Plate, br'dth & thickness   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Angle on ditto   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Tie Plates   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Deck, Material and thickness   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| Forecastle Deck Stringer Plate, br'dth & th'kns  | 15              | 3/4             | 15              | 3/4                             |          |                 |                 |                 |                                 |                                 |                                 |
| " Angle on ditto   | 3               | 2 1/2           | 3 1/6           | 3                               | 2 1/2    | 3 1/6           |                 |                 |                                 |                                 |                                 |
| " Tie Plates   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |
| " Deck, Material and thickness   |                 |                 |                 |                                 |          |                 |                 |                 |                                 |                                 |                                 |



\* Where a long bridge is fitted the thickness of Upper Deck Sheerstrake and Strake below should also be stated clear of same.

|   |   |
|---|---|
| <b>Upper Deck Stringer Plate</b> { Butts, <i>Dark</i> riveted for <i>Full</i> length amidship.<br>Straps, single, double or overlapped for <i>Full</i> length amidship. | <b>Butts of Side Stringers</b> <i>Triple</i> riveted.<br>Tie Plates <i>Double</i> riveted.  |
| <b>Second Deck Stringer Plate</b> { Butts, <i>Dark</i> riveted for <i>Full</i> length amidship.<br>Straps, single or overlapped for <i>Full</i> length amidship.        | <b>Inner Bottom Plating</b> , riveting of Edges <i>Dark</i> Butts riveted.<br><b>Centre Girder Butts</b> , <i>Dark</i> riveted. <b>Keelson Butts</b> , <i>Dark</i> riveted.<br><b>Frames</b> , riveted through Plates with <i>3/4</i> in. Rivets, about <i>8 ft</i> apart.<br><b>Rivets</b> , state whether Iron or Steel <i>Iron</i> |

FRAMES extend in one length from *Keel* to *Deck* State if ordinary or joggled *Ordinary*  
 REVERSED FRAMES on floors and frames extend from *Bilge to bilge where no concrete* State if ordinary or joggled *Ordinary*

**MASTS, SPARS, &c.**

|                                     | Material.             | Total Length.       | DIAMETER AND THICKNESS. |       |         |       | No. of Plates in round. | ANGLES. |       | RIVETING. |        |
|-------------------------------------|-----------------------|---------------------|-------------------------|-------|---------|-------|-------------------------|---------|-------|-----------|--------|
|                                     |                       |                     | At Partners.            | Heel. | Hounds. | Head. |                         | Number. | Size. | Seams.    | Butts. |
| LOWER MASTS.....                    | Fore .....            | <i>P. Pine Pole</i> |                         |       |         |       |                         |         |       |           |        |
|                                     | Main .....            | <i>P. Pine Pole</i> |                         |       |         |       |                         |         |       |           |        |
|                                     | Mizen.....            | <i>P. Pine Pole</i> |                         |       |         |       |                         |         |       |           |        |
| Bowsprit                            |                       |                     |                         |       |         |       |                         |         |       |           |        |
| Topmasts, Yards and Remainder of    | <i>Spars P. Pine</i>  |                     |                         |       |         |       |                         |         |       |           |        |
| Rigging, Material and Size, Shrouds | <i>Stays P. Pine</i>  |                     |                         |       |         |       |                         |         |       |           |        |
| Sails. <i>one</i>                   | Suit of <i>Canvas</i> |                     |                         |       |         |       |                         |         |       |           |        |

Sails, and the following spare sails *none*

| EQUIPMENT No.   |  |  |  | LETTER             |  |  |  | ANCHORS.          |  |  |  | TONNAGE U. DK. OR PLATING No. FOR TRAWLERS |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
|---|--|--|--|--------------------|--|--|--|-------------------|--|--|--|--|--|--|--|------------------------------|--|--|--|------------------------|--|--|--|------------|--|--|--|---|--|--|--|
| Number of Certificate.  |  |  |  | Anchors.           |  |  |  | WEIGHT, EX. STOCK |  |  |  | TEST, PER CERTIFICATE                      |  |  |  | WEIGHT REQUIRED BY TABLE 31. |  |  |  | Description of Anchor. |  |  |  | Makers.    |  |  |  | Where and when tested and Superintendent. |  |  |  |
| 48682   |  |  |  | 1st Bower ...      |  |  |  | 8 2 18            |  |  |  | 10 15 0                                    |  |  |  | 7 1 0                        |  |  |  | Stockless.             |  |  |  | J. Wright. |  |  |  | Tipton, 24-8-17. J. M. Russell.           |  |  |  |
| 25156   |  |  |  | 2nd " ...          |  |  |  | 7 1 8             |  |  |  | 9 11 2                                     |  |  |  | 6 2 0                        |  |  |  | do.                    |  |  |  | J. Wright. |  |  |  | C.H. 21-4-17 S.C. Paul.                   |  |  |  |
| 48548   |  |  |  | 3rd " ...          |  |  |  | 3 0 9             |  |  |  | 5 12 0                                     |  |  |  | 9 0 0                        |  |  |  | Iron Stock.            |  |  |  | J. Green.  |  |  |  | Tipton, 30-7-17. C.E. Parsons.            |  |  |  |
|   |  |  |  | 4th " ...          |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
|   |  |  |  | Collective weight. |  |  |  | 19 0 7            |  |  |  |  |  |  |  | 16 3 0                       |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
|   |  |  |  | Stream .....       |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
|   |  |  |  | Kedge.....         |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Particulars of Drop Test of Cast Steel Anchors, viz. :—           |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Weight, Surveyor's Initials, Number of Certificate, Date of Test. |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| 1st Bower   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| 2nd "   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| 3rd "   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| 4th "   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Forged  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| CHAIN CABLES.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| HAWSEERS AND WARPS.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Number of Certificate.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens. cwt. qrs. lbs.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Description.  |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Makers of Cables.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Where and when tested, and Superintendent.                        |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Material.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Length and size supplied.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |
| Tens.   |  |  |  |                    |  |  |  |                   |  |  |  |  |  |  |  |                              |  |  |  |                        |  |  |  |            |  |  |  |   |  |  |  |



GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ✓ ft., R.Q.D. 71.75 ft., Bridge ✓ ft., Forecastle 21 (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) 1 D<sup>g</sup> ✓

Official No. Admiralty Signal Letters

State if Machinery is fitted aft Yes ✓

How are the surfaces preserved from oxidation? Inside Paint, Cement & Bitumastic Solution Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors.

| Where Fitted.                             | *Length. | Water Capacity. | Where Fitted.  | *Length. | Water Capacity. |
|---|----------|-----------------|--|----------|-----------------|
|   | Feet.    | Tons.           |  | Feet.    | Tons.           |
| Double bottom, aft,                       | /        | /               | Fore peak tank,  | /        | /               |
| Double bottom, under Engines and Boilers, |          |                 | After peak tank,                                       |          |                 |
| Double bottom, if under Engines only,     |          |                 | Deep tank, aft,  |          |                 |
| Double bottom, if under Boilers only,     |          |                 | Deep tank, forward,                                    |          |                 |
| Double bottom, forward,                   |          |                 | Other tanks, if fitted,                                |          |                 |
| Total capacity of double bottom           |          |                 | (If necessary, furnish further information by sketch.) |          |                 |

\* The wells are not to be included.

\* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules.

Order for Special Survey No. ✓

Date ✓

No. 387 in builder's yard.

DATES OF SURVEYS held while building

1917:—July 26 Aug 2 15. 24 29. Sep 6. 11. 19. 26. Oct 5 10. 19. 24. 31. Nov 7. 14. 21. 28. Dec 4. 11. 28. 1918:—Jan 2. 11. 16. 23. 29. Feb 5. 8. 14. 22. Mar 1. 7. 13. 19. 27. Apr 5. 12. 25. May 8. 10. 14. 16. 28. 30 Jun 3. 5. 6

Total No. of Visits 48

Surveyor's Signature P. Fitzgerald & M. Blackwood