

Nº 227  
MIDSHIP SECTION

SCALE  $\frac{1}{2}$ " = 1 FOOT.

DIMENSIONS 140'-0" BP x 23'-9" EX x 12'-5" HOLD

CLASS 100A.1.  
STEAM TRAWLER

STEEL

LLOYD'S NUMERALS

$$L = 140' - 0''$$
$$B+D = 36.86$$
$$\underline{Q} = 11.84$$
$$L \times (B + D) = 5160.40$$
$$\frac{L}{p} = 10.56$$

NUMERAL FOR RUDDER 78.81

## EQUIPMENT:

1	STOCKLESS ANCHOR	14-BS	✓
1	ROGERS	3 3/4	EA STOCK
1	"	5 1/2	" "
120	FTMS	1 1/2"	STUD LINK CHAIN CABLE
80	"	6	HAWSEY ✓
50	"	5	WARP ✓

CASING AS PREVIOUSLY  
APPROVED.

SOLID BEAM  $\frac{6}{2} \div 3 = \frac{7}{6}$   
3x1/4 BEAM ANGLE

BULWARK  $5\frac{1}{6}$  ✓  
 $5\frac{1}{6}$  IN DISTANCE  
 R, QOK 2-1

SHEER STRAKE IN  
WAY OF RQOK  
 $43 \times \frac{10^{-7}}{16} \checkmark$

QUARTER DECK 75'-0" x 12" HIGH.  
SCANTLINGS SAME AS MAIN DECK

7" COVER

BEAMS  $6 \times 3 \times 9/20$  SPACED  
ON ALTERNATE FRAMES

STRINGER PLATE 28 x 6/16  
TO 19 x 5/16 ✓

BEAM KNEES  
18x18x9/20

BUTTSTRAPS OF  
BULWARK SINGLE 5/8  
RIVETS.

$\frac{10.7}{43} = \frac{10.7}{10}$   
DOUBLE BUTTSTRAVS  
 $\frac{9}{16} \times \frac{11}{16}$   $\frac{3}{4}$  RIVETS  
DOUBLE LAP  
 $\frac{3}{4}$  RIVETS

45" x 4/16  
TREBLE BUTTLAPS  
FOR 1/2 LENGTH 3/4 RIV

DOUBLE LAP  
3/4 RIVETS

$$36'' \times \frac{7.6}{16}$$

TREBLE BUTTLAPS  
FOR  $\frac{1}{2}$  LENGTH  $\frac{3}{4}$  BIV. ✓

DOUBLE LAP  
3/4 RIVETS

43 = 6 1/6 ✓  
TREBLE BUTTLAPS  
FOR 1/2 LENGTH 3/4 RIV. ✓

DOUBLE  
LAP  
3/4 RIV. ✓  
36 x  $\frac{7}{16}$   
TREBLE BUTTLAPS  
FOR 1/2L. 3/4 RIV. ✓

COOK WELTON & GEMMELL LTD.

SHIPBUILDERS  
BEVERLY

30 MAY 1911


Lloyd's Register  
Foundation

002/38-002/50-0126



COOK WELTON & GEMMELL'S  
MIDSHIP SECTION  
N<sup>o</sup> 227.

Sp. St. Malo.  
Hull Report No 24486  
n. n. Warclous



© 2020

Lloyd's Register  
Foundation

002138-002150-0126





Lloyd's Register  
Foundation