









GENERAL REMARKS—(continued).

Number of Certificate.	Length & Size supplied		Test per Certificate.		Weight of chain cable		Length & Size per Table 31.		Description.	Makers of cables.	Where & when tested, and Superintendent.
	Length Fathoms	Diam. Ins.	Statutory Tons	Breaking Tons	Supplied Cuts qrs. lbs.	Per Rule Cuts qrs. lbs.	Length Fathoms	Diam. Ins.			
71496	15	1 1/2	40 5/10	58 7/10	18.1.14				Steel	—	N. 9-6-20. H. Green.
71492	"	"	"	"	17.3.10				"	—	N. 8-6-20 "
71493	"	"	"	"	17.3.21				"	—	N. " "
54963	"	"	"	"	17.3.18				"	—	T. 22-7-20 W.A. Drysdale.
54962	"	"	"	"	18.0.4				"	—	T. " "
54961	"	"	"	"	17.2.9				"	—	T. 6-8-20 "
55026	"	"	"	"	17.1.7				"	—	T. " "
54965	"	"	"	"	18.0.21				"	—	T. 31-7-20 "
54964	"	"	"	"	18.0.17				"	—	T. 5-8-20 "
30567	"	"	"	"	18.1.10				"	—	C.H. 25-8-20 S.C. Paul.
30568	"	"	"	"	18.1.14				"	—	C.H. " "
30569	"	"	"	"	18.3.14				"	—	C.H. " "
30570	"	"	"	"	18.3.10				"	—	C.H. " "
30564	"	"	"	"	18.1.4				"	—	C.H. 30-8-20 "
	210	1 1/2			254.0.5	242.0.5	210	1 8/16			

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ft., R.Q.D. 77.2 ft., Bridge 53.9 ft., Forecastle 23.0 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) 1 DECK (Steel)

Official No. ; Signal Letters State if Machinery is fitted aft No. Paint & Cement. Outside Paint.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors Cellular.

Where Fitted.	Length. Feet.	Water Capacity. Tons.	Where Fitted.	Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	53.66	76	Fore peak tank,	14.83	40.
Double bottom, under Engines and Boilers,			After peak tank,	13.94	72.
Double bottom, if under Engines only,	19.16	38.75	Deep tank, aft,		
Double bottom, if under Boilers only, Dry Tank.	17.25	35	Deep tank, forward,		
Double bottom, forward,	88.16	143.25	Other tanks, if fitted,		
		Total capacity of double bottom 258	(If necessary, furnish further information by sketch.)		

\* The wells are not to be included in the lengths of the tanks. 78.23 State whether the above have been tested as required by the Rules Yes.

Order for Special Survey No.

Date

No. 76 in builder's yard.

DAYS OF SURVEY held while building

1919. Dec 10. 18. 23. 1920 Jan 6. 8. 20. 15. Feb 6. 12. 18. 24. Mar 4. 10. 19. 29. Apr 14. 19. 23. May 7. 14. 21. 27. Jun 25. Jul 9. 16. 23. 28. Aug 17. 24. Sept 3. 13. 15. 17. 21. 24. 29 Oct 7. 11. 20. Nov 9. Dec 21. 1921 Jan 6. 20. 27 Feb 1. 18 Mar 1. 3. 8.

Total No. of Visits 49.

Surveyor's Signature

P. Fitzgerald.

© 2020

Lloyd's Register Foundation