

GENERAL REMARKS—(continued).

Chain cables.

23894	15	1/16	47.5	46.5	20.2.0	240	1/16	Steel	Hendrick's Mole	Candoff 7/6/31 Jones
23895	"	"	"	"	20.2.14	"	"	"	"	"
23902	"	"	"	"	20.1.7	"	"	"	"	7/6/31 "
23906	"	"	"	"	20.3.0	"	"	"	"	"
23913	"	"	"	"	20.1.0	"	"	"	"	9/6/31 "
23919	"	"	"	"	20.1.21	"	"	"	"	"
24445	"	"	"	"	20.0.0	"	"	"	"	23/1/31 "
24446	"	"	"	"	20.0.7	"	"	"	"	"
24447	"	"	"	"	20.0.14	"	"	"	"	"
24449	"	"	"	"	20.0.7	"	"	"	"	"
13735	45	"	"	"	60.0.3	"	"	"	"	Longbottom 20/9/32 Run
13736	15	"	"	"	20.0.8	"	"	"	"	"
13737	"	"	"	"	20.0.0	"	"	"	"	"
13738	"	"	"	"	20.0.14	"	"	"	"	"
					323.1.11	519.1.17				

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 66.5 ft., R.Q.D. ft., Bridge 20.0 ft., Forecastle 26.3 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated. ✓

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 2 str. (old) & 4 rel frames. Longitudinal framing.

Official No. ; Signal Letters State if Machinery is fitted aft Machinery aft.
How are the surfaces preserved from oxidation? Inside Paint & pt cement. Outside Paint.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors Cellular

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,			Fore peak tank,	14	45
Double bottom, under Engines and Boilers,			After peak tank,	11-6	25
Double bottom, if under Engines only,	21-6	23	Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,			Other tanks, if fitted, Cofferdam	4-0	65
		Total capacity of double bottom	(If necessary, furnish further information by sketch.)		
		23			

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. Yes

Order for Special Survey No. 487

Date 28.3.22

No. 1136 in builder's yard.

DATES of Surveys held while building

1922

Mar. 10. 15. 16. 17. 20. 22. 24. 27. 28. Apr. 5. 6. 10. 11. 20. 25. May 1. 3. 4. 8. 10. 16. 17. 19. 22. 24. 29. June 2. 20. 27. July 3. 10. 11. 18. 20. 24. 25. 27. 28. 31. Aug. 2. 3. 4. 8. 9. 10. 14. 15. 16. 17. 21. 22. 23. 25. 28. 29. 30. 31. Sep. 4. 5. 6. 8. 11. 12. 15. 19. 25. 27. Oct. 3. 6. 9. 11. 12.

Surveyor's Signature E. D. Aiskew

© 2020

Total No. of Visits 73

Lloyd's Register Foundation

