

WEB FRAMES. WEB-FRAMES, In Fore Body, No. and spacing. WEB-FRAMES, In E. & B. Space, No. and spacing. WEB-FRAMES, In After Body, No. and spacing. BULKHEADS. W.T. BULKHEADS. COLLISION. PARTITION. LONGITUDINAL. FORGINGS or CASTINGS. KEEL, Bar, depth and thickness. STEM, moulding and thickness. STERN-POST for Rudder do. do. RUDDER-A x D° Table 22. Speed. Main-Piece, diameter at head. RUDDER, how constructed. RIVETING. STRAKES. PLATING. AS IN SHIP. PER RULE OR AS APPROVED. EDGES. BUTTS. Upper Deck Stringer Plate. Second Deck Stringer Plate. FRAMES extend in one length from. REVERSED FRAMES on floors and frames extend from. MASTS, SPARS, &c. LOWER MASTS. Bowsprit. Topmasts, Xerds and Remains of Spars. Rigging, Material and Size, Shrouds. Sails.

EQUIPMENT No. 10434. LETTER 2. ANCHORS. TONNAGE U.K. OR PLATING No. FOR TRAWLERS. CHAIN CABLES. HAWSERS AND WARPS. Boats. Steering Gear, Steam. Steering Gear, Hand. Pumps, Number. Windlass is. Engine Room Skylights. Coal Bunker Openings. Ceiling in Holds, thickness and material. Cargo Hatchways. State size No. 1 Hatch. Number of Web Plates, Shifting Beams and Fore and Afters. Bulwarks, height above deck and description. The foregoing is a correct description. Builder's Signature. Correspondence. Workmanship. Is the riveted work properly closed? Are the liners between the frames and plates solid single pieces? to plate, &c., conform well to each other? from the faying surfaces? Are the butts of Plating, Stringers, &c., properly shifted and strapped? Have all the upper and weather decks been tested as required by the Rules (Sec. 26, par. 20)? Have all the gutterways been tested as required by the Rules (Sec. 26, par. 20)? General Remarks. This vessel has been built under special survey and in accordance with the approved... I should feel obliged for the return of all plans in connection with this vessel for my guidance in building such vessels.

GENERAL REMARKS—(continued).

[Handwritten notes and calculations in the General Remarks section, including various measurements and observations.]

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. 114.91 ft., Bridge ☒ ft., Forecastle 26.75 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ☒

No. and Material of Decks (~~if Iron or Steel~~) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) One steel deck one tier of beams
Official No. 142025; Signal Letters _____ State if Machinery is fitted aft ☒
How are the surfaces preserved from oxidation? Inside Paint + Cement Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. cellular system

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<u>39.37</u>	<u>21.9</u>	Fore peak tank,	<u>11.5</u>	<u>14.3</u>
Double bottom, under Engines and Boilers,	<u>18.45</u>	<u>27.3</u>	After peak tank,	<u>7.5</u>	<u>12.9</u>
Double bottom, if under Engines only,	<u>✓</u>	<u>✓</u>	Deep tank, aft,	<u>✓</u>	<u>✓</u>
Double bottom, if under Boilers only,	<u>105.0</u>	<u>155.9</u>	Deep tank, forward,	<u>✓</u>	<u>✓</u>
Double bottom, forward,	<u>205.1</u>	<u>205.1</u>	Other tanks, if fitted,	<u>✓</u>	<u>✓</u>

* The wells are not to be included in the lengths of the tanks. State whether the above have been tested as required by the Rules. Yes

Order for Special Survey No. 1061
Date 9th April 1919
No. 180 in builder's yard.
Dates of Surveys held while building
1919. Aug. 7. 16. 28. Sept. 4. 10. 11. 18. 29. Oct. 14. 20. 21. 23. 29. Nov. 3. 5. 10. 13. 17. 27. 28. Dec. 2. 5. 11. 15. 24. 31. 1920. Jan. 7. 8. 19. 21. 29. Feb. 2. 4. 11. 12. 26. Mar. 4. 8. 17. 24. 29. 31. April 14. 21. 28. May 5. 10. 13. 19. 24. 26. 30. June 3. 7. 9. 14. 17. 21. 24. 30. July 19. 21. Aug. 25. 26. 30. Sept. 1. 7. 9. 12. 16. 21. 23. 29. 30. Oct. 6. 11. 13. 20. 21. 28. 30. Nov. 2. 4. 9. 13. 16. 18. 20. 23. 30. Dec. 4.
Total No. of Visits 93

Surveyor's Signature

Lloyd's Register Foundation