

# Lloyd's Register of Shipping.

76175/WV/11

Surveyors' Office, VIENNA.



I certify, that **Heinrich Schneider** the undersigned surveyor to this society tested in  
of **Messrs. Witkowitz Bergbau & Eisenhütten Gew.** of **Witkowitz**  
**Sealed Siemens Martin** Boilersteel **round bars** specified hereunder, ordered  
by **Messrs. Charles D. Holmes** of **Hull**  
Ship No. **Boiler No. 1389** and that the results of tests were as are set forth below.

Dimensions. in millimeters			Intended for	Sample number	Charge- number	Tensile tenacity in Kg/mm <sup>2</sup>			Elongation in 200 mm. in %	Bending tests		Remarks.
Length.	Breadth.	Thick- ness.				As per rules.	Ord- ered.	By test.		Cold.	Tem- pered.	
467	∅	83	longitudi- nal stays	41	9396	44	44	48.3	30.6	good		
				42	"	50	50	49.8	26.3	"		
				43	"	"	"	47.5	21.3	"		
				44	"	"	"	46.4	24.4	"		
569	∅	73	"	45	9371	"	"	49.3	23.1	"		

Vienna, 26th November 1929

*Heinrich Schneider*  
SURVEYOR TO LLOYD'S REGISTER

This Certificate is issued upon the terms of the Rules and Regulations of the Society, which provide that:—  
While the Committee use their best endeavours to ensure that the functions of the Society are properly executed, it is to be understood  
neither the Committee nor the Society are under any circumstances whatever to be held responsible for any inaccuracy in any report  
certificate issued by the Society or its Surveyors, or in any entry in the Register Book or other publication of the Society, or for any error  
of judgment, default, or negligence of the Surveyors, or other Officers or Agents of the Society.  
—Material with less than 26 Tons tensile strength may not be used in the construction of boilers for classed vessels, unless specially  
sanctioned by the Committee.  
1 Ton per square inch = 1,574 Kilo per square millimeter. 1 Kilo per square millimeter = 0,635 Tons per square inch.

002269-002278-0117

