

Awning or Shelter Deck,

STEEL STEAMER.

No. 8766.

or Pl. Awning Deck.

State if Report is also sent on the Machinery of the Vessel *Yes herewith.*

Port of *Belfast* Date of completion of Report *7th July 1922* Received at London Office *MON. JUL 10 1922*

Survey held at *Belfast* Date, First Survey *8th April 1920* Last Survey *4th July 1922*

On the (State if Single, Twin, or Triple Screw) *Twin Screw Steamer "DIOGENES"* Rig *fore & aft schooner*

CLASS: *100 A. "Shelter Deck"*

TONNAGE under Tonnage Deck... *7887.91* CLASS: *100 A. "Shelter Deck"* Master *63.00*

Do. between Tonnage Dk. and 3rd, 4th, or Awning Dk. *2307.96* Breadth (greatest moulded) *42.75* Year of Appointment *(1) As Master in service of owner of present vessel: 1911 (2) As Master of this vessel: 1911*

Total under Upper Dk. *10105.87* Depth, at middle of length from top of keel to top of beams at side of uppermost Continuous Deck *105.75* Built at *Belfast*

Do. of Poop *141.75* Deduct height of tween deck when this does not exceed 8ft. *8.00* When built *1922-7 mo. Launched 2nd Mar 1922*

Do. of R. Q. Dk. *7.02* Transverse Number *97.75* By whom built *Karlson & Wolff Ltd.*

Do. of Bridge House *846.63* Length on deck from fore part of stem to after part of sternpost *500* Owners *J. Thompson & Co. Ltd.*

Do. of Forecastle *143.99* Longitudinal Number *48875* Managers *(Where necessary to be entered in Reg. Book.)*

Do. of Houses on Deck *992.64* Depth "d" at middle of length. See Secs. 2 & 13... *18.67* Residence

Do. of excess of Hatchways *993.19* Proportions, Depths to Length, Uppermost Continuous Deck at side to top of keel *11.69* Port belonging to *Aberdeen*

Do. above Crown of Engine Room *12341.42* Upper Deck at side to top of keel *14.60*

Gross Tonnage *12341.42* Destined Voyage *London* If Surveyed while Building, Afloat, or in Dry Dock *Yes*

Less Crew Space *766.34*

Less above Crown of Engine Room *3049.23*

TONNAGE FOR FEES... *285.91*

Less Engine Room *285.91*

Less Navigation Spaces *285.91*

Register Tonnage as cut on Beam... *7339.92*

LENGTH on Deck as per Rule	500	0	BREADTH Moulded	63	0	DEPTH, ACTUAL Do.	Top of Floors to top of Awning or Shelter Dk. Beams	39	8	No. of Decks with flat laid 2 nd Shelter	No. of Tiers of Beams 2 nd Shelter
Dimensions of Ship per Register,											
Length 500 ft. breadth 63.25 ft. depth 31.15 ft.											
FRAMING.											
FRAME, Angles or Bars, amidships	9	3 1/2	3 1/2	46	W	9	3 1/2	3 1/2	46	W	
Do. in peaks	8	3 1/2	3 1/2	48	F	8	3 1/2	3 1/2	48	F	
Do. in way of Double Bottoms at Solid Floors	3 1/2	3 1/2	3 1/2	50		3 1/2	3 1/2	3 1/2	50		
Spacing of Frames from centre to centre amidships	28 1/2					28 1/2					
length to collision bulkhead	27					27					
of Frames from centre to centre in peaks	24	FORE	25	AFT		24	FORE	25	AFT		
REVERSED FRAME, Angles on Channels	3 1/2	3 1/2	3 1/2	46		3 1/2	3 1/2	3 1/2	46		
Do. in way of Double Bottoms at Solid Floors	3 1/2	3 1/2	3 1/2	50		3 1/2	3 1/2	3 1/2	50		
FRAMING, depth of girder	9					9					
FLOORS, depth and thickness of Floor Plate at mid-line for 1/2 length amidships											
in way of Engine and Boiler spaces											
thickness at the ends of vessel	40					40					
depth at 1/2 the half-bdth. as per Rule											
height extended at the Bilges											
FLOORS, in Cell Double Bottoms	46	40				46	40				
state if flanged (top and bottom)	no					no					
spacing of Solid	28 1/2					28 1/2					
CENTRE GIRDER, in Dbl. bottom, dpth. & thickness	49		62			49		62			
Angles, Top	3 1/2	3 1/2	58			3 1/2	3 1/2	58			
Bottom	5	5	62			5	5	62			
to Floors	3 1/2	3 1/2	50			3 1/2	3 1/2	50			
Brackets at intermdt. frmg. width & thickness											
SIDE GIRDERS, number and thickness	Three		46			Three		46			
state if flanged (top & bottom)	no					no					
Angles	3 1/2	3 1/2	50			3 1/2	3 1/2	50			
MARGIN PLATE, depth (exclusive of flange) and thickness	47		54			47		54			
Angles to outside plating	4	4	54			4	4	54			
to floors	3 1/2	3 1/2	50			3 1/2	3 1/2	50			
Brackets at intermdt. frmg. width & thickness											
Height of Brackets above at bilge	31					31					
INNER BOTTOM PLATING, breadth and thickness of Middle Line Strake	49		58			49		58			
thickness in Engine and Boiler space	E 56 B 68					E 56 B 68					
Remainder in Holds	46	40				46	40				
BEAMS, Awning or Shltr Dk, Single Angle, Bulb Angle, Plate, Tee Bulb or Channel	8	3	3	36	W	8	3	3	36	W	
Spacing	28 1/2					28 1/2					
BEAMS, Upper Deck, Single Angle, Bulb Angle, Plate, Tee Bulb or Channel	8	3	3	36	W	8	3	3	36	W	
Spacing	28 1/2					28 1/2					
BEAMS, Second, Third & Fourth Deck, Single Angle, Bulb Angle, Plate, Tee Bulb or Channel	9	3	3	42	W	9	3	3	42	W	
Angles on upper edge											
Spacing	28 1/2					28 1/2					
BEAMS, Poop Deck, Angle, Bulb Angle, Plate, Tee Bulb or Channel	7	3	3	40	W	7	3	3	40	W	
Angles on upper edge											
Spacing	28 1/2					28 1/2					
BEAMS, Bridge Deck, Angle, Bulb Angle, Plate, Tee Bulb or Channel	7	3	3	40	W	7	3	3	40	W	
Angles on upper edge											
Spacing	27					27					
PILLARS, 3 Rows.											
PILLARS, In 'tween Deck, size and spacing	4	3	57			4	3	57			
Hold	5	4	57			5	4	57			
Quarter, 'tween Dks.,	Wide Spaced Pillars with girders as per approved plan										
in Hold											
KEELSONS AND STRINGERS.											
CENTRE LINE KEELSON, Vertical Plate above floors, Through Plate, or Intercoastal Plate											
Rider Plate											
Flat Keel Plate Angles											
Horizontal Plates on floors											
Angles or Bulb Angles											
SIDE KEELSONS, Number											
Angles or Bulb Angles											
Plate above floors, for length											
Intercoastal Plate, for length											
Attached to outside plating with Angle											
BILGE KEELSON, Angles											
Intercoastal Plate, for length											
Attached to outside plating with Angle											
SIDE STRINGERS, Number	Three					Three					
Angle	Double in No. 1 Hold					Double in No. 1 Hold					
Intercoastal Plate, for full lng.											
Attached to outside plating with Angle											
Awning or Shelter Deck Stringer Plates, breadth and thickness	63	39	76	46		63	39	76	46		
Angle on ditto	5	5	68			5	5	68			
Tie Plates, fore and aft, outside Hatchways	4	4	52			4	4	52			
Deck, Iron or Steel, for full lng.	48	40	36			48	40	36			
Wood Deck, Material & thickness P.P. 3/4" where exposed											
Upper Deck Stringer Plate, breadth and thickness	51		52			51		52			
Angles on ditto, No. 2	4	4	52			4	4	52			
Tie Plates, outside Hatchways	3	3	52			3	3	52			
Deck, Iron or Steel, for full lng.	42	40	32			42	40	32			
Wood Deck, Material & thickness	36					36					
Second Deck Stringer Plates, br'dth & thckn's	51		46			51		46			
Angles on ditto, No. 2	4	4	52			4	4	52			
Tie Plates, outside Hatchways	3	3	52			3	3	52			
Deck, Material and thickness	36		32			36		32			
Third, Fourth & Fifth Deck Stringer Plate, breadth and thickness											
Angles on ditto, No. 2											
Tie Plates, outside Hatchways											
Deck, Material and thickness											
Poop Deck Stringer Plate, breadth & thickness	39		38			39		38			
Angles on ditto	3 1/2	3 1/2	38			3 1/2	3 1/2	38			
Tie Plates											
Deck, Material and thickness	Steel 3/8" sheathed with 3/8" P.P. where exposed					Steel 3/8" sheathed with 3/8" P.P. where exposed					
Bridge Deck Stringer Plate, br'dth & thckn's	64		56			64		56			
Angle on ditto	5	5	68			5	5	68			
Tie Plates	Double					Double					
Deck, Material and thickness	Steel 4/8" sheathed with 3/8" P.P. where exposed					Steel 4/8" sheathed with 3/8" P.P. where exposed					
Forecastle Deck Stringer Plate, br'dth & th'kns	39		38			39		38			
Angle on ditto	3 1/2	3 1/2	38			3 1/2	3 1/2	38			
Tie Plates											
Deck, Material and thickness	Steel 3/8" sheathed with 3/8" P.P.					Steel 3/8" sheathed with 3/8" P.P.					

* If Iron or Steel Deck, state if whole or part, and if wood deck is laid thereon.

WEB FRAMES.				FORGINGS OR CASTINGS.			
Inches in Ship.				Inches in Ship.			
Inches per Rule.				Inches per Rule.			
WEB-FRAMES, In Fore Body, No. and spacing				KEEL, Bar, depth and thickness <i>FLAT BAR 11 x 2</i>			
" " " " brdth. & thickness				STEM, moulding and thickness <i>11 x 3 1/2</i>			
" " " " No. of Side Stringers				STERN-POST for Rudder do. do. <i>11 x 3 1/2</i>			
WEB-FRAMES, In E. & B. Space, No. & spacing				" " " " for Propeller			
" " " " brdth. & thickness				RUDDER-A x D* Table 22. Speed <i>13 Knots A x D (shaft stroke) 170 x 48</i>			
WEB-FRAMES, In After Body, No. and spacing				" " " " Main-Piece, diameter at head <i>13 1/2</i>			
" " " " brdth. & thickness				" " " " at heel <i>12 1/4</i>			
" " " " No. of Side Stringers				" " " " Thickness of Plates or Single Plate <i>1.04</i>			
" " " " Size of Face Angles to Web-Frames				" " " " Can the Rudder be unshipped afloat? <i>Yes</i>			
BRACKET PLATES to Stringers between Web Frames, depth and thickness				" " " " Manufacturer's name or trade mark of the Iron or Steel (state process of manufacture of Steel) used for Frames, Floors, Beams, Keelsons, Tie and Stringer Plates, Plating, &c. <i>Siemens open hearth acid and basic Plates, D. Colville South Durham & Dowlais. Bars, D. Colville & Lanarkshire.</i>			
BULKHEADS.				" " " " Has the Steel been tested as required by the Rules? <i>Yes</i>			
" " " " Number, Thickness, STIFFENERS.				" " " " Riveting.			
" " " " Vessel, Per Rule, Thickness, Vertical, Single or Double, Height up, state deck.				" " " " Edges.			
W.T. BULKHEADS 10 8 32 x 3 1/2 x 4 1/2 x 5 1/2 x 6 1/2 x 7 1/2 x 8 1/2 x 9 1/2 x 10 1/2 x 11 1/2 x 12 1/2 x 13 1/2 x 14 1/2 x 15 1/2 x 16 1/2 x 17 1/2 x 18 1/2 x 19 1/2 x 20 1/2 x 21 1/2 x 22 1/2 x 23 1/2 x 24 1/2 x 25 1/2 x 26 1/2 x 27 1/2 x 28 1/2 x 29 1/2 x 30 1/2 x 31 1/2 x 32 1/2 x 33 1/2 x 34 1/2 x 35 1/2 x 36 1/2 x 37 1/2 x 38 1/2 x 39 1/2 x 40 1/2 x 41 1/2 x 42 1/2 x 43 1/2 x 44 1/2 x 45 1/2 x 46 1/2 x 47 1/2 x 48 1/2 x 49 1/2 x 50 1/2 x 51 1/2 x 52 1/2 x 53 1/2 x 54 1/2 x 55 1/2 x 56 1/2 x 57 1/2 x 58 1/2 x 59 1/2 x 60 1/2 x 61 1/2 x 62 1/2 x 63 1/2 x 64 1/2 x 65 1/2 x 66 1/2 x 67 1/2 x 68 1/2 x 69 1/2 x 70 1/2 x 71 1/2 x 72 1/2 x 73 1/2 x 74 1/2 x 75 1/2 x 76 1/2 x 77 1/2 x 78 1/2 x 79 1/2 x 80 1/2 x 81 1/2 x 82 1/2 x 83 1/2 x 84 1/2 x 85 1/2 x 86 1/2 x 87 1/2 x 88 1/2 x 89 1/2 x 90 1/2 x 91 1/2 x 92 1/2 x 93 1/2 x 94 1/2 x 95 1/2 x 96 1/2 x 97 1/2 x 98 1/2 x 99 1/2 x 100 1/2 x 101 1/2 x 102 1/2 x 103 1/2 x 104 1/2 x 105 1/2 x 106 1/2 x 107 1/2 x 108 1/2 x 109 1/2 x 110 1/2 x 111 1/2 x 112 1/2 x 113 1/2 x 114 1/2 x 115 1/2 x 116 1/2 x 117 1/2 x 118 1/2 x 119 1/2 x 120 1/2 x 121 1/2 x 122 1/2 x 123 1/2 x 124 1/2 x 125 1/2 x 126 1/2 x 127 1/2 x 128 1/2 x 129 1/2 x 130 1/2 x 131 1/2 x 132 1/2 x 133 1/2 x 134 1/2 x 135 1/2 x 136 1/2 x 137 1/2 x 138 1/2 x 139 1/2 x 140 1/2 x 141 1/2 x 142 1/2 x 143 1/2 x 144 1/2 x 145 1/2 x 146 1/2 x 147 1/2 x 148 1/2 x 149 1/2 x 150 1/2 x 151 1/2 x 152 1/2 x 153 1/2 x 154 1/2 x 155 1/2 x 156 1/2 x 157 1/2 x 158 1/2 x 159 1/2 x 160 1/2 x 161 1/2 x 162 1/2 x 163 1/2 x 164 1/2 x 165 1/2 x 166 1/2 x 167 1/2 x 168 1/2 x 169 1/2 x 170 1/2 x 171 1/2 x 172 1/2 x 173 1/2 x 174 1/2 x 175 1/2 x 176 1/2 x 177 1/2 x 178 1/2 x 179 1/2 x 180 1/2 x 181 1/2 x 182 1/2 x 183 1/2 x 184 1/2 x 185 1/2 x 186 1/2 x 187 1/2 x 188 1/2 x 189 1/2 x 190 1/2 x 191 1/2 x 192 1/2 x 193 1/2 x 194 1/2 x 195 1/2 x 196 1/2 x 197 1/2 x 198 1/2 x 199 1/2 x 200 1/2 x 201 1/2 x 202 1/2 x 203 1/2 x 204 1/2 x 205 1/2 x 206 1/2 x 207 1/2 x 208 1/2 x 209 1/2 x 210 1/2 x 211 1/2 x 212 1/2 x 213 1/2 x 214 1/2 x 215 1/2 x 216 1/2 x 217 1/2 x 218 1/2 x 219 1/2 x 220 1/2 x 221 1/2 x 222 1/2 x 223 1/2 x 224 1/2 x 225 1/2 x 226 1/2 x 227 1/2 x 228 1/2 x 229 1/2 x 230 1/2 x 231 1/2 x 232 1/2 x 233 1/2 x 234 1/2 x 235 1/2 x 236 1/2 x 237 1/2 x 238 1/2 x 239 1/2 x 240 1/2 x 241 1/2 x 242 1/2 x 243 1/2 x 244 1/2 x 245 1/2 x 246 1/2 x 247 1/2 x 248 1/2 x 249 1/2 x 250 1/2 x 251 1/2 x 252 1/2 x 253 1/2 x 254 1/2 x 255 1/2 x 256 1/2 x 257 1/2 x 258 1/2 x 259 1/2 x 260 1/2 x 261 1/2 x 262 1/2 x 263 1/2 x 264 1/2 x 265 1/2 x 266 1/2 x 267 1/2 x 268 1/2 x 269 1/2 x 270 1/2 x 271 1/2 x 272 1/2 x 273 1/2 x 274 1/2 x 275 1/2 x 276 1/2 x 277 1/2 x 278 1/2 x 279 1/2 x 280 1/2 x 281 1/2 x 282 1/2 x 283 1/2 x 284 1/2 x 285 1/2 x 286 1/2 x 287 1/2 x 288 1/2 x 289 1/2 x 290 1/2 x 291 1/2 x 292 1/2 x 293 1/2 x 294 1/2 x 295 1/2 x 296 1/2 x 297 1/2 x 298 1/2 x 299 1/2 x 300 1/2 x 301 1/2 x 302 1/2 x 303 1/2 x 304 1/2 x 305 1/2 x 306 1/2 x 307 1/2 x 308 1/2 x 309 1/2 x 310 1/2 x 311 1/2 x 312 1/2 x 313 1/2 x 314 1/2 x 315 1/2 x 316 1/2 x 317 1/2 x 318 1/2 x 319 1/2 x 320 1/2 x 321 1/2 x 322 1/2 x 323 1/2 x 324 1/2 x 325 1/2 x 326 1/2 x 327 1/2 x 328 1/2 x 329 1/2 x 330 1/2 x 331 1/2 x 332 1/2 x 333 1/2 x 334 1/2 x 335 1/2 x 336 1/2 x 337 1/2 x 338 1/2 x 339 1/2 x 340 1/2 x 341 1/2 x 342 1/2 x 343 1/2 x 344 1/2 x 345 1/2 x 346 1/2 x 347 1/2 x 348 1/2 x 349 1/2 x 350 1/2 x 351 1/2 x 352 1/2 x 353 1/2 x 354 1/2 x 355 1/2 x 356 1/2 x 357 1/2 x 358 1/2 x 359 1/2 x 360 1/2 x 361 1/2 x 362 1/2 x 363 1/2 x 364 1/2 x 365 1/2 x 366 1/2 x 367 1/2 x 368 1/2 x 369 1/2 x 370 1/2 x 371 1/2 x 372 1/2 x 373 1/2 x 374 1/2 x 375 1/2 x 376 1/2 x 377 1/2 x 378 1/2 x 379 1/2 x 380 1/2 x 381 1/2 x 382 1/2 x 383 1/2 x 384 1/2 x 385 1/2 x 386 1/2 x 387 1/2 x 388 1/2 x 389 1/2 x 390 1/2 x 391 1/2 x 392 1/2 x 393 1/2 x 394 1/2 x 395 1/2 x 396 1/2 x 397 1/2 x 398 1/2 x 399 1/2 x 400 1/2 x 401 1/2 x 402 1/2 x 403 1/2 x 404 1/2 x 405 1/2 x 406 1/2 x 407 1/2 x 408 1/2 x 409 1/2 x 410 1/2 x 411 1/2 x 412 1/2 x 413 1/2 x 414 1/2 x 415 1/2 x 416 1/2 x 417 1/2 x 418 1/2 x 419 1/2 x 420 1/2 x 421 1/2 x 422 1/2 x 423 1/2 x 424 1/2 x 425 1/2 x 426 1/2 x 427 1/2 x 428 1/2 x 429 1/2 x 430 1/2 x 431 1/2 x 432 1/2 x 433 1/2 x 434 1/2 x 435 1/2 x 436 1/2 x 437 1/2 x 438 1/2 x 439 1/2 x 440 1/2 x 441 1/2 x 442 1/2 x 443 1/2 x 444 1/2 x 445 1/2 x 446 1/2 x 447 1/2 x 448 1/2 x 449 1/2 x 450 1/2 x 451 1/2 x 452 1/2 x 453 1/2 x 454 1/2 x 455 1/2 x 456 1/2 x 457 1/2 x 458 1/2 x 459 1/2 x 460 1/2 x 461 1/2 x 462 1/2 x 463 1/2 x 464 1/2 x 465 1/2 x 466 1/2 x 467 1/2 x 468 1/2 x 469 1/2 x 470 1/2 x 471 1/2 x 472 1/2 x 473 1/2 x 474 1/2 x 475 1/2 x 476 1/2 x 477 1/2 x 478 1/2 x 479 1/2 x 480 1/2 x 481 1/2 x 482 1/2 x 483 1/2 x 484 1/2 x 485 1/2 x 486 1/2 x 487 1/2 x 488 1/2 x 489 1/2 x 490 1/2 x 491 1/2 x 492 1/2 x 493 1/2 x 494 1/2 x 495 1/2 x 496 1/2 x 497 1/2 x 498 1/2 x 499 1/2 x 500 1/2 x 501 1/2 x 502 1/2 x 503 1/2 x 504 1/2 x 505 1/2 x 506 1/2 x 507 1/2 x 508 1/2 x 509 1/2 x 510 1/2 x 511 1/2 x 512 1/2 x 513 1/2 x 514 1/2 x 515 1/2 x 516 1/2 x 517 1/2 x 518 1/2 x 519 1/2 x 520 1/2 x 521 1/2 x 522 1/2 x 523 1/2 x 524 1/2 x 525 1/2 x 526 1/2 x 527 1/2 x 528 1/2 x 529 1/2 x 530 1/2 x 531 1/2 x 532 1/2 x 533 1/2 x 534 1/2 x 535 1/2 x 536 1/2 x 537 1/2 x 538 1/2 x 539 1/2 x 540 1/2 x 541 1/2 x 542 1/2 x 543 1/2 x 544 1/2 x 545 1/2 x 546 1/2 x 547 1/2 x 548 1/2 x 549 1/2 x 550 1/2 x 551 1/2 x 552 1/2 x 553 1/2 x 554 1/2 x 555 1/2 x 556 1/2 x 557 1/2 x 558 1/2 x 559 1/2 x 560 1/2 x 561 1/2 x 562 1/2 x 563 1/2 x 564 1/2 x 565 1/2 x 566 1/2 x 567 1/2 x 568 1/2 x 569 1/2 x 570 1/2 x 571 1/2 x 572 1/2 x 573 1/2 x 574 1/2 x 575 1/2 x 576 1/2 x 577 1/2 x 578 1/2 x 579 1/2 x 580 1/2 x 581 1/2 x 582 1/2 x 583 1/2 x 584 1/2 x 585 1/2 x 586 1/2 x 587 1/2 x 588 1/2 x 589 1/2 x 590 1/2 x 591 1/2 x 592 1/2 x 593 1/2 x 594 1/2 x 595 1/2 x 596 1/2 x 597 1/2 x 598 1/2 x 599 1/2 x 600 1/2 x 601 1/2 x 602 1/2 x 603 1/2 x 604 1/2 x 605 1/2 x 606 1/2 x 607 1/2 x 608 1/2 x 609 1/2 x 610 1/2 x 611 1/2 x 612 1/2 x 613 1/2 x 614 1/2 x 615 1/2 x 616 1/2 x 617 1/2 x 618 1/2 x 619 1/2 x 620 1/2 x 621 1/2 x 622 1/2 x 623 1/2 x 624 1/2 x 625 1/2 x 626 1/2 x 627 1/2 x 628 1/2 x 629 1/2 x 630 1/2 x 631 1/2 x 632 1/2 x 633 1/2 x 634 1/2 x 635 1/2 x 636 1/2 x 637 1/2 x 638 1/2 x 639 1/2 x 640 1/2 x 641 1/2 x 642 1/2 x 643 1/2 x 644 1/2 x 645 1/2 x 646 1/2 x 647 1/2 x 648 1/2 x 649 1/2 x 650 1/2 x 651 1/2 x 652 1/2 x 653 1/2 x 654 1/2 x 655 1/2 x 656 1/2 x 657 1/2 x 658 1/2 x 659 1/2 x 660 1/2 x 661 1/2 x 662 1/2 x 663 1/2 x 664 1/2 x 665 1/2 x 666 1/2 x 667 1/2 x 668 1/2 x 669 1/2 x 670 1/2 x 671 1/2 x 672 1/2 x 673 1/2 x 674 1/2 x 675 1/2 x 676 1/2 x 677 1/2 x 678 1/2 x 679 1/2 x 680 1/2 x 681 1/2 x 682 1/2 x 683 1/2 x 684 1/2 x 685 1/2 x 686 1/2 x 687 1/2 x 688 1/2 x 689 1/2 x 690 1/2 x 691 1/2 x 692 1/2 x 693 1/2 x 694 1/2 x 695 1/2 x 696 1/2 x 697 1/2 x 698 1/2 x 699 1/2 x 700 1/2 x 701 1/2 x 702 1/2 x 703 1/2 x 704 1/2 x 705 1/2 x 706 1/2 x 707 1/2 x 708 1/2 x 709 1/2 x 710 1/2 x 711 1/2 x 712 1/2 x 713 1/2 x 714 1/2 x 715 1/2 x 716 1/2 x 717 1/2 x 718 1/2 x 719 1/2 x 720 1/2 x 721 1/2 x 722 1/2 x 723 1/2 x 724 1/2 x 725 1/2 x 726 1/2 x 727 1/2 x 728 1/2 x 729 1/2 x 730 1/2 x 731 1/2 x 732 1/2 x 733 1/2 x 734 1/2 x 735 1/2 x 736 1/2 x 737 1/2 x 738 1/2 x 739 1/2 x 740 1/2 x 741 1/2 x 742 1/2 x 743 1/2 x 744 1/2 x 745 1/2 x 746 1/2 x 747 1/2 x 748 1/2 x 749 1/2 x 750 1/2 x 751 1/2 x 752 1/2 x 753 1/2 x 754 1/2 x 755 1/2 x 756 1/2 x 757 1/2 x 758 1/2 x 759 1/2 x 760 1/2 x 761 1/2 x 762 1/2 x 763 1/2 x 764 1/2 x 765 1/2 x 766 1/2 x 767 1/2 x 768 1/2 x 769 1/2 x 770 1/2 x 771 1/2 x 772 1/2 x 773 1/2 x 774 1/2 x 775 1/2 x 776 1/2 x 777 1/2 x 778 1/2 x 779 1/2 x 780 1/2 x 781 1/2 x 782 1/2 x 783 1/2 x 784 1/2 x 785 1/2 x 786 1/2 x 787 1/2 x 788 1/2 x 789 1/2 x 790 1/2 x 791 1/2 x 792 1/2 x 793 1/2 x 794 1/2 x 795 1/2 x 796 1/2 x 797 1/2 x 798 1/2 x 799 1/2 x 800 1/2 x 801 1/2 x 802 1/2 x 803 1/2 x 804 1/2 x 805 1/2 x 806 1/2 x 807 1/2 x 808 1/2 x 809 1/2 x 810 1/2 x 811 1/2 x 812 1/2 x 813 1/2 x 814 1/2 x 815 1/2 x 816 1/2 x 817 1/2 x 818 1/2 x 819 1/2 x 820 1/2 x 821 1/2 x 822 1/2 x 823 1/2 x 824 1/2 x 825 1/2 x 826 1/2 x 827 1/2 x 828 1/2 x 829 1/2 x 830 1/2 x 831 1/2 x 832 1/2 x 833 1/2 x 834 1/2 x 835 1/2 x 836 1/2 x 837 1/2 x 838 1/2 x 839 1/2 x 840 1/2 x 841 1/2 x 842 1/2 x 843 1/2 x 844 1/2 x 845 1/2 x 846 1/2 x 847 1/2 x 848 1/2 x 849 1/2 x 850 1/2 x 851 1/2 x 852 1/2 x 853 1/2 x 854 1/2 x 855 1/2 x 856 1/2 x 857 1/2 x 858 1/2 x 859 1/2 x 860 1/2 x 861 1/2 x 862 1/2 x 863 1/2 x 864 1/2 x 865 1/2 x 866 1/2 x 867 1/2 x 868 1/2 x 869 1/2 x 870 1/2 x 871 1/2 x 872 1/2 x 873 1/2 x 874 1/2 x 875 1/2 x 876 1/2 x 877 1/2 x 878 1/2 x 879 1/2 x 880 1/2 x 881 1/2 x 882 1/2 x 883 1/2 x 884 1/2 x 885 1/2 x 886 1/2 x 887 1/2 x 888 1/2 x 889 1/2 x 890 1/2 x 891 1/2 x 892 1/2 x 893 1/2 x 894 1/2 x 895 1/2 x 896 1/2 x 897 1/2 x 898 1/2 x 899 1/2 x 900 1/2 x 901 1/2 x 902 1/2 x 903 1/2 x 904 1/2 x 905 1/2 x 906 1/2 x 907 1/2 x 908 1/2 x 909 1/2 x 910 1/2 x 911 1/2 x 912 1/2 x 913 1/2 x 914 1/2 x 915 1/2 x 916 1/2 x 917 1/2 x 918 1/2 x 919 1/2 x 920 1/2 x 921 1/2 x 922 1/2 x 923 1/2 x 924 1/2 x 925 1/2 x 926 1/2 x 927 1/2 x 928 1/2 x 929 1/2 x 930 1/2 x 931 1/2 x 932 1/2 x 933 1/2 x 934 1/2 x 935 1/2 x 936 1/2 x 937 1/2 x 938 1/2 x 939 1/2 x 940 1/2 x 941 1/2 x 942 1/2 x 943 1/2 x 944 1/2 x 945 1/2 x 946 1/2 x 947 1/2 x 948 1/2 x 949 1/2 x 950 1/2 x 951 1/2 x 952 1/2 x 953 1/2 x 954 1/2 x 955 1/2 x 956 1/2 x 957 1/2 x 958 1/2 x 959 1/2 x 960 1/2 x 961 1/2 x 962 1/2 x 963 1/2 x 964 1/2 x 965 1/2 x 966 1/2 x 967 1/2 x 968 1/2 x 969 1/2 x 970 1/2 x 971 1/2 x 972 1/2 x 973 1/2 x 974 1/2 x 975 1/2 x 976 1/2 x 977 1/2 x 978 1/2 x 979 1/2 x 980 1/2 x 981 1/2 x 982 1/2 x 983 1/2 x 984 1/2 x 985 1/2 x 986 1/2 x 987 1/2 x 988 1/2 x 989 1/2 x 990 1/2 x 991 1/2 x 992 1/2 x 993 1/2 x 994 1/2 x 995 1/2 x 996 1/2 x 997 1/2 x 998 1/2 x 999 1/2 x 1000 1/2							

EQUIPMENT No. 55683 LETTER G+				ANCHORS.			
Number of Certificate.				Weight, Ex. Stock.			
Anchors.				Test, per Certificate.			
85565 1st Bower				85566 2nd "			
85566 2nd "				85567 3rd "			
85567 3rd "				85568 Stream			
Particulars of Drop Test of Cast Steel Anchors, viz.:-				1st Bower 54-1-21 L.P.H.T. N° 539 3/3/21.			
Weight, Surveyor's Initials, Number of Certificate, Date of Test.				2nd " 50-2-0 L.P.H.T. N° 663 10/1/22.			
				3rd " 52-3-7 L.P.H.T. N° 674 2/2/22.			
CHAIN CABLES.				HAWERS AND WARPS.			
Number of Certificate.				Length and Size.			
Length, Diam.				Test, per Certificate.			
69882 105 2 1/2				69884 105 2 1/2			
69884 105 2 1/2				69885 105 2 1/2			
69885 105 2 1/2				69886 105 2 1/2			
69886 105 2 1/2				69887 105 2 1/2			
69887 105 2 1/2				69888 105 2 1/2			
69888 105 2 1/2				69889 105 2 1/2			
69889 105 2 1/2				69890 105 2 1/2			
69890 105 2 1/2				69891 105 2 1/2			
69891 105 2 1/2				69892 105 2 1/2			
69892 105 2 1/2				69893 105 2 1/2			
69893 105 2 1/2				69894 105 2 1/2			
69894 105 2 1/2				69895 105 2 1/2			
69895 105 2 1/2				69896 105 2 1/2			
69896 105 2 1/2				69897 105 2 1/2			
69897 105 2 1/2				69898 105 2 1/2			
69898 105 2 1/2				69899 105 2 1/2			
69899 105 2 1/2				69900 105 2 1/2			
69900 105 2 1/2				69901 105 2 1/2			
69901 105 2 1/2				69902 105 2 1/2			
69902 105 2 1/2				69903 105 2 1/2			
69903 105 2 1/2				69904 105 2 1/2			
69904 105 2 1/2				69905 105 2 1/2			
69905 105 2 1/2				69906 105 2 1/2			
69906 105 2 1/2				69907 105 2 1/2			
69907 105 2 1/2				69908 105 2 1/2			
69908 105 2 1/2				69909 105 2 1/2			
69909 105 2 1/2				69910 105 2 1/2			
69910 105 2 1/2				69911 105 2 1/2			
69911 105 2 1/2				69912 105 2 1/2			
69912 105 2 1/2				69913 105 2 1/2			
69913 105 2 1/2				69914 105 2 1/2			
69914 105 2 1/2				69915 105 2 1/2			
69915 105 2 1/2				69916 105 2 1/2			
69916 105 2 1/2				69917 105 2 1/2			
69917 105 2 1/2				69918 105 2 1/2			
69918 105 2 1/2							

WEB-FR

WEB-FR

WEB-FR

Siz
BRACKE
Web Fr

BULKE

W.T.BUL

„ COLL
PARTIT
LONGITU

Are the ou

Are the St

STI

FLAT PLA
(If Bar Kee
GARBOARD

State actu
thickness
way of Dou
Bottom.

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 34 ft., R.Q.D. ft., Bridge 225.7 ft., Forecastle 86.7 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 2 Dks (Stl) & Shelter Dk (Stl-W.S.) 10 Bhs, 9 extended to Shelter Deck

Official No. 144814 ; Signal Letters

State if Machinery is fitted aft no

How are the surfaces preserved from oxidation? Inside Paint, Portland cement & bitumastic Outside Paint.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors Cellular.

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	128	413	Fore peak tank,		
Double bottom, under Engines and Boilers,	133	754	After peak tank,		
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,	164	655	Other tanks, if fitted, Fresh Water Tanks at sides of foremast	14	40
Total capacity of double bottom		1822	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. Yes.

Order for Special Survey No. 685

Date 10th Jan 1920


No. 576 in builder's yard.

DATES OF SURVEYS
held while building

1920 April 8-19 May 7-12-21 June 8-16 July 27 Aug 2-18-20-24-30 Sept 2-14-24-27 Oct 12-26 Nov 3-9-17-21
Dec 1-17-1921 Jan 5-12-25-31 Feb 4-24 Mar 4-7-17-24-31 Apr 12-19-21-25 May 4-26-30
June 8-14-28 July 25 Aug 1-6-10-12 Sept 1-5-7-19-26-27-28-30 Oct 4-10-17-18-19-25-28
Nov 4-8-10-14-17-18-30 Dec 5-12-13-16-21 1922 Jan 3-5-6-11-12-13-16-17-24-31 Feb 2-3-6-8-25-28
Mar 13-21-23-31 Apr 4-10-20-25 May 4-5-9-24-29-30 June 1-5-7-13-15-23-28-30 Total No. of Visits 119
July 3-4

Surveyor's Signature

L. Kendall



144,8

No., Date,

Whether B
Foreign

Britis

Number of

Number of

Rigged

Stern

Build

Galleries

Head

Framework

vessel

Number of

Number of

and their

Total to quart

to bottom

No. of

sets of

Engines.

Two

Br

Re

No. of

Shafts.

Two

Num

Iron

Load

Under Tonn

Space or sp

Turret or T

Forecastle..

Bridge spac

Poop on-Ba

Side Houses

Deck House

Chart House

Spaces for m

Section 78

1894

Excess of H

Gr

Deductions,

Reg

NOTE 1.—The t

prop

NOTE 2.—The t

(1) Open

Forecast

2.49 Ton

(5) Fore

Length 2

Nam

No. of Own

Name, Resid

Geo. T

Dated

(830) (371003) V

Working press