

BULKHEAD SCANTLINGS.

ITEM.	No 12 W.T.	No 49 W.T.	No 75 W.T.	No 97 W.T.	No 107 NON W.T.	No 143 W.T.	No 173 W.T.
BULKHEAD FRAMES.	5' 5" x 44"	3 1/2' x 36" x 44"	3 1/2' x 36" x 44"	3 1/2' x 36" x 44"	3 1/2' x 36" x 44"	3 1/2' x 36" x 44"	5' 5" x 48"
TANK TOP ANGLE.	—	—	—	—	—	—	—
DECK ANGLE.	3' 3" x 36"	3' 3" x 36"	3' 3" x 36"	3' 3" x 36"	3' 3" x 36"	3' 3" x 36"	3' 3" x 36"
PLATING EX. COAMING.	26" x 34"	26" x 34"	26" x 36"	30"	26" x 36"	26" x 40"	26" x 40"
COAMING.	40"	40"	46"	80"	42"	52"	—
STIFFENERS.	6' 3" x 30 B.A.	5' 4" x 40 B.A.	5' 4" x 40 B.A.	5' 4" x 40 B.A.	5' 4" x 40 B.A.	5' 4" x 40 B.A.	5' 4" x 40 B.A.
SPACING.	24"	30"	30"	30"	40"	30"	24"
TOP & BOTTOM CONNECTIONS.	LUGGED.	LUGGED.	LUGGED.	LUGGED.	ATTACHED TO TOP & BOT. ANG.	LUGGED.	LUGGED.
RIVETS.	2-3/4 R.	8-7/8 R.	8-7/8 R.	8-7/8 R.	—	9-7/8 R.	4-3/4 R.


PROFILE & DECK PLANS.

S.S. "RUSHPOOL" S.S. No 243.

SCALE 1/8" = 1 FOOT.

CLASS :- BRITISH CORPORATION B.S.\*

DIMENSIONS :- LENGTH BR.=420'-0" BREADTH EXT.=54'-0" DEPTH MLD.=29'-9"



500243.  
SEPT. 72 1928.

30 NOV 1928



AMS 7' 3" x 40 B.A.

AMS 9' 3 1/2" x 46 B.A. (N.B.S.)  
ALTERNATE FRAMES

INTERMEDIATE FRAMES  
CONNECTED TO PANTING  
FINGERS.

AMS 9' 3 1/2" x 46 B.A. (N.B.S.)  
ALTERNATE FRAMES.

ORS IN PEAKS .42

6" & 7" BEAMS,  
3/4" RIVS.

500/243.  
SEPT. 7<sup>TH</sup> 1928.

LR

© 2020 Lloyd's Register  
Foundation

PLAN NO. 4/242-3.

18

Profile & Deck [as built.]

Cowpen D. D. Co. N<sup>o</sup> 243.

Reference.

$\frac{5}{8}$  "Rushpool" (Sunk)



© 2020

Lloyd's Register  
Foundation

002401-002409-0142

18