

Port of Survey _____
Date of Survey 9th Jan'y 33
Name of Surveyor _____

Ship's Name.	Port of Registry and Nationality.	Official Number.	Gross Tonnage.	Date of Build.	Particulars of Classification.
A. B.	Rouen	-	2654	1921-8	- 100 A1.
Graham No. 15, 244	French				

LENGTH.	BREADTH.	DEPTH.	UNDER DECK TONNAGE.
300.0	46.0	18.10 <i>To line of T.T. throughout</i>	1997.34
	mean Frame/Depth $8\frac{1}{4}$ Rule " $5\frac{5}{8}$ $\frac{2\frac{3}{4}}{2\frac{3}{4}}$	Ceiling + 20 Sheer + 55	Peak and dup Tanks <i>attained</i> - 20 tons <i>For bottom cut - 700 of stowdy floors and line of tank top</i>
300.0	45.87 $23 \times 2 = -.46$ <i>no sparrows</i> + .33	18.85	1977.34

NOTE. — If the depth is measured when vessel is afloat, the details of measurement should be reported.

CORRECTION FOR LENGTH.

Length of Ship on Loadline.....	300.0	
Length in Table	<u>243.0</u>	
Difference	57.0	
Correction for 10ft., Table A.	1.2	Table C.
× Difference divided by 10	6.84	(if required.)
If $\frac{a}{10}$ ths length covered divide by 2	3.42	+ 3 $\frac{1}{2}$

CORRECTION FOR IRON DECK.

CORRECTION FOR IRON DECK.

Proportion covered, if less than $\frac{7}{10}$ ths length covered666 + large half always
Thickness of usual wood deck, less stringer	$3\frac{1}{2}$ — $3\frac{1}{2}$

CORRECTION FOR ROUND OF BEAM.

NOTE. — The round of beam should be reported on the full breadth of vessel at the gunwale.

Breadth at Gunwale amidships.....	45 - 6
Round of Beam	$1\frac{1}{2}$ "
Normal round.....	$11\frac{1}{2}$ "
Difference	— ÷ 2 =
Proportion of Deck uncovered (Para. 19)	

ALLOWANCE FOR DECK ERECTIONS :—

ALLOWANCE FOR DECK ERECTIONS:—	
Table C.....	1' - 4 1/4"
for Length, if required (Para. 12, 13, and 14)	/

by Table A. corrected for sheer, and for length, } $3 - 5\frac{1}{2}$
 required (Para. 11, ~~12, 13, and 14~~)

as below..... 2-14
49.90

for R. Q. Dk. if engine and boiler openings not
 ed by bridge house (Para. 11) 12 1/2
 for Deck Erections

Freeboard, Table A	3' 10 1/2"
Correction for Sheer	- 5"
	<hr/> 3' 5 1/2"
Correction for Length	+ 3 1/2"
	<hr/> 3' 9"
Allowance for Deck Erections	- 1 - 0 1/2"
	<hr/> 2' 8 1/2"
Correction for Round of Beam.....	/
Correction for fall in Sheer (if any).....	/
Correction for Steel Deck (if required)	- 3 1/2"
	<hr/> 2' 5"
Additions for non-compliance with provisions of } } Para. 11 (d) and (e) †	
Other Corrections (if any)	/

Winter Freeboard	2' 5"
Summer Freeboard	2' 2"
Indian Summer Freeboard	1' 11"
N. A. Winter Freeboard	2' 8"

Correction necessary because clearside amidships, measured in accordance with the Statute is not taken at the intersection of the wood or steel deck with side.

Winter Freeboard from deck line
Summer " " " "
Indian Summer
N. A. Winter " " " "

SUMMER FREEBOARD amidships from Centre of Disc to top of Deck Line, **Wood**, Steel, Deck:—

Tropical Fresh Water Line above Centre of Disc	...	190	7	...
Fresh Water Line	"	"	114	7
Tropical Line	"	"	76	7
Winter Line	below	"	76	7
Winter North Atlantic Line	"	"	152	7

Tropical Fresh Water Freeboard
Fresh Water	" ...
Tropical	" ...
Winter	" ...
Winter North Atlantic	" ...

MARKING FORM
14 SEP 1934
RECEIVED

MARKING FORM
12 MAY 1935
RECEIVED

002790-002997-0258